TASK 14 · LEVEL 1 · DAY 14

Basic Sales Summary

VEDA TECHNOLOGY · Data Analytics Track · Excel

Objective

Summarize sales data using three business KPIs: total sales, average sales per row/transaction, and transaction count. Present the results in a simple summary sheet using Excel formulas.

Dataset and source

Dataset: **Sample Superstore**, commonly shared on Kaggle as *Sample - Superstore.csv*. It contains retail order details such as Order ID, Order Date, Product Category, Sales, Quantity, Discount, and Profit.

Kaggle dataset page: https://www.kaggle.com/datasets/vivek468/superstore-dataset-final

Important: this is a public educational/sample dataset, commonly attributed to Tableau—not confidential live company records. The figures below correspond to the standard Sample Superstore version; Kaggle mirrors or modified versions may differ slightly.

1. KPI Summary

TOTAL SALES	AVERAGE SALES	TRANSACTION ROWS
$2,297,200.86	**$229.86**	**9,994**

2. Excel Formula Sheet

KPI	Formula (Sales in column S)	Result
Total Sales	=SUM(S2:S9995)	$2,297,200.86
Average Sales	=AVERAGE(S2:S9995)	$229.86
Transaction Count	=COUNT(S2:S9995)	9,994

In the standard Sample Superstore file, Sales is usually the 19th column (S) when the original column order is preserved. Check the actual column letter in your downloaded CSV before using these formulas. If Sales is in another column, replace S with that column letter.

3. How to complete this in Excel

1. Download the CSV from the Kaggle link above (sign in may be required).
2. Open the CSV in Excel and locate the **Sales** column.
3. Create a second worksheet named **Summary**.
4. Add KPI labels: Total Sales, Average Sales, Transaction Count.
5. Enter `=SUM(S2:S9995)`, `=AVERAGE(S2:S9995)`, and `=COUNT(S2:S9995)`, adjusting the column letter and last row

if necessary.
6. Format total and average as Currency (USD), transaction count as a whole number, and style the three KPI cells as cards.

4. What the KPIs mean

Total Sales is the sum of the Sales column. **Average Sales** is total sales divided by the number of numeric sales rows. **Transaction Count** counts numeric Sales entries; it is a row count, not necessarily a unique Order ID count, because an order can contain multiple product lines.

5. Interview questions

What is a KPI? A Key Performance Indicator is a measurable value used to track progress toward a business objective.

How is average different from total? Total adds all sales values together; average divides the total by the number of numeric sales rows.

Why can transaction rows differ from unique orders? One order can include several product lines, so counting rows may count the same Order ID more than once.

Submission note: this PDF is the summary report. Submit the original Kaggle CSV and an Excel workbook with the formulas too if your internship portal requests the dataset/workbook. Confirm the final figures against the exact CSV version you download, as mirrors can vary.