
Cucumber Report



| Feature | | | Scenario | | | | Step | | | |
|--------------------|----------|---|----------|---|---|----|------|---|----|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| manager_login_test | 13.230 s | 4 | 0 | 4 | 0 | 24 | 6 | 4 | 14 | |

| # | Feature Name | Scenario Name |
|---|--------------------|---|
| 1 | manager_login_test | user should be able to login with manager credentials |
| 2 | | user should be able to login with manager credentials |
| 3 | | user should be able to login with manager credentials |
| 4 | | user should be able to login with manager credentials |


| TAG | Scenario | | | Feature | | | | |
|---------------------|----------|---|---|---------|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @manager_login_test | 4 | 0 | 4 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------|---|---|---|---|----------|
| 1 | manager_login_test | 4 | 0 | 4 | 0 | 13.230 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------|---|---|---|---|---|----------|
| 1 | manager_login_test | user should be able to login with manager credentials | 6 | 5 | 1 | 0 | 6.863 s |
| 2 | | user should be able to login with manager credentials | 6 | 1 | 1 | 4 | 6.132 s |
| 3 | | user should be able to login with manager credentials | 6 | 0 | 1 | 5 | 0.047 s |
| 4 | | user should be able to login with manager credentials | 6 | 0 | 1 | 5 | 0.052 s |

DETAILED SECTION -- 7 -


manager_login_test

| FAILED | DURATION - 13.230 s | Scenarios | | Steps | |
|-----------------------|---------------------|-----------|---|------------|----|
| | | Total - 4 | | Total - 24 | |
| / 4:24:00.646 AM // 4 | 4:24:13.876 AM / | Pass - 0 | 4 | Pass - 6 | 24 |
| | | Fail - 4 | | Fail - 4 | |
| | | Skip - 0 | | Skip - 14 | |
| | | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is on "https://www.bluerentalcars.com/" | PASSED | 4.061 s |
| 2 | When user navigates to the login page | PASSED | 1.141 s |
| 3 | And enter "sam.walker@bluerentalcars.com" | PASSED | 0.616 s |
| 4 | And enter "c!fas_art" | PASSED | 0.290 s |
| 5 | And click on login button | PASSED | 0.084 s |
| 6 | Then verify the login is successful | FAILED | 0.079 s |
| | java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.BlueRentalStepDefs.verify_the_login_is_successful(BlueRentalStepDefs.java:40) at ?.verify the login is successful(file:///C:/Users/Administrator/Desktop/BATCH%20179-180%20QA%20ENG/IdeaProjects/mycucumberproject/./src/test/resources/features/mytests_US167854_manager_login_test.feature:9) * Not displayable characters are replaced by '?'. | | |
| | AFTER - hooks.Hooks.afterTearDown(io.cucumber.java.Scenario) failed_screenshot | PASSED | 0.552 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | blue of the second seco | | |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is on "https://www.bluerentalcars.com/" | PASSED | 5.591 s |
| 2 | When user navigates to the login page | FAILED | 0.501 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dfc3ae29b6f31888432bed798b8acff7, findElement {using=link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:WINDOWS\SystemTemp\scope\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57085}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57085/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dfc3ae29b6f31888432bed798b8acff7 at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) at jdk.proxy2/jdk.proxy2.\$Proxy22.findElement(Unknown Source) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.click(Unknown Source) at stepdefinitions.BlueRentalStepDefs.user_navigates_to_the_login_page(BlueRentalStepDefs.java:26) at ?.user navigates to the login page(file:///C:/Users/Administrator/Desktop/BATCH%20179-180%20QA%20ENG/IdeaProjects/mycucumberproject/./src/test/resources/features/mytests_US167854_manager_login_test.feature:5) * Not displayable characters are replaced by '?'. | | |
| 3 | And enter "kate.brown@bluerentalcars.com" | SKIPPED | 0.001 s |
| 4 | And enter "tad1\$Fas" | SKIPPED | 0.000 s |
| 5 | And click on login button | SKIPPED | 0.000 s |
| 6 | Then verify the login is successful | SKIPPED | 0.000 s |
| | AFTER - hooks.Hooks.afterTearDown(io.cucumber.java.Scenario) | FAILED | 0.009 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dfc3ae29b6f31888432bed798b8acff7, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\WINDOWS\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57085}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57085/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dfc3ae29b6f31888432bed798b8acff7 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |

DETAILED SECTION -- 10 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) | | |
| | at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy22.getScreenshotAs(Unknown Source) | | |
| | at hooks.Hooks.afterTearDown(Hooks.java:21) | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user is on "https://www.bluerentalcars.com/" | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dfc3ae29b6f31888432bed798b8acff7, get {url=https://www.bluerentalcars.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\WINDOWS\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57085}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57085/devtoo, se:cdp\Version: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dfc3ae29b6f31888432bed798b8acff7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.createException(W3cHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) at jdk.proxy2/jdk.proxy2.\$Proxy22.get(Unknown Source) at stepdefinitions.BlueRentalStepDefs.userlsOn(BlueRentalStepDefs.java:18) at ?.user is on "https://www.bluerentalcars.com/"(file:///C:/Users/Administrator/Desktop/BATCH%20179-180%20QA%20ENG/IdeaProjects/ mycucumberproject/.sc/test/resources/features/mytests_US167854_manager_login_test.feature:4) | | |
| | * Not displayable characters are replaced by '?'. | CKIDDED | 0.001.0 |
| 2 | When user navigates to the login page | SKIPPED | 0.001 s |
| 3 | And enter "raj.khan@bluerentalcars.com" | SKIPPED | 0.001 s |
| 4 | And enter "v7Hg_va^" | SKIPPED | 0.001 s |
| 5 | And click on login button | SKIPPED | 0.000 s |
| 6 | Then verify the login is successful | SKIPPED | 0.001 s |
| | AFTER - hooks.Hooks.afterTearDown(io.cucumber.java.Scenario) | FAILED | 0.016 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dfc3ae29b6f31888432bed798b8acff7, screenshot {}] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\WINDOWS\SystemTemp\scope}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57085}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57085/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dfc3ae29b6f31888432bed798b8acff7 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) | | |
| | at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy22.getScreenshotAs(Unknown Source) | | |
| | at hooks.Hooks.afterTearDown(Hooks.java:21) | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user is on "https://www.bluerentalcars.com/" | FAILED | 0.014 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dfc3ae29b6f31888432bed798b8acff7, get {url=https://www.bluerentalcars.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\WINDOWS\SystemTemp\scope}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57085}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57085/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dfc3ae29b6f31888432bed798b8acff7 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:304) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(InterdGuard.java:99) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) at jdk.proxy2/jdk.proxy2.\$Proxy22.get(Unknown Source) at stepdefinitions.BlueRentalStepDefs.userlsOn(BlueRentalStepDefs.java:18) at ?.user is on "https://www.bluerentalcars.com/"(file:///C./Users/Administrator/Desktop/BATCH%20179-180%20QA%20ENG/IdeaProjects/mycucumberproject/./src/test/resources/features/mytests_US167854_manager_login_test.feature:4) * Not displayable characters are replaced by '?'. | | |
| 2 | When user navigates to the login page | SKIPPED | 0.001 s |
| 3 | And enter "pam.raymond@bluerentalcars.com" | SKIPPED | 0.001 s |
| 4 | And enter "Nga^g6!" | SKIPPED | 0.001 s |
| 5 | And click on login button | SKIPPED | 0.003 s |
| 6 | Then verify the login is successful | SKIPPED | 0.001 s |
| | AFTER - hooks.Hooks.afterTearDown(io.cucumber.java.Scenario) | FAILED | 0.009 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dfc3ae29b6f31888432bed798b8acff7, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\WINDOWS\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57085}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57085/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dfc3ae29b6f31888432bed798b8acff7 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |

DETAILED SECTION -- 14 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| # | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invokeUnderlying(ThreadGuard.java:99) at org.openqa.selenium.support.ThreadGuard\$WebDriverInvocationHandler.invoke(ThreadGuard.java:91) at jdk.proxy2/jdk.proxy2.\$Proxy22.getScreenshotAs(Unknown Source) at hooks.Hooks.afterTearDown(Hooks.java:21) | Status | Duration |