

```

1 SELECT COUNT(*) AS ridade_arv FROM sales; --Mitu rida on Sales tabelis
2 SELECT * FROM sales LIMIT 10; --Millised veerud ja andmed tabelis on

```

Results Explain Chart Export ▾

id	sale_id	invoice_id	sale_date	customer_id	product_id	quantity	unit_price	total_price	channel	store_locatic	payment_methc
2	1	INV-202301-00001	2023-01-10 00:00:00	2588	1274	2	234.79	469.58	pood	Tallinn	kaart
3	2	INV-202301-00002	2023-01-16 00:00:00	4338	1207	2	241.13	482.26	pood	Pärnu	järelmaks
4	3	INV-202301-00003	2023-01-05 00:00:00	4673	1264	1	258.46	221.19	pood	Pärnu	järelmaks
5	4	INV-202301-00004	2023-01-02 00:00:00	4677	1341	3	45.21	135.63	pood	Tartu	sularaha
6	5	INV-202301-00005	2023-01-13 00:00:00	2390	1284	1	99.57	99.57	pood	Tartu	kaart
7	6	INV-202301-00006	2023-01-28 00:00:00	4536	1338	1	282.29	282.29	pood	Tartu	järelmaks
8	7	INV-202301-00007	2023-01-13 00:00:00	2029	1001	4	157.49	629.96	pood	Tartu	järelmaks
9	8	INV-202301-00008	2023-01-23 00:00:00	4097	1100	2	126.42	252.84	online	NULL	kaart
10	9	INV-202301-00009	2023-01-07 00:00:00	3308	1202	1	22.04	22.04	pood	Tallinn	sularaha
11	10	INV-202301-00010	2023-01-08 00:00:00	2809	1083	1	72.14	72.14	pood	Tallinn	sularaha

```

1 SELECT COUNT(*) AS ridade_arv FROM sales; --Mitu rida on Sales tabelis
2 SELECT * FROM sales LIMIT 10; --Millised veerud ja andmed tabelis on
3 SELECT * FROM sales WHERE store_location = 'Tallinn' ORDER BY sale_date DESC LIMIT 15; --Tallinna kaupluse müügid kuupäeva järgi kahanevalt

```

Results Explain Chart Export ▾

id	sale_id	invoice_id	sale_date	customer_id	product_id	quantity	unit_price	total_price	channel	store_location	payment_method
4388	4387	INV-202401-00095	2026-06-28 00:00:00	2739	1258	3	84.41	253.23	pood	Tallinn	järelmaks
3568	3567	INV-202311-00062	2026-06-27 00:00:00	NULL	1198	2	291.72	583.44	pood	Tallinn	kaart
5610	5609	INV-202404-00255	2026-05-18 00:00:00	3279	1313	1	77.60	77.60	pood	Tallinn	kaart
8611	8610	INV-202411-00111	2026-04-26 00:00:00	4450	1217	3	34.04	102.12	pood	Tallinn	järelmaks
14784	7057	INV-202407-00366	2026-03-21 00:00:00	2221	1258	2	84.41	168.82	pood	Tallinn	järelmaks
10351	4758	INV-202402-00151	2026-03-20 00:00:00	3130	1224	1	222.10	222.10	pood	Tallinn	sularaha
14693	7724	INV-202409-00011	2026-03-18 00:00:00	4178	1274	1	234.79	234.79	pood	Tallinn	kaart
935	934	INV-202304-00051	2026-03-17 00:00:00	4113	1082	3	100.93	302.79	pood	Tallinn	kaart
12454	5802	INV-202405-00035	2026-03-05 00:00:00	2619	1276	2	187.16	374.32	pood	Tallinn	järelmaks
14103	8835	INV-202411-00336	2026-01-25 00:00:00	NULL	1092	3	144.20	432.60	pood	Tallinn	kaart
12304	3816	INV-202311-00311	2026-01-17 00:00:00	4404	1107	1	279.43	279.43	pood	Tallinn	sularaha
3596	3595	INV-202311-00090	2026-01-01 00:00:00	2997	1298	1	163.53	163.53	pood	Tallinn	sularaha
4531	4530	INV-202401-00030	2026-12-20 00:00:00	NULL	1206	1	201.07	201.07	pood	Tallinn	kaart

```

1 SELECT COUNT(*) AS ridade_arv FROM sales; --Mitu rida on Sales tabelis
2 SELECT * FROM sales LIMIT 10; --Millised veerud ja andmed tabelis on
3 SELECT * FROM sales WHERE store_location = 'Tallinn' ORDER BY sale_date DESC LIMIT 15; --Tallinna kaupluse müügid kuupäeva järgi kahanevalt
4 SELECT * FROM sales ORDER BY total_price DESC LIMIT 10; --10 suurimat tehingut kahanevalt

```

Results Explain Chart Export ▾

id	sale_id	invoice_id	sale_date	customer_id	product_id	quantity	unit_price	total_price	channel	store_location	payment_method
2408	2407	INV-202307-00410	2023-07-08 00:00:00	2073	1031	5	434.08	2170.40	online	NULL	järelmaks
12021	2407	INV-202307-00410	2023-07-08 00:00:00	NULL	1031	5	434.08	2170.40	online	NULL	järelmaks
3806	3805	INV-202311-00300	2023-11-22 00:00:00	2889	1069	5	402.62	2013.10	pood	Tartu	kaart
8272	8271	INV-202410-00165	2024-10-30 00:00:00	4053	1336	5	376.33	1881.65	online	NULL	kaart
1158	1157	INV-202304-00274	2023-04-11 00:00:00	3247	1336	5	376.33	1881.65	pood	Pärnu	kaart
8496	8495	INV-202410-00389	2024-10-19 00:00:00	3618	1295	5	375.34	1876.70	online	NULL	järelmaks
8380	8379	INV-202410-00273	2024-10-06 00:00:00	2712	1210	5	374.54	1872.70	pood	Tallinn	kaart
12584	8379	INV-202410-00273	2024-10-06 00:00:00	2712	1210	5	374.54	1872.70	pood	Tallinn	kaart
1926	1925	INV-202306-00354	2023-06-28 00:00:00	3470	1134	5	371.79	1858.95	online	NULL	kaart
3442	3441	INV-202310-00264	2023-10-03 00:00:00	2707	1134	5	371.79	1858.95	pood	Tallinn	sularaha

```

1 SELECT COUNT(*) AS ridade_arv FROM sales; --Mitu rida on Sales tabelis
2 SELECT * FROM sales LIMIT 10; --Millised veerud ja andmed tabelis on
3 SELECT * FROM sales WHERE store_location = 'Tallinn' ORDER BY sale_date DESC LIMIT 15; --Tallinna kaupluse müügid kuupäeva järgi kahanevalt
4 SELECT * FROM sales ORDER BY total_price DESC LIMIT 10; --10 suurimat tehingut kahanevalt
5 SELECT * FROM sales ORDER BY total_price ASC LIMIT 10; --10 väiksemat tehingut kasvavalt

```

Results Explain Chart Export ▾

id	sale_id	invoice_id	sale_date	customer_id	product_id	quantity	unit_price	total_price	channel	store_location	payment_method
4222	4221	INV-202312-00388	2023-12-05 00:00:00	2412	1293	4	351.33	-1405.32	pood	Tallinn	kaart
12566	8201	INV-202410-00095	2024-10-27 00:00:00	2707	1149	4	304.14	-1216.56	pood	Pärnu	kaart
4034	4033	INV-202312-00200	2023-12-15 00:00:00	2844	1212	4	276.20	-1104.80	pood	Tallinn	sularaha
11790	7316	INV-202408-00114	2024-08-12 00:00:00	3545	1265	4	269.85	-1079.40	pood	Tallinn	kaart
8605	8604	INV-202411-00105	2024-11-07 00:00:00	4731	1171	3	351.62	-1054.86	online	NULL	järelmaks
15015	7982	INV-202409-00269	2024-09-04 00:00:00	2620	1111	3	327.07	-981.21	online	NULL	järelmaks
4197	4196	INV-202312-00363	2023-12-23 00:00:00	4193	1168	3	316.04	-948.12	pood	Pärnu	järelmaks
7211	7210	INV-202408-00008	2024-08-03 00:00:00	3682	1314	4	234.91	-939.64	online	NULL	sularaha
1071	1070	INV-202304-00187	2023-04-06 00:00:00	2609	1198	3	291.72	-875.16	pood	Tallinn	sularaha
1513	1512	INV-202305-00285	2023-05-02 00:00:00	3970	1166	4	205.00	-820.00	online	NULL	kaart

```
1 SELECT COUNT(*) AS ridade_arv FROM sales; --Mitu rida on Sales tabelis
2 SELECT * FROM sales LIMIT 10; --Millised veerud ja andmed tabelis on
3 SELECT * FROM sales WHERE store_location = 'Tallinn' ORDER BY sale_date DESC LIMIT 15; --Tallinna kauplus
4 SELECT * FROM sales ORDER BY total_price DESC LIMIT 10; --10 suurimat tehingut kahanevalt
5 SELECT * FROM sales ORDER BY total_price ASC LIMIT 10; --10 väiksemat tehingut kasvavalt
6 SELECT COUNT(*) - COUNT(customer_id) AS puuduv_klient FROM sales; --Mitmelt real on kliendi info puudu
```

Results Explain Chart Export ▾

puuduv_klient
1487

```
1 SELECT channel, store_location, payment_method FROM sales LIMIT 10; -- Millised kanalid, asukohad ja makseviisid on
```

Results Explain Chart Export ▾

channel	store_location	payment_method
pood	Tallinn	kaart
pood	Pärnu	järelmaks
pood	Pärnu	järelmaks
pood	Tartu	sularaha
pood	Tartu	kaart
pood	Tartu	järelmaks
pood	Tartu	järelmaks
online	NULL	kaart
pood	Tallinn	sularaha
pood	Tallinn	sularaha

```
1 SELECT channel, store_location, payment_method FROM sales LIMIT 10; -- Millised kanalid, asukohad ja makseviisid on
2 SELECT DISTINCT channel FROM sales; --Unikaalsed müügikanalid
```

Results Explain Chart Export ▾

channel
online
pood

```
1 SELECT channel, store_location, payment_method FROM sales LIMIT 10; -- Millised kanalid, asukohad
2 SELECT DISTINCT channel FROM sales; --Unikaalsed müügikanalid
3 SELECT DISTINCT store_location FROM sales; --Unikaalsed kauplused
```

Results Explain Chart Export ▾

store_location

Tallinn

NULL

Pärnu

Tartu


```
1 SELECT channel, store_location, payment_method FROM sales LIMIT 10; -- Milled kanalid, asukohad ja makseviisid on
2 SELECT DISTINCT channel FROM sales; --Unikaalsed müügikanalid
3 SELECT DISTINCT store_location FROM sales; --Unikaalsed kauplused
4 SELECT DISTINCT payment_method FROM sales; --Unikaalsed makseviisid
```

Results Explain Chart Export ▾

payment_methc

järelmaks

kaart

sularaha

```

1 SELECT channel, store_location, payment_method FROM sales LIMIT 10; -- Millised kanalid, asukohad ja makseviisid on
2 SELECT DISTINCT channel FROM sales; --Unikaalsed müügikanalid
3 SELECT DISTINCT store_location FROM sales; --Unikaalsed kauplused
4 SELECT DISTINCT payment_method FROM sales; --Unikaalsed makseviisid
5 SELECT * FROM sales WHERE channel = 'online' ORDER BY total_price DESC LIMIT 15; --Online müügid

```

Results Explain Chart Export ▾



id	sale_id	invoice_id	sale_date	customer_id	product_id	quantity	unit_price	total_price	channel	store_location	payment_method
12021	2407	INV-202307-00410	2023-07-08 00:00:00	NULL	1031	5	434.08	2170.40	online	NULL	järelmaks
2408	2407	INV-202307-00410	2023-07-08 00:00:00	2073	1031	5	434.08	2170.40	online	NULL	järelmaks
8272	8271	INV-202410-00165	2024-10-30 00:00:00	4053	1336	5	376.33	1881.65	online	NULL	kaart
8496	8495	INV-202410-00389	2024-10-19 00:00:00	3618	1295	5	375.34	1876.70	online	NULL	järelmaks
1926	1925	INV-202306-00354	2023-06-28 00:00:00	3470	1134	5	371.79	1858.95	online	NULL	kaart
11413	1925	INV-202306-00354	2023-06-28 00:00:00	3470	1134	5	371.79	1858.95	online	NULL	kaart
1665	1664	INV-202306-00093	2023-06-04 00:00:00	3206	1160	5	368.67	1843.35	online	NULL	kaart
10700	1664	INV-202306-00093	2023-06-04 00:00:00	3206	1160	5	368.67	1843.35	online	NULL	kaart
3370	3369	INV-202310-00192	2023-10-20 00:00:00	2009	1240	5	356.57	1782.85	online	NULL	kaart
7670	7669	INV-202408-00467	2024-08-04 00:00:00	3643	1293	5	351.33	1756.65	online	NULL	kaart
3635	3634	INV-202311-00129	2023-11-25 00:00:00	4396	1293	5	351.33	1756.65	online	NULL	kaart
6774	6773	INV-202407-00082	2024-07-11 00:00:00	2997	1221	5	350.19	1750.95	online	NULL	järelmaks

15 rows

```
1 SELECT channel, store_location, payment_method FROM sales LIMIT 10; -- Millised kanalid, asukohad ja makseviisid on
2 SELECT DISTINCT channel FROM sales; --Unikaalsed müügikanalid
3 SELECT DISTINCT store_location FROM sales; --Unikaalsed kauplused
4 SELECT DISTINCT payment_method FROM sales; --Unikaalsed makseviisid
5 SELECT * FROM sales WHERE channel = 'online' ORDER BY total_price DESC LIMIT 15; --Online müügid
6 SELECT COUNT(*) AS puuduv_asukoht FROM sales WHERE store_location IS NULL; --Tehingud kus asukoht puudub
```

Results Explain Chart Export ▾

puuduv_asukoht

5204

```
2 SELECT DISTINCT channel FROM sales; --Unikaalsed müügi kanalid
3 SELECT DISTINCT store_location FROM sales; --Unikaalsed kauplused
4 SELECT DISTINCT payment_method FROM sales; --Unikaalsed makseviisid
5 SELECT * FROM sales WHERE channel = 'online' ORDER BY total_price DESC LIMIT 15; --Online müügid
6 SELECT COUNT(*) AS puuduv_asukoht FROM sales WHERE store_location IS NULL; --Tehingud kus asukoht puudu
7 SELECT store_location, COUNT(*) AS tehinguid FROM sales WHERE store_location IS NOT NULL GROUP BY store_location ORDER BY tehinguid DESC; --Tehingute arv kaupluse kohta
```

Results Explain Chart Export ▾



store_location	tehinguid
Tallinn	5704
Tartu	2708
Pärnu	1618

```
3 SELECT DISTINCT store_location FROM sales; --Unikaalsed kauplused
4 SELECT DISTINCT payment_method FROM sales; --Unikaalsed makseviisid
5 SELECT * FROM sales WHERE channel = 'online' ORDER BY total_price DESC LIMIT 15; --Online müügid
6 SELECT COUNT(*) AS puuduv_asukoht FROM sales WHERE store_location IS NULL; --Tehingud kus asukoht puudu
7 SELECT store_location, COUNT(*) AS tehinguid FROM sales WHERE store_location IS NOT NULL GROUP BY store_location
8 SELECT COUNT(*) AS online_tehinguid FROM sales WHERE channel = 'online'; --Online tehingute arv
```

Results Explain Chart Export ▾

online_tehinguid

5204

```
4 SELECT DISTINCT payment_method FROM sales; --Unikaalsed makseviisid
5 SELECT * FROM sales WHERE channel = 'online' ORDER BY total_price DESC LIMIT 15; --Online müügid
6 SELECT COUNT(*) AS puuduv_asukoht FROM sales WHERE store_location IS NULL; --Tehingud kus asukoht puudu
7 SELECT store_location, COUNT(*) AS tehinguid FROM sales WHERE store_location IS NOT NULL GROUP BY store_location ORDER
8 SELECT COUNT(*) AS online_tehinguid FROM sales WHERE channel = 'online'; --Online tehingute arv
9 SELECT COUNT(*) AS poe_tehinguid FROM sales WHERE channel = 'pood'; --Kaupluste tehingute arv
```

Results Explain Chart Export ▾

poe_tehinguid

10030

```
1 SELECT COUNT(*) AS klientide_arv FROM customers; --Mitu klienti on kokku
2 SELECT * FROM customers LIMIT 10; --Millised veerud ja andmed on tabelis
3 SELECT DISTINCT city FROM customers; --Millistest linnadest kliendid tulevad
4
```

Results Explain Chart Export ▾

city

Pärnu

PAIDE

jõhvi

TALLINN

Narva

VÖRU

paide

Võru

Paide

narva

JÕHVI

viljandi

6-11-2022

54 rows

```

1 SELECT COUNT(*) AS klientide_arv FROM customers; --Mitu klienti on kokku
2 SELECT * FROM customers LIMIT 10; --Millised veerud ja andmed on tabelis
3 SELECT DISTINCT city FROM customers; --Millistest linnadest kliendid tulevad
4 SELECT * FROM customers WHERE city = 'Tallinn' ORDER by last_name ASC LIMIT 15; --Tallinna kliendid perekonnanime järgi kasvavalt

```

Results Explain Chart Export ▾

customer_id	first_name	last_name	email	phone	city	registration	loyalty_tier	birth_year
3737	Sandra	Aas	sandra.aas@telia.ee	+372 5424 7514	Tallinn	2022-07-01	silver	1978
4762	Reet	Aas	reet.aas@outlook.com	+372 5791 5336	Tallinn	2021-12-03	silver	1974
3212	Kadri	Aas	kadri.aas@mail.ee	+372 8726 7629	Tallinn	2021-08-10	silver	2004
3596	Väino	Aas	vaino.aas@yahoo.com	+372 5234 3605	Tallinn	2021-03-12	gold	1997
3956	Marit	Aas	marit.aas@hotmail.ee	+372 5149 5868	Tallinn	2023-02-08	NULL	2003
4470	Maris	Aas	maris.aas@gmail.com	+372 5420 8857	Tallinn	2021-01-27	NULL	1993
2001	Eha	Aas	eha.aas@telia.ee	+372 8713 1455	Tallinn	2024-02-27	NULL	1973
2947	Mart	Aas	mart.aas@mail.ee	+372 8112 0375	Tallinn	2024-08-20	NULL	1995
2916	Marika	Aas	marika.aas@mail.ee	+372 5991 9344	Tallinn	2022-08-11	bronze	1988
2556	Nele	Aas	nele.aas@mail.ee	+372 5717 7380	Tallinn	2020-06-14	gold	2000
3069	Maie	Aas	maie.aas@outlook.com	+372 5965 6566	Tallinn	2024-03-21	bronze	1984
2044	Lauri	Aas	lauri.aas@outlook.com	+372 5331 9744	Tallinn	2021-05-11	bronze	1965
4000	Eha	Aas	eha.aas@mail.ee	+372 5424 3605	Tallinn	2021-03-12	NULL	1997

15 rows


```
1 SELECT COUNT(*) AS klientide_arv FROM customers; --Mitu klienti on kokku
2 SELECT * FROM customers LIMIT 10; --Millised veerud ja andmed on tabelis
3 SELECT DISTINCT city FROM customers; --Millistest linnadest kliendid tulevad
4 SELECT * FROM customers WHERE city = 'Tallinn' ORDER by last_name ASC LIMIT 15; --Tallinna kliendid perekonnanime järgi kasvades
5 SELECT MIN(registration_date) AS vanim, MAX(registration_date) AS uusim FROM customers; --Vanim ja uusim registreerimine
```

Results Explain Chart Export ▾

vanim	uusim
2020-01-02	2025-02-27

```
1 SELECT COUNT(*) AS klientide_arv FROM customers; --Mitu klienti on kokku
2 SELECT * FROM customers LIMIT 10; --Millised veerud ja andmed on tabelis
3 SELECT DISTINCT city FROM customers; --Millistest linnadest kliendid tulevad
4 SELECT * FROM customers WHERE city = 'Tallinn' ORDER by last_name ASC LIMIT 15; --Tallinna kliendid perekonnanime järgi kasvav
5 SELECT MIN(registration_date) AS vanim, MAX(registration_date) AS uusim FROM customers; --Vanim ja uusim registreerimine
6 SELECT COUNT(*) - COUNT(first_name) AS puuduvad_eesnimed FROM customers; --Mitmel kliendil on eesnimi puudu
7
```

Results Explain Chart Export ▾

puuduvad_eesr

0

```
1 SELECT COUNT(*) AS klientide_arv FROM customers; --Mitu klienti on kokku
2 SELECT * FROM customers LIMIT 10; --Millised veerud ja andmed on tabelis
3 SELECT DISTINCT city FROM customers; --Millistest linnadest kliendid tulevad
4 SELECT * FROM customers WHERE city = 'Tallinn' ORDER by last_name ASC LIMIT 15; --Tallinna kliendid pere
5 SELECT MIN(registration_date) AS vanim, MAX(registration_date) AS uusim FROM customers; --Vanim ja uusim
6 SELECT COUNT(*) - COUNT(first_name) AS puuduvad_eesnimed FROM customers; --Mitmel kliendil on eesnimi pu
7 SELECT COUNT(*) - COUNT(email) AS puuduvad_emailid FROM customers; --Mitmel kliendil on e-mail puudu
```

Results Explain Chart Export ▾

puuduvad_emailid

380

```
2 SELECT * FROM sales LIMIT 10; --Millised veerud ja andmed tabelis on
3 SELECT * FROM sales WHERE store_location = 'Tallinn' ORDER BY sale_date DESC LIMIT 15; --Tallinna kaupluse müügid ku
4 SELECT * FROM sales ORDER BY total_price DESC LIMIT 10; --10 suurimat tehingut kahanevalt
5 SELECT * FROM sales ORDER BY total_price ASC LIMIT 10; --10 väiksemat tehingut kasvavalt
6 SELECT COUNT(*) - COUNT(customer_id) AS puuduv_klient FROM sales; --Mitmel real on kliendi info puudu
7 SELECT COUNT(*) AS kokku_emailid, COUNT(DISTINCT email) AS unikaalseid_emailid FROM customers; --Emailid topelt
```

Results Explain Chart Export ▾

kokku_emailid	unikaalseid_emailid
3150	2640