
PLOT PLAN - LINEAR LOW DENSITY POLYETHYLENE (LLDPE) UNIT

Unit Layout at Grade | Highlighted: GA-1201A - HEXANE FEED PUMP (Area 1200)



EQUIPMENT LOCATION DETAIL

TAG	GA-1201A
EQUIPMENT	HEXANE FEED PUMP
AREA	1200 - FEED PREPARATION & PURIFICATION
GRID REF	A-3
ELEVATION	EL +0.00
FUNCTIONAL LOC.	TJC-LLD-1200-01
FOOTPRINT	3.5 x 5.0 m (approx)

AREA LEGEND

- 1200 - FEED PREPARATION & PURIFICATION
- 2300 - POLYMER SEPARATION & DRYING
- 3400 - CATALYST PREPARATION
- 4500 - GAS RECOVERY & COMPRESSION
- 5600 - SOLVENT RECOVERY SYSTEM
- 6700 - PRODUCT SEPARATION
- 7800 - COOLING WATER SYSTEM
- 8900 - SOLVENT FRACTIONATION

NOTES:

1. COORDINATES IN PLANT GRID (E/N), METRES.
2. ELEVATIONS RELATIVE TO GRADE EL +0.00.
3. EQUIPMENT SHOWN AT APPROX FOOTPRINT SCALE.
4. REFER TO GA DRAWINGS FOR DETAIL.
5. HAZARDOUS AREA CLASSIFICATION PER WPN-MAT-001.

REVISION HISTORY

REV	DESCRIPTION	BY	DATE
A	ISSUED FOR REVIEW	RS	15-05-2026
B	ISSUED FOR APPROVAL	RS	27-05-2026
0	ISSUED FOR CONSTRUCTION	RS	05-06-2026

This is sample data provided for CALIBER purposes only

TITLE:
PLOT PLAN / EQUIPMENT LOCATION


AREA 1200 - HEXANE FEED SYSTEM

DWG No.
TJC-LLD-PP-GA-1201A

REV: 0
SHEET 1 OF 1

PLOT PLAN - LINEAR LOW DENSITY POLYETHYLENE (LLDPE) UNIT

Unit Layout at Grade | Highlighted: YD-2301 - POLYMER FLUID BED DRYER (Area 2300)



EQUIPMENT LOCATION DETAIL

TAG	YD-2301
EQUIPMENT	POLYMER FLUID BED DRYER
AREA	2300 - POLYMER SEPARATION & DRYING
GRID REF	B-5
ELEVATION	EL +6.00
FUNCTIONAL LOC.	TJC-LLD-2300-01
FOOTPRINT	4.0 x 9.5 m (approx)

AREA LEGEND

- 1200 - FEED PREPARATION & PURIFICATION
- 2300 - POLYMER SEPARATION & DRYING
- 3400 - CATALYST PREPARATION
- 4500 - GAS RECOVERY & COMPRESSION
- 5600 - SOLVENT RECOVERY SYSTEM
- 6700 - PRODUCT SEPARATION
- 7800 - COOLING WATER SYSTEM
- 8900 - SOLVENT FRACTIONATION

NOTES:

1. COORDINATES IN PLANT GRID (E/N), METRES.
2. ELEVATIONS RELATIVE TO GRADE EL +0.00.
3. EQUIPMENT SHOWN AT APPROX FOOTPRINT SCALE.
4. REFER TO GA DRAWINGS FOR DETAIL.
5. HAZARDOUS AREA CLASSIFICATION PER WPN-MAT-001.

REVISION HISTORY

REV	DESCRIPTION	BY	DATE
A	ISSUED FOR REVIEW	RS	15-05-2026
B	ISSUED FOR APPROVAL	RS	27-05-2026
0	ISSUED FOR CONSTRUCTION	RS	05-06-2026

This is sample data provided for CALIBER purposes only

TITLE:
PLOT PLAN / EQUIPMENT LOCATION


AREA 2300 - POWDER DRYING SYSTEM

DWG No.
TJC-LLD-PP-YD-2301

REV: 0
SHEET 1 OF 1

PLOT PLAN - LINEAR LOW DENSITY POLYETHYLENE (LLDPE) UNIT

Unit Layout at Grade | Highlighted: DC-3401A - CATALYST REDUCTION REACTOR (Area 3400)



EQUIPMENT LOCATION DETAIL

TAG	DC-3401A
EQUIPMENT	CATALYST REDUCTION REACTOR
AREA	3400 - CATALYST PREPARATION
GRID REF	C-2
ELEVATION	EL +0.00
FUNCTIONAL LOC.	TJC-LLD-3400-01
FOOTPRINT	2.5 x 2.5 m (approx)

AREA LEGEND

- 1200 - FEED PREPARATION & PURIFICATION
- 2300 - POLYMER SEPARATION & DRYING
- 3400 - CATALYST PREPARATION
- 4500 - GAS RECOVERY & COMPRESSION
- 5600 - SOLVENT RECOVERY SYSTEM
- 6700 - PRODUCT SEPARATION
- 7800 - COOLING WATER SYSTEM
- 8900 - SOLVENT FRACTIONATION

NOTES:

1. COORDINATES IN PLANT GRID (E/N), METRES.
2. ELEVATIONS RELATIVE TO GRADE EL +0.00.
3. EQUIPMENT SHOWN AT APPROX FOOTPRINT SCALE.
4. REFER TO GA DRAWINGS FOR DETAIL.
5. HAZARDOUS AREA CLASSIFICATION PER WPN-MAT-001.

REVISION HISTORY

REV	DESCRIPTION	BY	DATE
A	ISSUED FOR REVIEW	RS	15-05-2026
B	ISSUED FOR APPROVAL	RS	27-05-2026
0	ISSUED FOR CONSTRUCTION	RS	05-06-2026

This is sample data provided for CALIBER purposes only

SDK Polyolefin Expansion Project

TITLE:
PLOT PLAN / EQUIPMENT LOCATION


AREA 3400 - CATALYST REDUCTION SYSTEM

DWG No.
TJC-LLD-PP-DC-3401A

REV: 0
SHEET 1 OF 1

PLOT PLAN - LINEAR LOW DENSITY POLYETHYLENE (LLDPE) UNIT

Unit Layout at Grade | Highlighted: KC-4501 - RECYCLE GAS COMPRESSOR (Area 4500)



EQUIPMENT LOCATION DETAIL

TAG	KC-4501
EQUIPMENT	RECYCLE GAS COMPRESSOR
AREA	4500 - GAS RECOVERY & COMPRESSION
GRID REF	D-4
ELEVATION	EL +0.00
FUNCTIONAL LOC.	TJC-LLD-4500-01
FOOTPRINT	5.0 x 4.0 m (approx)

AREA LEGEND

- 1200 - FEED PREPARATION & PURIFICATION
- 2300 - POLYMER SEPARATION & DRYING
- 3400 - CATALYST PREPARATION
- 4500 - GAS RECOVERY & COMPRESSION
- 5600 - SOLVENT RECOVERY SYSTEM
- 6700 - PRODUCT SEPARATION
- 7800 - COOLING WATER SYSTEM
- 8900 - SOLVENT FRACTIONATION

NOTES:

1. COORDINATES IN PLANT GRID (E/N), METRES.
2. ELEVATIONS RELATIVE TO GRADE EL +0.00.
3. EQUIPMENT SHOWN AT APPROX FOOTPRINT SCALE.
4. REFER TO GA DRAWINGS FOR DETAIL.
5. HAZARDOUS AREA CLASSIFICATION PER WPN-MAT-001.

REVISION HISTORY

REV	DESCRIPTION	BY	DATE
A	ISSUED FOR REVIEW	RS	15-05-2026
B	ISSUED FOR APPROVAL	RS	27-05-2026
0	ISSUED FOR CONSTRUCTION	RS	05-06-2026

This is sample data provided for CALIBER purposes only

SDK Polyolefin Expansion Project

TITLE:
PLOT PLAN / EQUIPMENT LOCATION


AREA 4500 - RECYCLE GAS SYSTEM

DWG No.
TJC-LLD-PP-KC-4501

REV: 0
SHEET 1 OF 1

PLOT PLAN - LINEAR LOW DENSITY POLYETHYLENE (LLDPE) UNIT

Unit Layout at Grade | Highlighted: EA-5601 - SOLVENT HEATER (Area 5600)



EQUIPMENT LOCATION DETAIL

TAG	EA-5601
EQUIPMENT	SOLVENT HEATER
AREA	5600 - SOLVENT RECOVERY SYSTEM
GRID REF	E-3
ELEVATION	EL +0.00
FUNCTIONAL LOC.	TJC-LLD-5600-01
FOOTPRINT	6.5 x 2.0 m (approx)

AREA LEGEND

- 1200 - FEED PREPARATION & PURIFICATION
- 2300 - POLYMER SEPARATION & DRYING
- 3400 - CATALYST PREPARATION
- 4500 - GAS RECOVERY & COMPRESSION
- 5600 - SOLVENT RECOVERY SYSTEM
- 6700 - PRODUCT SEPARATION
- 7800 - COOLING WATER SYSTEM
- 8900 - SOLVENT FRACTIONATION

NOTES:

1. COORDINATES IN PLANT GRID (E/N), METRES.
2. ELEVATIONS RELATIVE TO GRADE EL +0.00.
3. EQUIPMENT SHOWN AT APPROX FOOTPRINT SCALE.
4. REFER TO GA DRAWINGS FOR DETAIL.
5. HAZARDOUS AREA CLASSIFICATION PER WPN-MAT-001.

REVISION HISTORY

REV	DESCRIPTION	BY	DATE
A	ISSUED FOR REVIEW	RS	15-05-2026
B	ISSUED FOR APPROVAL	RS	27-05-2026
0	ISSUED FOR CONSTRUCTION	RS	05-06-2026

This is sample data provided for CALIBER purposes only

TITLE:
PLOT PLAN / EQUIPMENT LOCATION


AREA 5600 - SOLVENT HEATING SYSTEM

DWG No.
TJC-LLD-PP-EA-5601

REV: 0
SHEET 1 OF 1

PLOT PLAN - LINEAR LOW DENSITY POLYETHYLENE (LLDPE) UNIT

Unit Layout at Grade | Highlighted: LV-6701 - SEPARATOR LEVEL CONTROL VALVE (Area 6700)



EQUIPMENT LOCATION DETAIL

TAG	LV-6701
EQUIPMENT	SEPARATOR LEVEL CONTROL VALVE
AREA	6700 - PRODUCT SEPARATION
GRID REF	F-5
ELEVATION	EL +3.00
FUNCTIONAL LOC.	TJC-LLD-6700-01
FOOTPRINT	1.5 x 1.5 m (approx)

AREA LEGEND

- 1200 - FEED PREPARATION & PURIFICATION
- 2300 - POLYMER SEPARATION & DRYING
- 3400 - CATALYST PREPARATION
- 4500 - GAS RECOVERY & COMPRESSION
- 5600 - SOLVENT RECOVERY SYSTEM
- 6700 - PRODUCT SEPARATION
- 7800 - COOLING WATER SYSTEM
- 8900 - SOLVENT FRACTIONATION

NOTES:

1. COORDINATES IN PLANT GRID (E/N), METRES.
2. ELEVATIONS RELATIVE TO GRADE EL +0.00.
3. EQUIPMENT SHOWN AT APPROX FOOTPRINT SCALE.
4. REFER TO GA DRAWINGS FOR DETAIL.
5. HAZARDOUS AREA CLASSIFICATION PER WPN-MAT-001.

REVISION HISTORY

REV	DESCRIPTION	BY	DATE
A	ISSUED FOR REVIEW	RS	15-05-2026
B	ISSUED FOR APPROVAL	RS	27-05-2026
0	ISSUED FOR CONSTRUCTION	RS	05-06-2026

This is sample data provided for CALIBER purposes only

TITLE:
PLOT PLAN / EQUIPMENT LOCATION


AREA 6700 - LP SEPARATOR SYSTEM

DWG No.
TJC-LLD-PP-LV-6701

REV: 0
SHEET 1 OF 1

PLOT PLAN - LINEAR LOW DENSITY POLYETHYLENE (LLDPE) UNIT

Unit Layout at Grade | Highlighted: CT-7801 - COOLING TOWER CELL FAN (Area 7800)



EQUIPMENT LOCATION DETAIL

TAG	CT-7801
EQUIPMENT	COOLING TOWER CELL FAN
AREA	7800 - COOLING WATER SYSTEM
GRID REF	G-2
ELEVATION	EL +12.00
FUNCTIONAL LOC.	TJC-LLD-7800-01
FOOTPRINT	5.0 x 5.0 m (approx)

AREA LEGEND

- 1200 - FEED PREPARATION & PURIFICATION
- 2300 - POLYMER SEPARATION & DRYING
- 3400 - CATALYST PREPARATION
- 4500 - GAS RECOVERY & COMPRESSION
- 5600 - SOLVENT RECOVERY SYSTEM
- 6700 - PRODUCT SEPARATION
- 7800 - COOLING WATER SYSTEM
- 8900 - SOLVENT FRACTIONATION

NOTES:

1. COORDINATES IN PLANT GRID (E/N), METRES.
2. ELEVATIONS RELATIVE TO GRADE EL +0.00.
3. EQUIPMENT SHOWN AT APPROX FOOTPRINT SCALE.
4. REFER TO GA DRAWINGS FOR DETAIL.
5. HAZARDOUS AREA CLASSIFICATION PER WPN-MAT-001.

REVISION HISTORY

REV	DESCRIPTION	BY	DATE
A	ISSUED FOR REVIEW	RS	15-05-2026
B	ISSUED FOR APPROVAL	RS	27-05-2026
0	ISSUED FOR CONSTRUCTION	RS	05-06-2026

PT Wangsa Petrokimia Nusantara

Talang Jaya Petrochemical Complex - SDK Polyolefin Expansion Project

DUMMY / TRAINING - FICTIONAL DATA (KNOWLEDGE HUB)

TITLE:
PLOT PLAN / EQUIPMENT LOCATION

DWG No.
TJC-LLD-PP-CT-7801


AREA 7800 - COOLING TOWER SYSTEM

ENG BY: NIPPO ENGINEERING CORPORATION - TOKYO, JAPAN

REV: 0
SHEET 1 OF 1

PLOT PLAN - LINEAR LOW DENSITY POLYETHYLENE (LLDPE) UNIT

Unit Layout at Grade | Highlighted: FA-8901 - REFLUX ACCUMULATOR DRUM (Area 8900)



EQUIPMENT LOCATION DETAIL

TAG	FA-8901
EQUIPMENT	REFLUX ACCUMULATOR DRUM
AREA	8900 - SOLVENT FRACTIONATION
GRID REF	H-4
ELEVATION	EL +4.50
FUNCTIONAL LOC.	TJC-LLD-8900-01
FOOTPRINT	5.0 x 2.0 m (approx)

AREA LEGEND

- 1200 - FEED PREPARATION & PURIFICATION
- 2300 - POLYMER SEPARATION & DRYING
- 3400 - CATALYST PREPARATION
- 4500 - GAS RECOVERY & COMPRESSION
- 5600 - SOLVENT RECOVERY SYSTEM
- 6700 - PRODUCT SEPARATION
- 7800 - COOLING WATER SYSTEM
- 8900 - SOLVENT FRACTIONATION

NOTES:

1. COORDINATES IN PLANT GRID (E/N), METRES.
2. ELEVATIONS RELATIVE TO GRADE EL +0.00.
3. EQUIPMENT SHOWN AT APPROX FOOTPRINT SCALE.
4. REFER TO GA DRAWINGS FOR DETAIL.
5. HAZARDOUS AREA CLASSIFICATION PER WPN-MAT-001.

REVISION HISTORY

REV	DESCRIPTION	BY	DATE
A	ISSUED FOR REVIEW	RS	15-05-2026
B	ISSUED FOR APPROVAL	RS	27-05-2026
0	ISSUED FOR CONSTRUCTION	RS	05-06-2026

This is sample data provided
for CALIBER purposes only

TITLE:
PLOT PLAN / EQUIPMENT LOCATION

AREA 8900 - HEXANE COLUMN OVERHEAD SYSTEM

DWG No.
TJC-LLD-PP-FA-8901

REV: 0
SHEET 1 OF 1