


The screenshot shows a web browser window with the Tekton console interface. The browser's address bar is empty, and the page title is "New Tab". The Tekton logo is visible in the top left corner, and the user "user5678" is logged in, as indicated by the text in the top right corner. The main content area displays a form for creating a new source. The form includes a sidebar on the left with navigation links: Dashboard, Pipelines, Pipeline Runs, Pipeline Resources, Tasks, Task Runs, Secrets, Service Accounts, Extensions, Knative Eventing, and Git Source. The main form area contains three input fields: "Repository URL" (a text input), "Service Account" (a dropdown menu), and "Pipeline" (a dropdown menu).

Git
source/webhook create (when
none present)



Choose pipeline causes param listing to show

Might need to have a way to identify required settings from pipeline if some populated by event handler/sink

New Tab

Breadcrumbs: Breadcrumb1 / Breadcrumb2

user5678

Dashboard

- Pipelines
- Pipeline Runs
- Pipeline Resources
- Tasks
- Task Runs
- Secrets
- Service Accounts
- Extensions**
- Knative Eventing
- Git Source

Pipeline Params :

Param1

Param2

Param3

Pipeline Resources :

Resource1

Resource2

Resource3

The screenshot shows the Tekton dashboard in a browser window. The browser's address bar is empty, and the page title is "New Tab". The Tekton logo is visible in the top left, and the user "user5678" is logged in, as indicated by the text in the top right. A breadcrumb trail shows "Breadcrumb1 / Breadcrumb2".

The main content area features a sidebar on the left with navigation links: Dashboard, Pipelines, Pipeline Runs, Pipeline Resources, Tasks, Task Runs, Secrets, Service Accounts, Extensions, Knative Eventing, and Git Source. The "Pipelines" link is highlighted.

The main content area displays a table with the following data:

Repository	Pipeline	
https://github.com/dibbles/sample1	build_push_deploy	X

View when
source/webhook created

X to delete

The screenshot shows the Tekton dashboard interface. At the top left is the Tekton logo (a cat) and the word "TEKTON". To the right of the logo is the user name "user5678" and a hamburger menu icon. Below the logo is a breadcrumb trail: "Breadcrumb1 / Breadcrumb2".

The left sidebar contains the following navigation items:

- Dashboard
- Pipelines
- Pipeline Runs
- Pipeline Resources
- Tasks
- Task Runs
- Secrets
- Service Accounts
- Extensions
 - Knative Eventing
 - Git Source

The main content area displays a table with the following data:

Repository	Pipeline	
https://github.com/dibbles/sample1	build_push_deploy	New Git Source

Burger menu to create more ... other options???



user5678

Breadcrumb1 / Breadcrumb2

Dashboard

Pipelines

Pipeline Runs

Pipeline Resources

Tasks

Task Runs

Secrets

Service Accounts

Extensions

Knative Eventing

Git Source

Repository	Pipeline	
https://github.com/dibbles/sample1	build_push_deploy	✘
https://github.com/arooberts/sample1	build_push_deploy	✘
https://gitlab.com/foo/bar	foo_bar	✘

TEKTON user5678

Breadcrumb1 / Breadcrumb2

Dashboard

- Pipelines
- Pipeline Runs
- Pipeline Resources
- Tasks
- Task Runs
- Secrets
- Service Accounts
- Extensions
- Knative Eventing
- Git Source

General | Branches

Setting	Value
Repository URL	https://github.com/dibbles/sample1
Pipeline	build_and_push
Service Account	default

Defaults | Overrides

Parameter	Value
Parameter_Foo	FooBar
Parameter_Bar	76

Details view

Tabbed for different abilities/interests????

user5678

Breadcrumb1 / Breadcrumb2

Dashboard

Pipelines

Pipeline Runs

Pipeline Resources

Tasks

Task Runs

Secrets

Service Accounts

Extensions

Knative Eventing

Git Source

General Branches

Setting	Value
Repository URL	https://github.com/dibbles/sample1
Pipeline	build_and_push
Service Account	default

Defaults Overrides

Parameter	Branch	Value	
Parameter_Foo	Branch1	Adam	⋮
Parameter_Foo	Branch3	Jess	⋮
Parameter_Bar	Branch4	21	⋮

Details view

Tabbed for different abilities/interests????

Needs edit and delete options

The screenshot shows the Tekton dashboard interface. At the top left is the Tekton logo (a cat) and the name 'TEKTON'. The user 'user5678' is logged in, as shown in the top right. A sidebar on the left contains navigation links: Dashboard, Pipelines, Pipeline Runs, Pipeline Resources, Tasks, Task Runs, Secrets, Service Accounts, Extensions, Knative Eventing, and Git Source. The main content area has two tabs: 'General' and 'Branches'. The 'Branches' tab is active, displaying a table with the following data:

Branch	Build Enabled	Last Build Time	Status
Master	True	Tue 23 Apr 2019 16:32:12 BST	Success
Branch1	False	No Results Available	No Result Available
Branch2	True	Tue 24 Apr 2019 16:32:12 BST	Failed
Branch3	True	Running	Running
Branch4	False	Tue 24 Apr 2019 16:32:12 BST	Success

Shows repo branches

Maybe functionality to switch whether a branch builds or not

Maybe show latest/last build

Click on branch takes you to "Pipeline Runs" view filtered to show only those that are for this pipeline and this branch???