

INTRODUCTION TO DEEP LEARNING

UPC TelecomBCN Barcelona (4th edition). Spring Edition.



UNIVERSITAT POLITÈCNICA
DE CATALUNYA
BARCELONATECH



Instructors:



Xavier
Giró-i-Nieto



Ferran
Marqués



Ramon
Morros



Montse
Pardàs



Javier
Ruiz



Elisa
Sayrol



Verónica
Vilaplana

Teaching Assistants:



Gerard
Gallego



Albert
Mosella

Day 1 Lecture 2

Machine Learning Basics

Acknowledgements: To my colleagues of this seminar and previous ones, specially Xavier Giró, Kevin Mc Guiness

<https://telecombcn-dl.github.io/idl-2021/>



Elisa Sayrol



UNIVERSITAT POLITÈCNICA DE CATALUNYA
BARCELONATECH

Department of Signal Theory
and Communications
Image Processing Group


Outline

1. Machine Learning
2. Supervised Learning
3. Regression and Classification

Machine Learning

Machine Learning (ML)

*is all about **algorithms** that can tell you something about a set of **data** without you having to write any custom code specific to the problem; ie., instead of writing code, you feed data to the generic algorithm and it **builds its own logic** based on the data.*



<https://medium.com/@jorgesleonel/supervised-learning-c16823b00c13>

Machine Learning

Machine Learning Approaches

	...with a teacher	...without a teacher
Active agent...	Reinforcement learning (with extrinsic reward)	Intrinsic motivation / Exploration.
Passive agent...	Supervised learning (labels)	Unsupervised learning




Slide inspired by Alex Graves (Deepmind) at
["Unsupervised Learning Tutorial"](#) @ NeurIPS 2018.

Machine Learning

Machine Learning Approaches

Supervised learning



Machine Learning

Machine Learning Approaches

	...with a teacher	...without a teacher
Active agent...	Reinforcement learning (with extrinsic reward)	Intrinsic motivation / Exploration.
Passive agent...	Supervised learning (labels)	Unsupervised learning





Slide inspired by Alex Graves (Deepmind) at
["Unsupervised Learning Tutorial"](#) @ NeurIPS 2018.


- No label or target class
- Find out properties of the structure of the data
- Clustering (k-means, PCA, etc.)

Machine Learning

Machine Learning Approaches



Reinforcement Learning is a subfield of machine learning that teaches an agent how to choose an action from its action space, within a particular environment, in order to maximize rewards over time.



Reinforcement Learning, Part 1: A Brief Introduction
(medium.com)

<https://nervanasystems.github.io/coach>

Machine Learning


	...with a teacher	...without a teacher
Active agent...	Reinforcement learning (with extrinsic reward)	Intrinsic motivation / Exploration.
Passive agent...	Supervised learning (labels)	Unsupervised learning



Slide inspired by Alex Graves (Deepmind) at
[“Unsupervised Learning Tutorial”](#) @ NeurIPS 2018.

Supervised learning


Fit a function: $y = f(x)$, $x \in \mathbb{R}^m$



Supervised learning

Fit a function: $\mathbf{y} = f(\mathbf{x})$, $\mathbf{x} \in \mathbb{R}^m$

Given paired training examples $\{(\mathbf{x}_i, \mathbf{y}_i)\}$



Supervised learning


Fit a function: $y = f(x)$, $x \in \mathbb{R}^m$

Given paired training examples $\{(x_i, y_i)\}$

Key point: **generalize well to unseen examples**



Black box abstraction of supervised learning



Regression vs Classification

Depending on the type of target \mathbf{y} we get:


- **Regression:** $\mathbf{y} \in \mathbb{R}^N$ is **continuous** (e.g. temperatures $\mathbf{y} = \{19^\circ, 23^\circ, 22^\circ\}$)
- **Classification:** \mathbf{y} is **discrete** (e.g. $\mathbf{y} = \{\text{"dog"}, \text{"cat"}, \text{"ostrich"}\}$).

Regression vs Classification

Depending on the type of target \mathbf{y} we get:


- **Regression:** $\mathbf{y} \in \mathbb{R}^N$ is **continuous** (e.g. temperatures $\mathbf{y} = \{19^\circ, 23.2^\circ, 22.8^\circ\}$)
- **Classification:** \mathbf{y} is **discrete** (e.g. $\mathbf{y} = \{\text{"dog"}, \text{"cat"}, \text{"ostrich"}\}$).

Linear Regression (eg. 1D input - 1D output)



Linear Regression (eg. 1D input - 1D output)

Training a model means learning parameters w and b from data.



Linear Regression (M-D input)

Input data can also be M-dimensional with vector \mathbf{x} :

$$y = \mathbf{w}^T \cdot \mathbf{x} + b = w_1 \cdot x_1 + w_2 \cdot x_2 + w_3 \cdot x_3 + \dots + w_M \cdot x_M + b$$

e.g. we want to predict the **price of a house** (y) based on:

x_1 = square-meters (sqm)

$x_{2,3}$ = location (lat, lon)

y = price = $w_1 \cdot (\text{sqm}) + w_2 \cdot (\text{lat}) + w_3 \cdot (\text{lon}) + b$




Regression vs Classification

Depending on the type of target y we get:

- **Regression:** $y \in \mathbb{R}^N$ is **continuous** (e.g. temperatures $y = \{19^\circ, 23^\circ, 22^\circ\}$)
- **Classification:** y is **discrete** (e.g. $y = \{\text{"dog"}, \text{"cat"}, \text{"ostrich"}\}$).

Binary Classification (eg. 2D input, 1D output)




Multi-class Classification

Produce a classifier to map from pixels to the digit.


- ▶ If images are grayscale and 28×28 pixels in size, then $\mathbf{x}_i \in \mathbb{R}^{784}$
- ▶ $y_i \in \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$

Example of a **multi-class classification** task.
MNIST DataBase




Multi-class Classification

- **Classification:** y is discrete (e.g. $y = \{\text{"dog"}, \text{"cat"}, \text{"ostrich"}\}$).
 - Classes are often coded as **one-hot vector** (each class corresponds to a different dimension of the output space)



End-to-end Learning

- Old style machine learning:
 - Engineer features (by some unspecified method)
 - Create a representation (descriptor)
 - Train shallow classifier on representation
- Example:
 - SIFT features (engineered)
 - BoW representation (engineered + unsupervised learning)
 - SVM classifier (convex optimization)
- Deep learning
 - Learn layers of features, representation, and classifier in one go based on the data alone
 - Primary methodology: deep neural networks (non-convex)



Multi-class Classification

What is the dimensionality of a one-hot representation of the MNIST classes ?

- A. 1
- B. 28
- C. 10
- D. 784

Multi-class Classification

What is the dimensionality of a one-hot representation of the MNIST classes ?

- A. 1
- B. 28
- C. 10
- D. 784

Regression vs Classification

Should you treat these three problems as classification or as regression problems?

Problem	Regression ?	Classification ?
Predicting whether stock price of a company will increase tomorrow		
Predict the number of copies a music album will be sold next month		
Predicting the gender of a person by his/her handwriting style		

Regression vs Classification

Should you treat these three problems as classification or as regression problems?

Problem	Regression ?	Classification ?
Predicting whether stock price of a company will increase tomorrow		✓
Predict the number of copies a music album will be sold next month	✓	
Predicting the gender of a person by his/her handwriting style		✓

Questions ?

Undergradese

What undergrads ask vs. what they're REALLY asking

JORGE CHAM © 2008



"Is it going to be an open book exam?"
Translation: "I don't have to actually memorize anything, do I?"

"Can i get an extension?"
Translation: "Can you re-arrange your life around mine?"

"Is grading going to be curved?"
Translation: "Can I do a mediocre job and still get an A?"

WWW.PHDCOMICS.COM

"Hmm, what do you mean by that?"
Translation: "What's the answer so we can all go home."

"Is this going to be on the test?"
Translation: "Tell us what's going to be on the test."

"Are you going to have office hours today?"
Translation: "Can I do my homework in your office?"

