

DocuPrint P365 d

A4 Monochrome

Laser Printer



DocuPrint P365 d A4 Monochrome Laser Printer

Fast, efficient performer for busy workgroups

FUJI xerox 

The Fuji Xerox DocuPrint P365 d provides amazing performance for small and medium sized business, delivering speed, efficiency and a host of networking options in a compact and stylish unit.

High performance to meet demanding environments

- **Keeps up with your busy work environment.** With a print speed of 38 pages per minute and 5.2 sec first page out time, the DocuPrint P365 d has the performance to keep up with your busy work demands. Printing multipage documents is a breeze with automatic two-sided printing.
- **Superb image quality.** 1200 x 1200 dpi resolution with genuine PostScript® 3™ ensures accurate print output with incredible detail and clarity.
- **Scalable options to meet demand.** The optional 550-sheet feeder extends the total input capacity to 850-sheets, meaning you'll spend less time reloading paper and more time getting on with business.
- **Flexible print options.** From thick paper, card stock, envelopes or labels; achieve crisp print results everytime on a variety of stocks. This allows you to print more inhouse – saving you time and money.
- **Fast networking.** Gigabit Ethernet enables fast communication between the printer and the network, ensuring you achieve the best performance out of your printer network.
- **Easy connectivity.** The optional wireless kit enables the DocuPrint P365 d to be easily connected to your network without the need of messy cabling. This also gives you the flexibility to position the printer anywhere in the office and allows a workgroup to share without an expensive network setup.

Reliable operation

- **Improved duty cycle.** The Fuji Xerox brand is renowned for its technological advancements in creating reliable business printing products. The DocuPrint P365 d features an improved print engine delivering an increased duty cycle.

Configurations

DocuPrint P365 d

Print up to 38 ppm
Duplex print up to 24 ppm (A4)
Resolution up to 1200 x 1200 dpi
Powerful 533 MHz processor
300-sheet standard input capacity plus an optional 550-sheet feeder tray
WxDxH: 393mm x 428mm x 267mm

Low running costs – great for business

- **Less disruption with high yield toner and drum.** With high capacity toner cartridge and long life drum, you can print for longer without the need to stop and replace cartridges.
- **Dual consumables.** Unlike most laser printers, the DocuPrint P365 d utilises a separate toner cartridge and drum unit allowing you to achieve the maximum use out of each component. This delivers significant cost savings.
- **Toner saving feature.** Which gives users complete control of toner usage by selecting a mode that is most suited to the output that is required. For instance, when printing documents for internal use, you may want to use the lightest setting for maximum toner saving.

Eco friendly

- **EA-Eco Toner.** Our EA-Eco Toner with low-melt technology achieves minimum fusing temperature at 20°C less than conventional toner for significant energy savings.
- **Certified energy efficient.** The DocuPrint P365 d carries the international Energy Star 2.0 label. Energy Star is a voluntary labelling program designed to identify and promote energy efficient products that reduce greenhouse gas emissions.





Keep up with demand. The optional 550-sheet paper tray extends the total input capacity to 850 sheets - meaning busy work environments can spend less time re-loading paper and more time getting on with business.



Enterprise-wide operations put you in control

Extend your LAN to WAN. The DocuPrint P365 d is supported for wide-area network printing in enterprise business applications, providing the same feature-rich environment as when printing over the office local-area network.

Expanded Citrix printing. The print utility for XenApp has a number of new features and provides enhanced usability and improved administration for Citrix printing.

Good news for SAP users. The ApeosWare Device type enables the DocuPrint P365 d to be used in SAP R/3 or mySAP environments, helping create beautifully formatted reports, forms and barcodes, and simplifying administrative tasks.

Centreware Internet Services (CWIS). CWIS function allows for easy setup and monitoring of the printer on the network. The software also generates email alerts that notify of events that require attention, such as low toner levels.

① Backlit display

② 150-sheet face down output tray

③ 50-sheet multipurpose tray

④ 250-sheet main tray

⑤ 550-sheet optional tray

The optional 550-sheet paper tray means fewer paper re-fills

Confidential Printing with SecurePrint

Advanced security features such as SecurePrint*, Control Panel Lock, IPsec data encryption and IP filter ensures encryption of confidential material for transmission over a network and is only printed when a password is entered on the control panel.



Print your document using the SecurePrint option and define a password



Select the document from the SecurePrint menu



Enter your password to print your document



The document is released from the SecurePrint queue



Your document is printed securely

*Optional 512MB Memory is required for SecurePrint.

Specifications of DocuPrint P365 d

Basic Specifications

Item	DocuPrint P365 d								
Print Speed ¹ (A4)	Up to 38 ppm								
Duplex Print (A4 SEF)	Up to 24 ppm								
Print Resolution	Up to 1200 x 1200 dpi								
First-page-out Time	5.2 seconds or less (ready mode)								
Warm-up Time	11 seconds or less								
Memory (std/max)	256MB/768MB								
Processor	533MHz								
PDL	PCL5/PCL6/Adobe Genuine PostScript® 3™								
Connectivity	USB2.0 (Hi-Speed) 10Base-T/100Base-TX/1000Base-T IEEE802.11b/g/n (Optional)								
Compliant Standard Security Protocol	IEEE802.11b/g/n, 64(40-bit key) / 128(104-bit key) WEP, WPA-PSK (TKIP, AES) WPA2-PSK (AES)								
Certifications	WiFi, WPA2.0 (Personal)								
WiFi Protected Setup (WPS)	Push Button Configuration (PBC) Personal Identification Number(PIN)								
Supported Operating System	Microsoft Windows Vista (32 bit/64 bit) / Server 2008 (32bit/64 bit) / Server 2008 R2 (64bit)/7 (32bit/64bit) / Server 2012 (64bit) / Server 2012 R2 (64bit) / 8.1 (32bit/64bit) / 10(32bit/64bit) and Mac OS X version 10.7/10.8/10.9/10.10/10.11 (x86/x64) Red Hat Enterprise Linux 6/7 Desktop (x86) SUSE Linux Enterprise Desktop 11/12 (x86)								
Protocol	TCP/IP (LPD, Port9100, WSD, HTTP, HTTPS, SMTP, RARP AutoIP, WINS, FTP, Telnet, DNS, DDNS, IPP, SNTP, SMB, NetBEUI) SNMP, DHCP, BOOTP, Bonjour® (mDNS)								
Automatic two-sided printing	Standard								
Input Paper Size	<table border="1"> <tr> <td>Main Tray</td> <td>A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13"), Letter (8.5 x 11"), Executive Custom: (Width: 139.7 – 215.9mm, Length: 210 – 355.6mm)</td> </tr> <tr> <td>Multipurpose Tray</td> <td>A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13") Letter (8.5 x 11"), Executive, C5, Com-10, DL, Monarch Custom (Width: 76.2 – 215.9mm, Length: 127 – 355.6mm)</td> </tr> <tr> <td>Optional Tray</td> <td>A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13"), Letter (8.5 x 11"), Executive, Custom(Width: 139.7 – 215.9mm; Length: 210 – 355.6mm)</td> </tr> <tr> <td>Duplex Printing</td> <td>A4, B5 (JIS), A5, Letter, Executive, Folio, Legal Width 139.7 to 215.9mm Length 210 to 355.6mm</td> </tr> </table>	Main Tray	A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13"), Letter (8.5 x 11"), Executive Custom: (Width: 139.7 – 215.9mm, Length: 210 – 355.6mm)	Multipurpose Tray	A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13") Letter (8.5 x 11"), Executive, C5, Com-10, DL, Monarch Custom (Width: 76.2 – 215.9mm, Length: 127 – 355.6mm)	Optional Tray	A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13"), Letter (8.5 x 11"), Executive, Custom(Width: 139.7 – 215.9mm; Length: 210 – 355.6mm)	Duplex Printing	A4, B5 (JIS), A5, Letter, Executive, Folio, Legal Width 139.7 to 215.9mm Length 210 to 355.6mm
Main Tray	A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13"), Letter (8.5 x 11"), Executive Custom: (Width: 139.7 – 215.9mm, Length: 210 – 355.6mm)								
Multipurpose Tray	A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13") Letter (8.5 x 11"), Executive, C5, Com-10, DL, Monarch Custom (Width: 76.2 – 215.9mm, Length: 127 – 355.6mm)								
Optional Tray	A4, B5, A5, Legal (8.5 x 14"), Folio (8.5 x 13"), Letter (8.5 x 11"), Executive, Custom(Width: 139.7 – 215.9mm; Length: 210 – 355.6mm)								
Duplex Printing	A4, B5 (JIS), A5, Letter, Executive, Folio, Legal Width 139.7 to 215.9mm Length 210 to 355.6mm								
Input Media Weight & Type	<table border="1"> <tr> <td>Plain (60 – 80 gsm)</td> </tr> <tr> <td>Plain Thick (81 – 105 gsm)</td> </tr> <tr> <td>Light Card (106 – 163 gsm)</td> </tr> <tr> <td>Heavy Card (164 – 216 gsm)</td> </tr> <tr> <td>Envelope, Labels, Letterhead, Hole Punched, Coloured Duplex printing: 60 – 163 gsm plain paper</td> </tr> </table>	Plain (60 – 80 gsm)	Plain Thick (81 – 105 gsm)	Light Card (106 – 163 gsm)	Heavy Card (164 – 216 gsm)	Envelope, Labels, Letterhead, Hole Punched, Coloured Duplex printing: 60 – 163 gsm plain paper			
Plain (60 – 80 gsm)									
Plain Thick (81 – 105 gsm)									
Light Card (106 – 163 gsm)									
Heavy Card (164 – 216 gsm)									
Envelope, Labels, Letterhead, Hole Punched, Coloured Duplex printing: 60 – 163 gsm plain paper									
Media Input Capacity	Main Tray: 250 sheets Multipurpose Tray: 50 sheets Optional Tray: 550 sheets								
Media Output Capacity	150 sheets face down								
Operating Environment Temperature	10 - 32 °C; Humidity: 10 - 85 %								
Electrical Power	220–240 VAC, 50/60 Hz or 110–127 VAC, 50/60 Hz								
Operating Noise (Main Unit Only)	During operation: 7.6dB 54.3 dB (A) During stand by: 5.3B 24.1 dB (A)								
Power Consumption	Maximum: 1200W Sleep mode: 4W Average: During standby: 53W; During continuous printing: 614W TEC: 2.0 kWh/week (230V model); 2.1 kWh/week (110V model)								
Engine Life	300,000 pages or 5 years								
Print Features	Toner Save Mode, Duplex, Print Cancel (from panel), N-up, Poster, Watermarks, Collate, Image Rotation (180degree)								
Dimensions (WxDxH)	393mm x 428mm x 267mm								
Weight	11.3kg								
Warranty	Please check with your Fuji Xerox Printers reseller for more information								

Options

Item	DocuPrint P365 d
550-Sheet Feeder	EL300927
512MB Memory	EL300820
Wireless Network Kit b/g/n	EL500261
Traditional Chinese/Simplified Chinese Font-ROM	EL300848
Korean Font-ROM	EL300847
Japanese Font-ROM	EL300842

Consumables³

Item	DocuPrint P365 d
Standard yield toner cartridge (up to 4,000 pages)	CT201937
High yield toner cartridge (up to 10,000 pages)	CT201938

Additional Supplies³

Item	DocuPrint P365 d
Drum Cartridge (up to 100,000 pages)	CT350973
Maintenance Kit (up to 100,000 pages)	110V: EL300925 220V: EL300926

¹ Print speed may decrease due to factors such as paper type, paper size and printing conditions.

² DocuPrint P365 d is not supported on Windows 10 Mobile.


³ Actual yield pages will vary depending on conditions such as print contents, pages per job (job size), simplex/duplex printing and other conditions. Toner Cartridge declared yield in accordance with ISO/IEC 19752. Printer shipped with one set of starter toner cartridge with average yield 4,000 pages.

Web Services on Devices (WSD) is available only on Windows Vista, 7/8.1/10, Server 2008, Server 2008 R2, Server 2012 R2.



Other company names or product names are registered trademarks or trademarks of each company.

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law:
Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.



For more information or detailed product specification, please call or visit us at

Fuji Xerox Asia Pacific Pte Ltd

C/O Jl Kramat Raya No. 43, Jakarta 10450
Tel: +6221 3909182 Email: fxpc.idn@fujixerox.com
www.fujixeroxprinters.co.id

