

Phaser® 7100 A3 Colour Printer

Impactful colour plus oversize printing, now on your desktop.



Phaser® 7100 A3 Colour Printer

Get the results your work demands. Renowned Fuji Xerox print quality meets a desktop colour printer that gives your office documents superior visual impact. The Phaser 7100 Colour Printer excels at producing exceptional detail and clarity on a wide variety of media – including oversize paper – providing the capabilities you need to ensure every important print job makes a strong impression.

Print Quality You Can Count on

The Phaser 7100 Colour Printer delivers exceptional print quality on the documents that enhance business communications – even on oversize media.

- Clearly superior results. True 1200 x 1200 dpi resolution delivers superior sharpness and clarity on every page you print. You get impressive fine-line definition and crisp fonts that stay legible even at smaller point sizes.
- Reliable precision. True Adobe® PostScript®
 3™ ensures that visually rich documents
 print reliably and quickly, while Xerox®
 colour correction technology make sure
 that specified colours print accurately and
 consistently.
- Superior toner. Our EA Toner fuses at a much lower temperature, and reduces overall energy consumption during manufacturing and operation by up to 20% and CO₂ emissions by nearly 30%, compared to conventional toner. It's also oil-free, delivering brilliant, glossy output, even on ordinary paper.

Flexible Productivity

It doesn't matter if your documents are colour or black and white, A4-size or oversize – the Phaser 7100 Colour Printer has the power and features you need to handle a variety of office print jobs.

- Fast output. Print jobs are ready when you are thanks to a colour and black and white print speed of up to 30 ppm for A4-size documents.
- **Networked to share.** With standard Ethernet you can locate the Phaser 7100 where it's most convenient.

Increase accountability and reduce

costs. Use accounting features to track and analyse both colour and black-only printing, and to accurately charge back billing for individuals or departments.

Peace of mind. An on-site warranty ensures that your printer will be on-line,

• all the time.

Simplicity in Your Office

Whether you place the Phaser 7100 Colour Printer on a desktop or configure a floor standing solution, you get superior printer management capabilities and innovative features that make it especially easy to use.

- Compact and resourceful. Sized to fit your work group's space and printing needs, it's available as a low-profile desktop printer, or it can be configured into a highly productive floor-standing model with up to three additional 550-sheet trays for a total paper capacity of 2,050 sheets.
- Effortless printer management. Our CentreWare® Internet Services embedded web server helps you save precious time. Enjoy configuration cloning and automatic installation, and view job status and troubleshoot right from your web browser.
- **Bi-directional communication.** Get instant updates on your print jobs, along with toner supply levels, from the front panel, your desktop or even over the web. Pop-up alerts immediately notify you of any print problems and how to fix them quickly, giving users more time to focus on their work.

Phaser® 7100 Quick Facts

- Print up to 30 ppm colour and black and white
- True 1200 x 1200 dpi print resolution
- True Adobe® PostScript® 3™
- First-page-out time as fast as 9 seconds black and white, 11 seconds colour
- Optional automatic two-sided printing
- Standard 400-sheet paper capacity (expandable to 2,050 sheets)



Print

Δ,

А3

30

ppm

WxDxH: 499.5 x 538 x 406 mm **Weight:** 44 kg





1

250-sheet output tray.



Optional Productivity Kit adds helpful font storage and Network Accounting capabilities, plus increased security with Hard Disk Encryption and Overwrite.



150-sheet Bypass Tray feeds a wide range of custom sized media all the way up to A3, as well as 210 x 900 mm and 297 x 1200 mm banners.



250-sheet Tray 1 with automatic paper size sensing supports paper sizes up to 297 x 432 mm



Up to three additional 550-sheet Feeders with automatic paper size sensing support paper sizes up to $297\,x\,432$ mm and boost total paper capacity to 2,050 sheets.



Optional System Cart with Storage Drawer provides storage for a complete set of toner cartridges.



Comprehensive Security

- Easy management. Powerful tools let you control who prints in colour, and when.
- **Private data stays secure.** SecurePrint holds the job in the queue until a PIN is entered at the printer, and Image Overwrite "shreds" data after every job or on request.
- A good network citizen. Built-in support for the latest security protocols including IPv6, 802.1X Authentication and Secure HTTPS (SSL).

Options

- Productivity Kit (includes 40 GB hard drive)
- 550-sheet feeder
- Automatic two-sided printing
- System Cart with Storage Drawer
- 1 GB Memory Upgrade

Phaser® 7100

A3 Colour Printer



| Product Name | | Phaser 7100N |
|--|----------|---|
| Function | | A3 Colour Printer |
| Print Function | | |
| Print Speed (A4) | | Up to 30 ppm colour / 30 ppm black and white |
| Print Resolution | | Up to 1200 x 1200 dpi / 600 x 600 x 8 bit |
| First-page-out Time (A4 SEF) (from ready mode) | | As fast as 11 seconds colour / 9 seconds black and white |
| Warm-up time | | Less than 5 seconds (from sleep mode) |
| Memory | | 1 GB / 2 GB |
| Processor | | 667 MHz |
| PDL | | PostScript® Fonts: 136; PCL® Fonts: 82 |
| Connectivity | | 10/100Base-T Ethernet, USB 2.0 |
| Device Management | | Xerox® CentreWare® Internet Services, CentreWare Web, Email alerts, Job Accounting, WebJet Admin Interface, Apple® Bonjour, Xerox® Global Print Driver®, Xerox® Mobile Express Driver® |
| Supported Operating System | | Windows® XP and later, OS® X 10.5 and later, various Linux® and Unix distributions, Xerox® Global Print Driver, Xerox® Mobile Express Driver |
| Security | | IPsec, 802.1X Authentication, Secure HTTPS (SSL), IPv6 compatibility, SNMPv3, IP Filtering, Secure Print, Image Overwrite, Port Control |
| Accounting | | Xerox® Standard Accounting (requires Productivity Kit) |
| Monthly Maximum Duty Cycle | | Up to 52,000 pages / month' |
| Duplex Printing | | Optional |
| Print Features | Standard | Earth Smart driver settings, Collation, Bi-directional driver, Smart Duplex ¹ , Layout/watermark |
| | Optional | Productivity Kit (with 40 GB Hard Drive): Adds Font Storage, Network Accounting, 128-bit Hard Disk Encryption, Hard Disk Overwrite, and increased Secure Print capacity and Security Certificate protection |
| Dimensions (WxDxH) | | 499.5 x 538 x 406 mm |
| Weight (without supplies) | | 44 kg |
| Paper Handling | | |
| Paper Input | Standard | Bypass Tray: 150 sheets: Custom sizes: 75 x 98 mm to A3, 210 x 900 mm and 297 x 1200 mm banners Tray 1: 250 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm |
| | Optional | Tray 2: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm Tray 3: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm |
| Media Output Capacity | | 250 sheets |
| Media Types | | Plain, recycled, heavyweight, card stock, heavy card, glossy, glossy card, labels, envelopes, hole punched, letterhead, pre-printed, custom 1-5 |
| Input Paper Weight | | 60-216 gsm |
| Operating Environment | | |
| Temperature | | Storage: 0° to 35° C; Operating: 5° to 32°C |
| Humidity | | Operating: 15% to 85%; Storage: 15% to 80% |
| Acoustics: | | Sound pressure levels: Printing: less than 54 dB(A); Standby: less than 25 dB(A); Sound power levels: Printing: less than 7.0 B(A); Standby: less than 4.3 B(A) |
| Electrical Power | | 220–240 VAC +10%, 50/60 Hz + 3%, 4.7 A or less; |
| Power consumption | | Avg. Operations: less than 600 W Standby: less than 75 W; Power Save: less than 55 W; Sleep: less than 0.9 W ENERGY STAR® qualified |
| Warranty | | One-year on-site warranty |
| Consumables | | |
| Dual Pack Black toner cartridges (up to 10,000 pages ³) | | 106R02623 |
| Dual Pack Cyan toner cartridges (up to 9,000 pages ³) | | 106R02621 |
| Dual Pack Magenta toner cartridges (up to 9,000 pages ³) | | 106R02622 |
| Dual Pack Yellow toner cartridges (up to 9,000 pages³) | | 106R02620 |
| Imaging Drum - CMY (up to 24,000 pages ⁴) | | 108R01148 |
| Imaging Drum - Black (up to 24,000 pages ⁴) | | 108R01151 |
| Waste Cartridge - CMY (up to 24,000 pages ") | | 106R02624 |
| Consumables | uges / | 1 1000027 |
| 550-sheet Feeder | | 097S04485 |
| Automatic 2-sided Printing Upgrade | | 097504486 |
| | | |
| System Cart with Storage Drawer | | 097504552 |
| 1 GB Memory Upgrade | | 097504488 |
| Productivity Kit w/ 40 GB Hard Disk Drive | | 097S04487 |

1 Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.
2 DN configuration
3 Average standard pages. Declared Yield in accordance with ISO/IEC 19798, Yield will vary based on image, area coverage and print mode.
4 Approximate pages. Declared yield based on an average job size of 4 A4-/letter-size pages. Yield will vary depending on job run length and media size and orientation.

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law:

Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc.

Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.
























For Your Safety
Before using the product, read the Instruction Manual carefully
for proper use. Use the product with the power source and voltage
specified. Be sure to establish ground connection. Otherwise,
electronic shock may result in the case of a failure or short circuit.

For more information or detailed product specification, please call or visit us at

Fuji Xerox Asia Pacific Pte Ltd

C/O Jl. Kramat Raya No. 43, Jakarta 10450 Tel. +62 21 3909182 Email: fxpc.idn@fujixerox.com www.fujixer oxprinters.co.id

