

R.2 Goals: Create goal and verify persistence

regression.spec.js:714

4.6s

chromium

Run

Errors

TypeError: page.getByDisplayValue is not a function

Copy prompt

719 |

720 |

> 721 |

722 |

723 |

724 |


at E:\cashflow-app\tests\e2e\regression.spec.js:721:23

Test Steps

> ✓ Before Hooks	3.2s
> ✓ Click getTestId('nav-settings') — regression.spec.js:154	264ms
> ✓ Expect "toBeVisible" — regression.spec.js:156	27ms
> ✓ Click getByRole('button', { name: /^Goals\$/i }).first() — regression.spec.js:157	135ms
> ✓ Expect "toBeVisible" — regression.spec.js:158	9ms
> ✓ Scroll into view getByRole('button', { name: /Add goal/i }) — regression.spec.js:204	394ms
> ✓ Click getByRole('button', { name: /Add goal/i }) — regression.spec.js:205	57ms
> ✓ Fill "Tesla Fund" getLabel('Name').last() — regression.spec.js:207	22ms
> ✓ Fill "50000" getLabel('Target Amount').last() — regression.spec.js:208	18ms
> ✓ Fill "500" getLabel('Monthly Contribution').last() — regression.spec.js:209	28ms
> ✓ Click locator('section').filter({ hasText: /Goals/i }).first().getByRole('button', { name: /Save goals/i }) — regression.spec....	386ms
> ✓ Wait for selector locator('section').filter({ hasText: /Goals/i }).first().getByRole('button', { name: /Save goals/i }) — regre...	29ms
> ✓ Reload — regression.spec.js:717	181ms
> ✓ Wait for load state "load" — regression.spec.js:79	0ms
> ✓ Expect "toBeVisible" — regression.spec.js:80	65ms
> ✓ Expect "toBeVisible" — regression.spec.js:81	10ms
> ✓ Click getTestId('nav-settings') — regression.spec.js:154	71ms
> ✓ Expect "toBeVisible" — regression.spec.js:156	14ms

- > ✓ Click getByRole('button', { name: /^Goals\$/i }).first() — regression.spec.js:157 86ms
- > ✓ Expect "toBeVisible" — regression.spec.js:158 12ms
- > ✓ After Hooks 249ms
- > ✓ Worker Cleanup 1.8s

▼ Screenshots



 [screenshot](#)

▼ Attachments

 [error-context](#)