

Models

Kasper Schou Telkamp

Section for Dynamical Systems



DTU Compute

Department of Applied Mathematics and Computer Science

Outline



- Data exploration
 - VTEC / STEC
- Hierachical Poisson Normal model
 - Fomulation
 - Implementation
- Hierachical Poisson Gamma model
 - Formulation

Data exploration VTEC / STEC




Date	${\sf ageGroup}$	у	n
2008-01-01 2009-01-01 2010-01-01	<1 year <1 year <1 year	2 1 1	10120 10288 10654
2011-01-01	<1 year 	0	11199
2019-12-01	85+ years	1	14153
2020-12-01	85+ years	0	14613
2021-12-01	85+ years	2	14976
2022-12-01	85+ years	3	15203

Data exploration

DTU

VTEC / STEC

Shiga- og veratoxin producerende E. coli.



DTU

Fomulation

$$Y_t^a | u_t^a \sim \text{Pois}(w_t^a \lambda_a \exp(u_t^a))$$
 (1a)

$$u_t^a \sim \mathcal{N}(0, \sigma^2) \tag{1b}$$



Implementation - Objective function in C++

```
#include <TMB.hpp>
                               // Links in the TMB libraries
template<class Type>
Type objective function Type :: operator() ()
 DATA VECTOR(v):
                                       // Data vector transmitted from R
 DATA VECTOR(w)
                               // Data vector transmitted from R
                               // Data factor transmitted from R
 DATA FACTOR(ageGroup):
 PARAMETER_VECTOR(u);
                                   // Random effects
 // Parameters
 PARAMETER_VECTOR(lambda);
                              // Parameter value transmitted from R
                                       // Parameter value transmitted from R
 PARAMETER(log sigma u):
 Type sigma_u = exp(log_sigma_u);
 int nobs = y.size();
 Type mean_ran = Type(0);
 int j;
 Type f = 0;
                           // Declare the "objective function" (neg. log. likelihood)
 for(int i=0: i < nobs: i++){
   f -= dnorm(u[i],mean_ran,sigma_u,true);
   j = ageGroup[i];
   f -= dpois(y[i],exp(log(lambda[j])-log(w[j]))*exp(u[i]),true);
 return f:
   DTU Compute
```



Implementation - Call from R

```
# Import libraries
library(readr)
library(dplyr)
library(TMB)
# Import the data
dat <- read rds(file = "../../data/processed/dat.rds")</pre>
# Only consider some of the data
v <- dat %>%
 filter(caseDef == "Shiga- og veratoxin producerende E. coli.") %>%
  group_by(Date, ageGroup) %>%
  mutate(y = sum(cases)) \%>\%
  select(Date, ageGroup, y, n)
compile(file = "PoissonLognormal.cpp") # Compile the C++ file
dvn.load(dvnlib("PoissonLognormal")) # Dunamically link the C++ code
# Function and derivative
PoisLN <- MakeADFun(
  data = list(y = y$y, ageGroup = y$ageGroup, w = y$n),
 parameters = list(u = rep(1, length(y$y)),
                    lambda = rep(1, nlevels(y$ageGroup)),
                    log_sigma_u = log(1)),
 random = "u".
 DLL = "PoissonLognormal"
opt <- nlminb(start = PoisLN$par, PoisLN$fn, PoisLN$gr, lower = c(0.01, 0.01))
```

Results




Parameter	Estimate	Std. Error
$\log(\lambda_{<1year})$	8438.14	276.06
$\log(\lambda_{1-4years})$	34772.54	905.76
$\log(\lambda_{5-14years})$	18464.41	528.24
$\log(\lambda_{15-24years})$	19674.21	584.60
$\log(\lambda_{25-34years})$	15130.53	473.09
$\log(\lambda_{35-44years})$	11256.22	353.22
$\log(\lambda_{45-54years})$	13601.67	408.42
$\log(\lambda_{55-64years})$	13508.84	405.98
$\log(\lambda_{65-74years})$	14753.44	442.70
$\log(\lambda_{75-84years})$	10622.91	345.14
$\log(\lambda_{85+years})$	3586.71	158.77
$\log(\sigma_u)$	0.01	0.01

Hierachical Poisson Normal model

DTU

Results

Shiga- og veratoxin producerende E. coli.



Formulation

$$Y_i|u_i \sim \operatorname{Pois}(\lambda_i u_i)$$
 (2a)
 $u_i \sim \operatorname{G}(1,\phi)$ (2b)

$$u_i \sim \mathrm{G}(1,\phi)$$
 (2b)

DTU

Probability function for Y

$$P[Y = y] = g_Y(y; \lambda, \phi)$$

$$= 1234$$
(3)

DTU

Proof

The probability function for the conditional distribution of Y for given \boldsymbol{u}

$$f_{Y|u}(y;\lambda,u) = \frac{(\lambda u)^y}{y!} \exp(-\lambda u)$$
(4)

and the probability density function for the distribution of \boldsymbol{u} is

$$f_u(u;\phi) = \frac{1}{\phi} \exp(-u/\phi) \tag{5}$$

Proof

Given (4) and (5), the probability function for the marginal distribution of Y is determined from

$$g_Y(y;\lambda,\phi) = \int_{u=0}^{\infty} f_{Y|u}(y;\lambda,u) f_u(u;\phi) du$$

$$= \int_{u=0}^{\infty} \frac{(\lambda u)^y}{y!} \exp(-\lambda u) \frac{1}{\phi} \exp(-u/\phi) du$$

$$= \frac{1}{y!\phi} \int_{u=0}^{\infty} (\lambda u)^y \exp(-u(\lambda + 1/\phi)) du$$
(6)