

NOOR()

USER MANUAL

Morse Code

The program is a Morse code.

It will convert text into Morse code and vice-versa Morse code to text.

At first, The user has a main menu.

```
Select from the menu:
1. Encode Morse Code (text to morse)
2. Decode Morse Code (morse to text)
3. Character statistics
4. Exit
```

At this point, the user has choices out of four options:

1. Text to Morse code

If the user chooses this option, the user will be asked to insert text that he wants to convert into Morse code.

The limits of the text to be inserted are:

It should be either alphabets

It should be digits

It will not include any kind of unique character

```
Select from the menu:
1. Encode Morse Code (text to morse)
2. Decode Morse Code (morse to text)
3. Character statistics
4. Exit

Menus item:
1

Enter a text:
i am noor and 20 yo
.. .- -.- --- -. --- --- -. .- -.- --- ..- --- ---
```

2. Morse to text

The user will be asked to insert the Morse code in this option.

The morse code will be converted into text.

The limits of the morse code to be inserted are:

The user can only input the internationally assigned values of the Morse code.

```
Select from the menu:
1. Encode Morse Code (text to morse)
2. Decode Morse Code (morse to text)
3. Character statistics
4. Exit

Menus item:
2

Enter a Morse code:
-. --- --- -. --- ---
The text is: noor20
```

```
Select from the menu:
1. Encode Morse Code (text to morse)
2. Decode Morse Code (morse to text)
3. Character statistics
4. Exit

Menus item:
2

Enter a Morse code:
..-.- -.-.-
Invalid Morse code detected.
```

3. Character statistics

If this user chooses this option, they can see how many Morse code characters and the alphabets and numbers have been used. Also, after using it once, it will automatically reset, and then it can be used again to avoid duplicating numbers of statistics.

```
Select from the menu:  
1. Encode Morse Code (text to morse)  
2. Decode Morse Code (morse to text)  
3. Character statistics  
4. Exit  
  
Menus item:  
1  
  
Enter a text:  
i am noor and 20 yo  
. . . -.- -- .. --- ---- -. -.. -...  
  
Select from the menu:  
1. Encode Morse Code (text to morse)  
2. Decode Morse Code (morse to text)  
3. Character statistics  
4. Exit  
  
Menus item:  
3  
  
Character Statistics:  
-----  
-> Letters: 12  
-> Numbers: 2  
-----  
  
Morse Characters:  
-> Dots: 13  
-> Dashes: 28  
-----  
  
Statistics saved to 'Statistics.txt'.  
  
Statistics have been reset.
```

```
Select from the menu:
1. Encode Morse Code (text to morse)
2. Decode Morse Code (morse to text)
3. Character statistics
4. Exit

Menu item:
2

Enter a Morse code:
-. --- .-. ..--- -----
The text is: nor20

Select from the menu:
1. Encode Morse Code (text to morse)
2. Decode Morse Code (morse to text)
3. Character statistics
4. Exit

Menu item:
3

Character Statistics:
-----
-> Letters: 3
-> Numbers: 2
-----

Morse Characters:
-> Dots: 5
-> Dashes: 13
-----

Statistics saved to 'Statistics.txt'.

Statistics have been reset.
```

4. Exit

If the user chooses this option, the program will be terminated, and the user will exit the code.

```
Select from the menu:
1. Encode Morse Code (text to morse)
2. Decode Morse Code (morse to text)
3. Character statistics
4. Exit

Menus item:
4

Exiting program.
```

Command line usage:

In addition to the main menu, the program can also be used through the command line.
This allows the user to run encoding and decoding operations directly without navigating the menu.

1. Encoding from command line with statistics:

The program will immediately:

- Encode the text
- Print the Morse code
- Display character statistics
- Reset statistics automatically
- Exit the program

```
C:\Users\hp\Desktop\N00T\study\BME\3rd semester\prog1\VS\Prog1\Morse code project\HW 4_final submission> morse.exe 1 i a
m noor and 20 yo
..   .- --  -.-. .- .- .-.. ..-- ----- -.-- ---

Character Statistics:
-----
-> Letters: 12
-> Numbers: 2
-----

Morse Characters:
-> Dots: 13
-> Dashes: 28
-----

Statistics saved to 'Statistics.txt'.
```

2. Decoding from command line with statistics:

The program will immediately:

- Decode the Morse code into text
- Display statistics
- Exit automatically

```
C:\Users\hp\Desktop\N00T\study\BME\3rd semester\prog1\VS\Prog1\Morse code project\HW 4_final submission> morse.exe 2 -.
--- .- ..-- -----
The text is: nor20

Character Statistics:
-----
-> Letters: 3
-> Numbers: 2
-----

Morse Characters:
-> Dots: 5
-> Dashes: 13
-----

Statistics saved to 'Statistics.txt'.
```

3. Invalid commands:

If the usage is incorrect, the following message appear:

```
C:\Users\hp\Desktop\N00T\study\BME\3rd semester\prog1\VS\Prog1\Morse code project\HW 4_final submission> morse.exe 3 eng

Invalid command line usage.
Usage:
morse.exe 1 text      # encode text to morse
morse.exe 2 morse_code # decode morse to text
```