

Duck Game

[Store Page](#)
[All](#) [Discussions](#) [Screenshots](#) [Artwork](#) [Broadcasts](#) [Videos](#) [Workshop](#) [News](#) [Guides](#) [Reviews](#)
[Duck Game](#) > [Guides](#) > [eim64's Guides](#)


Making your own gun!

By eim64

 ★ ★ ★ ★ ★
60 ratings

In this guide i will be showing how to make a simple weapon for DuckGame.
I will not show how to make a mod and you'll have to read Parils Modding guide to make the mod that we'll be making the weapon for.

You'll need:

basic c# knowledge

visual studio


recommend:

JetBarins DotPeek or ILSpy. (to see how other weapons were made)


Making the gun

Adding the weapon class

First we'll need to make a class for our new weapon. to do so rightclick on the src folder and choose add then class.



Then you'll have to give the class a name. this time i'll use ExampleGun



CREATED BY


 eim64
Online

 Category: [Modding or Configuration](#)

 Languages: [English](#)

Posted 8 Jan, 2016 @ 12:33pm

Updated 9 Jul, 2018 @ 3:01pm

3,380 Unique Visitors

116 Current Favorites

[GUIDE INDEX](#)
[Overview](#)
[Making the gun](#)
[Making It Shoot](#)
[Comments](#)

```
using System.Collections.Generic;
using System.Linq;
using System.Text;
using DuckGame;

namespace MyMod.src
{
```

now we can actually start coding,
first add

```
[editorGroup("ExampleMod")]
```

above you class (not namespace)

ExampleMod can always be replaced with anything you want. It can also be in a Existing EditorGroup like guns.

then extend Gun to your class and add

```
public YourClassName(float xval,float yval):base(xval,yval){

}
```

I'll be using a texture from my own mod MISC WEAPONS, wich is just a little edit on the original netGun.



Download [www.dropbox.com]

The textures need to be in the content folder, dont put it in the src folder.

Since its the same as the NetGun we can be lazy and use its barrelOffset and collisionsize etc.

```
{
    this.ammo = 4;
    this.ammoType = (AmmoType) new ALaser(
    this.ammoType.range = 170f;
    this.ammoType.accuracy = 0.8f;
    this.ammoType.penetration = -1f;
    this.type = "gun";
    this.graphic = new Sprite("netGun", 0.0f
    this.center = new Vec2(16f, 16f);
    this.collisionOffset = new Vec2(-8f, -4f
    this.collisionSize = new Vec2(16f, 9f);
    this.barrelOffsetTL = new Vec2(27f, 14f
    this.fireSound = "smg";
    this.fullAuto = true;
    this.fireWait = 1f;
    this.kickForce = 3f;
    this.netGunGuage = new SpriteMap("netGu
    this.barrelSteam = new SpriteMap("steam
    this.barrelSteam.center = new Vec2(0.0f
    this.barrelSteam.AddAnimation("puff", 0
    this.barrelSteam.SetAnimation("puff");
    this.barrelSteam.speed = 0.0f;
```

Copy it into public YourClassName(float xval,float yval){} and add:

```
this.ammo = 4; //gives the gun 4 shots
this.graphic = new Sprite(GetPath("YourTextureFileWithoutExtension")); //GetPath() gives you the
path to the content folder, the string is the name of the asset.
```

and since it will shoot crates and not bullets we need to remove Fire() wich spawn the bullet.

```
}
}
```

Dont worry, its supposed to be empty.

Now your code should look kinda like this:

```
[EditorGroup("ExampleMod")]
1 reference
class ExampleGun : Gun
{
    0 references
    public ExampleGun(float xval,float yval) : base(xval, yval)
    {
        this.graphic = new Sprite(GetPath("crateGun"));
        this.ammo = 4;
        this.center = new Vec2(16f, 16f);
        this.collisionOffset = new Vec2(-8f, -4f);
        this.collisionSize = new Vec2(16f, 9f);
        this._barrelOffsetTL = new Vec2(27f, 14f);
    }
    0 references
    public override void Fire()
    {
    }
}
```

if you start duckgame you'll find your editorgroup in the leveleditor and it contains your gun.



Making It Shoot

Now we'll make the gun shoot, well make it happen in the override OnPressAction().

First well need to set it up, just add the code:

```
public override void OnPressAction(){

    base.OnPressAction();
}
```

this will get called when a duck presses the fire button and holding your gun.

inside it well first need to check if it have ammo, if it does it will remove one.

```
if(this.ammo > 0){
    this.ammo --;
}
```

Now we need to check if its server side so that it wont create two crates online.

```
if(this.ammo > 0){
    this.ammo --;
    if(isServerForObject){

    }
}
```

Next we'll create the crate instance and set its position with the barrelOffset.

[Award](#)[Favorite](#)[Share](#)

```
if(isServerForObject){
    Crate crate = new Crate(0,0);
    crate.position = Offset(this._barrelOffsetTL);
}
}
```

if we now save and start duckgame you'll see that it wont spawn any crates, we need to add it to the level with:

```
Level.Add((Thing)crate);
```

Now start the game and we can spawn 4 crates!

giving the crates speed

Now were going to give the crate some speed, luckily theres already a variable that returns diffrence from the duck and the barrel, this will make it very easy to give it its speed.

```
if(this.ammo > 0){
    this.ammo --;
    if(isServerForObject){
        Crate crate = new Crate(0,0);
        crate.position = Offset(this._barrelOffsetTL);
        crate.vSpeed = this.barrelVector.y;
        crate.hSpeed = this.barrelVector.x;
        Level.Add((Thing)crate);
    }
}
```

if you now start duckgame you'll notice that the crates arent moving very fast, so well just multiply the speed by 7.

```
if(this.ammo > 0){
    this.ammo --;
    if(isServerForObject){
        Crate crate = new Crate(0,0);
        crate.position = Offset(this._barrelOffsetTL);
        crate.vSpeed = this.barrelVector.x * 7f;
        crate.hSpeed = this.barrelVector.y * 7f;
        Level.Add((Thing)crate);
    }
}
```

After that everything should look a bit like this:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using DuckGame;

namespace MyMod.src
{
    [EditorGroup("ExampleMod")]
    class ExampleGun : Gun
    {
        public ExampleGun(float xval,float yval) : base(xval, yval)
```



Award

Favorite

Share

```
this.center = new Vec2(16f, 16f);
this.collisionOffset = new Vec2(-8f, -4f);
this.collisionSize = new Vec2(16f, 9f);
this._barrelOffsetTL = new Vec2(27f, 14f);
}

public override void Fire()
{
}

public override void OnPressAction()
{
    if (this.ammo > 0)
    {
        this.ammo--;
        if (this.isServerForObject)
        {
            Crate crate = new Crate(0, 0);
            crate.position = Offset(this._barrelOffsetTL);
            crate.hSpeed = this.barrelVector.x * 7f;
            crate.vSpeed = this.barrelVector.y * 7f;
            Level.Add((Thing)crate);
        }
    }
    base.OnPressAction();
}
}
```

64 Comments

< 1 2 3 4 5 6 7 >



sirota.ru

7 Jun, 2021 @ 5:11pm

@lukethekillrr The mod should be placed in %USERPROFILE%\AppData\Roaming\DuckGame\Mods. You can download the mod template from this guide: <https://steamcommunity.com/sharedfiles/filedetails/?id=484818341> . You need to put the .png into the template's content folder. I recommend the dnSpy for reading the source code since it's a bit more capable than ILSpy. In dnSpy you can just open the DuckGame.exe and see all the classes. I'm currently also learning to mod the game, but if you need any help i can send the piss gun mod's source code that i made.



coolhandluke

14 Apr, 2020 @ 7:30pm

what content folder do i put it in?



coolhandluke

14 Apr, 2020 @ 3:57pm

pls help i cant see the texture



coolhandluke

13 Apr, 2020 @ 11:15pm

how do i see how other weapons were made?



doormatt

25 Apr, 2019 @ 4:05pm

[Award](#)[Favorite](#)[Share](#)

```
crate.hSpeed = this.barrelVector.x * 7f;
crate.vSpeed = this.barrelVector.y * 7f;
Level.Add((Thing)crate);
}
}
base.OnPressAction();
}
}
}
```



doormatt

25 Apr, 2019 @ 4:05pm

```
{
public CrateGun(float xval,float yval) : base(xval, yval)
{
this.graphic = new Sprite(GetPath("crateGun"));
this.ammo = 4;
this.center = new Vec2(16f, 16f);
this.collisionOffset = new Vec2(-8f, -4f);
this.collisionSize = new Vec2(16f, 9f);
this._barrelOffsetTL = new Vec2(27f, 14f);
}

public override void Fire()
{
}

public override void OnPressAction()
{
if (this.ammo > 0)
{
this.ammo--;
if (this.isServerForObject)
```



doormatt

25 Apr, 2019 @ 4:05pm

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using DuckGame;

namespace FS_Items_Mod.src
{
[EditorGroup("testing")]
class CrateGun : Gun
```



doormatt

25 Apr, 2019 @ 4:04pm

oops
didn't copy the whole thing



doormatt

25 Apr, 2019 @ 4:04pm

```
public override void Fire()
{
}

public override void OnPressAction()
{
if (this.ammo > 0)
{
this.ammo--;
```



Award

Favorite

Share

```
crate.position = Offset(this._barrelOffsetTL);
crate.hSpeed = this.barrelVector.x * 7f;
crate.vSpeed = this.barrelVector.y * 7f;
Level.Add((Thing)crate);
}
}
base.OnPressAction();
}
}
}
```



doormatt

25 Apr, 2019 @ 4:03pm

this is what my code looks like :using System.Text;
using DuckGame;

```
namespace FS_Items_Mod.src
{
[EditorGroup("testing")]
class CrateGun : Gun
{
public CrateGun(float xval,float yval) : base(xval, yval)
{
this.graphic = new Sprite(GetPath("crateGun"));
this.ammo = 4;
this.center = new Vec2(16f, 16f);
this.collisionOffset = new Vec2(-8f, -4f);
this.collisionSize = new Vec2(16f, 9f);
this._barrelOffsetTL = new Vec2(27f, 14f);
}
```

< 1 2 3 4 5 6 7 >

STEAM

[About Steam](#)

[Steam SSA](#)

[Steamworks](#)

[Steam Distribution](#)

[Gift Cards](#)

VALVE

[About Valve](#)

[Jobs](#)

[Hardware](#)

[Recycling](#)

LEGAL

[Privacy](#)

[Accessibility](#)

[Notices & Policies](#)

[Cookies](#)

[Refunds](#)

MORE

[Get Steam](#)

[Get Mobile Apps](#)

[Get Support](#)

[My Account](#)



STEAM®

VALVE®

© 2026 Valve Corporation. All rights reserved.
All trademarks are property of their respective
owners in the US and other countries.
VAT included in all prices where applicable.

