


ICG 2024 Spring Homework1 Guidance 2024/03

Environment Setup


- ▶ Download sample code from course website
- ▶ Follow steps in **HW1_Guide.pdf** file



Requirements (Due to TBD)


- ▶ Implement **Flat, Gouraud, and Phong shading with Phong reflection model** in shaders.
- ▶ **Enable multiple transformations (four fundamental transforms) on objects in a scene.** You are free to use those provided model files and arrange them to form the scene on your own style.
- ▶ At least **3 objects** & at least **3 light sources**
- ▶ Bonus: Special effects on shading / lighting / animation, ...

Shading





- Flat Shading: **Constant** normal on the whole surface
- Gouraud Shading: **Different** vertex normal, interpolated **vertex color** on a fragment
- Phong Shading: **Different** vertex normal, interpolated **vertex normal** on a fragment

Phong Reflection Model



Rendering Pipeline



Graphics API & Shader Language

Graphics API	Shader Language
OpenGL / WebGL	GLSL (OpenGL Shading Language)
DirectX	HLSL (High Level Shading Language)
Vulkan	SPIR-V

Shader (GLSL)

```
15 <script id="fragmentShader" type="fragment">
16     precision mediump float;
17
18     varying vec4 fragcolor;
19
20     void main(void) {
21         gl_FragColor = fragcolor;
22     }
23 </script>
```

```
35 <script id="vertexShader" type="vertex">
36     attribute vec3 aVertexPosition;
37     attribute vec3 aFrontColor;
38
39     uniform mat4 uMVMatrix;
40     uniform mat4 uPMatrix;
41
42     varying vec4 fragcolor;
43
44     void main(void) {
45         fragcolor = vec4(aFrontColor.rgb, 1.0);
46         gl_Position = uPMatrix * uMVMatrix * vec4(aVertexPosition, 1.0);
47     }
48 </script>
```


Shader Data (1/2)

```
15 <script id="fragmentShader" type="fragment">
16     precision mediump float;
17
18     varying vec4 fragcolor;
19
20     void main(void) {
21         gl_FragColor = fragcolor;
22     }
23 </script>
```

```
35 <script id="vertexShader" type="vertex">
36     attribute vec3 aVertexPosition;
37     attribute vec3 aFrontColor;
38
39     uniform mat4 uMVMatrix;
40     uniform mat4 uPMatrix;
41
42     varying vec4 fragcolor;
43
44     void main(void) {
45         fragcolor = vec4(aFrontColor.rgb, 1.0);
46         gl_Position = uPMatrix * uMVMatrix * vec4(aVertexPosition, 1.0);
47     }
48 </script>
```

Shader Data (2/2)

SHADER DATA

“Per-object constant”

Uniform

= Shared Constant

Vertex Data

= ANYTHING YOU WANT!

Example?

Positions...

Normals...

Colors...

Texture Coordinates...


Load Models

- ▶ 已經將大部分課程網的 tri 模型轉成 json 檔

Example Csie.json


```
1 {  
2   "vertexPositions" : [0.85,0.6471428571428571,0.0571428  
3   "vertexNormals" : [0.000000,1.000000,0.000000,0.000000  
4   "vertexFrontcolors" : [1.0,1.0,1.0,1.0,1.0,1.0,1.0,1.0  
5   "vertexBackcolors" : [0.9803921568627451,0.0,0.0,0.980  
6 }
```

World transform



Model coordinates


World transform



World coordinates

```
gl_Position = uPMatrix * uMVMatrix * vec4(aVertexPosition, 1.0);
```

World transform



Camera coordinates

```
gl_Position = uPMatrix * uMVMatrix * vec4(aVertexPosition, 1.0);
```

Transformations

- ▶ Fundamental Transformations:
 - ▶ Translation、Scale、Rotation、Shear
 - ▶ Order of matrix multiplication may affect final result
- ▶ Homogeneous Coordinates

Matrix x Vertex (in this order !!) = TransformedVertex

$$\begin{bmatrix} a & b & c & d \\ e & f & g & h \\ i & j & k & l \\ m & n & o & p \end{bmatrix} \times \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix} = \begin{bmatrix} ax + by + cz + dw \\ ex + fy + gz + hw \\ ix + jy + kz + lw \\ mx + ny + oz + pw \end{bmatrix}$$

Translation

These are the most simple transformation matrices to understand. A translation matrix look like this :

$$\begin{bmatrix} 1 & 0 & 0 & X \\ 0 & 1 & 0 & Y \\ 0 & 0 & 1 & Z \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

where X,Y,Z are the values that you want to add to your position.

So if we want to translate the vector (10,10,10,1) of 10 units in the X direction, we get :

$$\begin{bmatrix} 1 & 0 & 0 & 10 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} * \begin{bmatrix} 10 \\ 10 \\ 10 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 * 10 + 0 * 10 + 0 * 10 + 10 * 1 \\ 0 * 10 + 1 * 10 + 0 * 10 + 0 * 1 \\ 0 * 10 + 0 * 10 + 1 * 10 + 0 * 1 \\ 0 * 10 + 0 * 10 + 0 * 10 + 1 * 1 \end{bmatrix} = \begin{bmatrix} 10 + 0 + 0 + 10 \\ 0 + 10 + 0 + 0 \\ 0 + 0 + 10 + 0 \\ 0 + 0 + 0 + 1 \end{bmatrix} = \begin{bmatrix} 20 \\ 10 \\ 10 \\ 1 \end{bmatrix}$$

Scale

$$\begin{bmatrix} x & 0 & 0 & 0 \\ 0 & y & 0 & 0 \\ 0 & 0 & z & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

So if you want to scale a vector (position or direction, it doesn't matter) by 2.0 in all directions :

$$\begin{bmatrix} 2 & 0 & 0 & 0 \\ 0 & 2 & 0 & 0 \\ 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \times \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix} = \begin{bmatrix} 2 * x + 0 * y + 0 * z + 0 * w \\ 0 * x + 2 * y + 0 * z + 0 * w \\ 0 * x + 0 * y + 2 * z + 0 * w \\ 0 * x + 0 * y + 0 * z + 1 * w \end{bmatrix} = \begin{bmatrix} 2 * x + 0 + 0 + 0 \\ 0 + 2 * y + 0 + 0 \\ 0 + 0 + 2 * z + 0 \\ 0 + 0 + 0 + 1 * w \end{bmatrix} = \begin{bmatrix} 2 * x \\ 2 * y \\ 2 * z \\ w \end{bmatrix}$$

Rotate

$$R_x(\theta) = \begin{bmatrix} 1 & 0 & 0 \\ 0 & \cos \theta & -\sin \theta \\ 0 & \sin \theta & \cos \theta \end{bmatrix}$$

$$R_y(\theta) = \begin{bmatrix} \cos \theta & 0 & \sin \theta \\ 0 & 1 & 0 \\ -\sin \theta & 0 & \cos \theta \end{bmatrix}$$

$$R_z(\theta) = \begin{bmatrix} \cos \theta & -\sin \theta & 0 \\ \sin \theta & \cos \theta & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Shear


Consider simple shear along x axis

$$x' = x + y \cot \theta$$

$$y' = y$$

$$z' = z$$

$$\mathbf{H}(\theta) = \begin{bmatrix} 1 & \cot \theta & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$



Requirements Again (Due to TBD)

- ▶ Implement **Flat, Gouraud, and Phong shading with Phong reflection model** in shaders.
- ▶ **Enable multiple transformations (four fundamental transforms) on objects in a scene.** You are free to use those provided model files and arrange them to form the scene on your own style.
- ▶ At least **3 objects** & at least **3 light sources**
- ▶ Bonus: Special effects on shading / lighting / animation, ...

Result Example



Reference

- ▶ <https://webglfundamentals.org/>
- ▶ http://learningwebgl.com/blog/?page_id=1217
- ▶ <https://learnopengl.com/>

Q & A