TEMCO LEARN

Temco Platform

The application flow · built Nov 10, 2026

The application flow

> **Superseded for the Docs center.** The window layout, the Pages tree, the journey and the Publish flow are defined in redesign.md. Where this page disagrees with it, `redesign.md` wins.

The information architecture as built: the left toolbar, the four panels, the page in the middle, and the one right-hand panel. This is the confirmed design — `authoring-flow.md` is the capture stage inside it.

Left toolbar

TEXT

```
┌──────┐
│  ⧉   │  Explorer          VS Code's own
│  ⌕   │  Search            VS Code's own
│  ▦   │  Dashboard         projects · overview · needs you · recent activity
│  ▤   │  Documentation     pages · project · pipeline · working set
│  ⧉   │  Repositories      org → repository → code files
│  ✦   │  AI                models · drafts waiting
│  ◫   │  Learn             site · delivery
│  ▥   │  SQL Studio        query & browse · schema & maintenance
│  ⚙   │  Settings          profile · platform
│  ?   │  Help              learn · support
└──────┘
```

The shell's `ORDER` holds the eight module containers (`temcoDashboard · temco · temcoRepos · temcoAiHub · temcoLearn · temcoSql · temcoSettings · temcoHelp`); Explorer and Search are VS Code's and come first.

Dashboard — four views

View	What the panel shows	The page behind it
Projects (`temcoProjects.projects`)	a row per project: sources · built · current, with `✎` and `ⓘ`	clicking a row opens the **project page** (`temcoDocs.projectPage`): counts, sources, outputs, build buttons
Overview (`temcoWorkbench.platformView`)	**the facts as rows** — Pages · Reviewed · Stale · Issues · Sources · Outputs · Build	each row opens its page (the tree, the report, Problems, the project form, Build Center)
Needs You (`temcoDocs.queue`)	the queue's groups; a group opens its page	the **queue page** (`temcoDocs.needsPage`): screenshots to place, retake these, never reviewed — each with its act
Recent activity (`temcoWorkbench.activityView`)	the activity row	the **activity page** (`temcoWorkbench.activity`): every recorded event, newest first

TEXT


```
DASHBOARD                                              ⟳

┌──────────────────────────────────────────────────────────────────┐
│ PROJECTS                                                  +      │
│   T3000 Documentation          3 sources · built 12:04 · current │
│                                                 [ ✎ ] [ ⓘ ]      │
│   My First Docs                1 source · never built            │
│   Legacy Import                1 source · built 09:12            │
├──────────────────────────────────────────────────────────────────┤
│ OVERVIEW                                                         │
│   Pages      318       Reviewed  304                             │
│   Stale       14       Issues    0 · 3                           │
│   Sources      3       Outputs   Site · help                     │
│   Build      Build Center                                        │
├──────────────────────────────────────────────────────────────────┤
│ NEEDS YOU                                               (7)      │
│   ▸ Screenshots to place (1) · Retake these (4) · Never… (2)     │
├──────────────────────────────────────────────────────────────────┤
│ RECENT ACTIVITY                                                  │
│   Recent Activity                        20 events               │
└──────────────────────────────────────────────────────────────────┘
```

`✎` = *Edit the Pages* (`temcoProjects.openProject`) → the project becomes the one being worked on and the Documentation panel shows its tree. `ⓘ` = *Show the Project* (`temcoProjects.showProject`) → the Documentation panel comes forward at its **Project** section.

Documentation — four views, the tree first


TEXT



Title bar: ＋ New Page · 🗀 New Chapter · ⇩ Add a Source · 📷 Capture · ⎘ Paste · ⟳ Refresh.

The page and the right panel

TEXT



The rule: the right panel holds what you consult while working in the page — **DRAFT** for a documentation page, **SCHEMA** for a SQL query. Everywhere else it is closed.

What the page is, for every row

Left panel row	Page in the middle
a project row	the **project page** — counts, sources, outputs, build buttons
Overview · a fact row	the page it counts: tree · report · Problems · project form · Build Center
Needs You · a group	the **queue page**
Needs You · a capture	the attach prompt: which page takes it
Needs You · retake / never reviewed	the page, with its image
Recent activity · a row	the activity page
a tree page	the page, in the editor, DRAFT on the right
Project · a source	that source's page
Project · Outputs	the project's edit form
Pipeline · Review / Build / Releases	Review Center · Build Center · Releases
a Working Set row	the page
a repository row	the repository page
a model or a waiting draft	the AI page
a SQL table row	SQL, with the statement filled in

The flow

```text
① DASHBOARD · PROJECTS  ＋  → name · source (folder) · output (site)
      └ the row appears, selected
          ├ [ ✎ ] → DOCUMENTATION · tree
          └ [ ⓘ ] → DOCUMENTATION · project + pipeline
② DOCUMENTATION · ＋ New Page → location · kind · title → one file
      ├ the row lands in the tree; F2 renames it
      ├ [ Run the generator ] → it becomes a page
      └ the page opens; Ctrl+Alt+S / Ctrl+Alt+V put a screen in its media/
③ DASHBOARD · Recent activity shows the build, the capture, the review
④ DOCUMENTATION · PIPELINE → Review Center · Build Center · Releases
```

Two decisions worth naming

A row's F2 renames the *file*, and keeps the old id as an alias. The page id *is* the path (`05-content-and-registry.md`, rule 1), so the rename is the named act that rule allows: the file moves, the repository's own `docs:registry` writes the new entry, and the old id is written into that entry's `aliases` before anything else happens. Shift+F2 renames the title instead, which is the registry value. A project with no generator is refused — without one there is no entry to carry the alias, so the rename would orphan every inbound link.

The right-hand panel is `DRAFT`. It lives in the auxiliary bar and is about the page in front: *Draft a Change* asks what the model may read (this page's history · a source file · another page), and the drafts waiting for that page are applied or rejected there — the same commands the Review Center runs.

Needs You replaced the workbench's Needs Work view. They were the same question asked twice; the queue has real rows (captures with no page, stale pages, never reviewed) and the old view had one link.

Still open

- **Annotation**, which waits on the callout decision in `authoring-flow.md` (a webview's DOM, Windows UI Automation, or by hand).
- A **`version-report.json` writer** in the product repository's release workflow: this application reads the file, and shows its pages on the project page and in **Needs You**, but nothing writes it yet.