TEMCO LEARN

Register maps

TStat registers, part 4 · built Nov 13, 2026

TStat registers, part 4

The Modbus register map for the TStat, in address order. Addresses are decimal, and where the map gives a range the register occupies every address in it. This part begins at address 445.0 and ends at 469.0.

Address	Bytes	Register and description
445.0	2.0	Input 3 user name. line 1:characters 1 & 2 — Input 3 user name. line 1:characters 1 & 2 — Input 3 user name. line 1:characters 1 & 2 — Input 3 user name. line 1:characters 1 & 2 — Input 3 user name. line 1:characters 1 & 2 — Input 3 user name. line 1:characters 1 & 2
446.0	2.0	Input 3 user name. line 1:characters 3 & 4 — Input 3 user name. line 1:characters 3 & 4 — Input 3 user name. line 1:characters 3 & 4 — Input 3 user name. line 1:characters 3 & 4 — Input 3 user name. line 1:characters 3 & 4 — Input 3 user name. line 1:characters 3 & 4
447.0	2.0	Input 3 user name. line 1:characters 5 & 6 — Input 3 user name. line 1:characters 5 & 6 — Input 3 user name. line 1:characters 5 & 6 — Input 3 user name. line 1:characters 5 & 6 — Input 3 user name. line 1:characters 5 & 6 — Input 3 user name. line 1:characters 5 & 6
448.0	2.0	Input 3 user name. line 1:characters 7 & 8 — Input 3 user name. line 1:characters 7 & 8 — Input 3 user name. line 1:characters 7 & 8 — Input 3 user name. line 1:characters 7 & 8 — Input 3 user name. line 1:characters 7 & 8 — Input 3 user name. line 1:characters 7 & 8
449.0	2.0	Input 4 user name. line 1:characters 1 & 2 — Input 4 user name. line 1:characters 1 & 2 — Input 4 user name. line 1:characters 1 & 2 — Input 4 user name. line 1:characters 1 & 2 — Input 4 user name. line 1:characters 1 & 2 — Input 4 user name. line 1:characters 1 & 2
450.0	2.0	Input 4 user name. line 1:characters 3 & 4 — Input 4 user name. line 1:characters 3 & 4 — Input 4 user name. line 1:characters 3 & 4 — Input 4 user name. line 1:characters 3 & 4 — Input 4 user name. line 1:characters 3 & 4 — Input 4 user name. line 1:characters 3 & 4
451.0	2.0	Input 4 user name. line 1:characters 5 & 6 — Input 4 user name. line 1:characters 5 & 6 — Input 4 user name. line 1:characters 5 & 6 — Input 4 user name. line 1:characters 5 & 6 — Input 4 user name. line 1:characters 5 & 6 — Input 4 user name. line 1:characters 5 & 6
452.0	2.0	Input 4 user name. line 1:characters 7 & 8 — Input 4 user name. line 1:characters 7 & 8 — Input 4 user name. line 1:characters 7 & 8 — Input 4 user name. line 1:characters 7 & 8 — Input 4 user name. line 1:characters 7 & 8 — Input 4 user name. line 1:characters 7 & 8
453.0	2.0	Input 5 user name. line 1:characters 1 & 2 — Input 5 user name. line 1:characters 1 & 2 — Input 5 user name. line 1:characters 1 & 2 — Input 5 user name. line 1:characters 1 & 2 — Input 5 user name. line 1:characters 1 & 2 — Input 5 user name. line 1:characters 1 & 2

Address	Bytes	Register and description
454.0	2.0	Input 5 user name. line 1:characters 3 & 4 — Input 5 user name. line 1:characters 3 & 4 — Input 5 user name. line 1:characters 3 & 4 — Input 5 user name. line 1:characters 3 & 4 — Input 5 user name. line 1:characters 3 & 4 — Input 5 user name. line 1:characters 3 & 4
455.0	2.0	Input 5 user name. line 1:characters 5 & 6 — Input 5 user name. line 1:characters 5 & 6 — Input 5 user name. line 1:characters 5 & 6 — Input 5 user name. line 1:characters 5 & 6 — Input 5 user name. line 1:characters 5 & 6 — Input 5 user name. line 1:characters 5 & 6
456.0	2.0	Input 5 user name. line 1:characters 7 & 8 — Input 5 user name. line 1:characters 7 & 8 — Input 5 user name. line 1:characters 7 & 8 — Input 5 user name. line 1:characters 7 & 8 — Input 5 user name. line 1:characters 7 & 8 — Input 5 user name. line 1:characters 7 & 8
457.0	2.0	Input 6 user name. line 1:characters 1 & 2 — Input 6 user name. line 1:characters 1 & 2 — Input 6 user name. line 1:characters 1 & 2 — Input 6 user name. line 1:characters 1 & 2 — Input 6 user name. line 1:characters 1 & 2 — Input 6 user name. line 1:characters 1 & 2
458.0	2.0	Input 6 user name. line 1:characters 3 & 4 — Input 6 user name. line 1:characters 3 & 4 — Input 6 user name. line 1:characters 3 & 4 — Input 6 user name. line 1:characters 3 & 4 — Input 6 user name. line 1:characters 3 & 4 — Input 6 user name. line 1:characters 3 & 4
459.0	2.0	Input 6 user name. line 1:characters 5 & 6 — Input 6 user name. line 1:characters 5 & 6 — Input 6 user name. line 1:characters 5 & 6 — Input 6 user name. line 1:characters 5 & 6 — Input 6 user name. line 1:characters 5 & 6 — Input 6 user name. line 1:characters 5 & 6
460.0	2.0	Input 6 user name. line 1:characters 7 & 8 — Input 6 user name. line 1:characters 7 & 8 — Input 6 user name. line 1:characters 7 & 8 — Input 6 user name. line 1:characters 7 & 8 — Input 6 user name. line 1:characters 7 & 8 — Input 6 user name. line 1:characters 7 & 8
461.0	2.0	Input 7 user name. line 1:characters 1 & 2 — Input 7 user name. line 1:characters 1 & 2 — Input 7 user name. line 1:characters 1 & 2 — Input 7 user name. line 1:characters 1 & 2 — Input 7 user name. line 1:characters 1 & 2 — Input 7 user name. line 1:characters 1 & 2
462.0	2.0	Input 7 user name. line 1:characters 3 & 4 — Input 7 user name. line 1:characters 3 & 4 — Input 7 user name. line 1:characters 3 & 4 — Input 7 user name. line 1:characters 3 & 4 — Input 7 user name. line 1:characters 3 & 4 — Input 7 user name. line 1:characters 3 & 4

Address	Bytes	Register and description
463.0	2.0	Input 7 user name. line 1:characters 5 & 6 — Input 7 user name. line 1:characters 5 & 6 — Input 7 user name. line 1:characters 5 & 6 — Input 7 user name. line 1:characters 5 & 6 — Input 7 user name. line 1:characters 5 & 6 — Input 7 user name. line 1:characters 5 & 6
464.0	2.0	Input 7 user name. line 1:characters 7 & 8 — Input 7 user name. line 1:characters 7 & 8 — Input 7 user name. line 1:characters 7 & 8 — Input 7 user name. line 1:characters 7 & 8 — Input 7 user name. line 1:characters 7 & 8 — Input 7 user name. line 1:characters 7 & 8
465.0	2.0	Input 8 user name. line 1:characters 1 & 2 — Input 8 user name. line 1:characters 1 & 2 — Input 8 user name. line 1:characters 1 & 2 — Input 8 user name. line 1:characters 1 & 2 — Input 8 user name. line 1:characters 1 & 2 — Input 8 user name. line 1:characters 1 & 2
466.0	2.0	Input 8 user name. line 1:characters 3 & 4 — Input 8 user name. line 1:characters 3 & 4 — Input 8 user name. line 1:characters 3 & 4 — Input 8 user name. line 1:characters 3 & 4 — Input 8 user name. line 1:characters 3 & 4 — Input 8 user name. line 1:characters 3 & 4
467.0	2.0	Input 8 user name. line 1:characters 5 & 6 — Input 8 user name. line 1:characters 5 & 6 — Input 8 user name. line 1:characters 5 & 6 — Input 8 user name. line 1:characters 5 & 6 — Input 8 user name. line 1:characters 5 & 6 — Input 8 user name. line 1:characters 5 & 6
468.0	2.0	Input 8 user name. line 1:characters 7 & 8 — Input 8 user name. line 1:characters 7 & 8 — Input 8 user name. line 1:characters 7 & 8 — Input 8 user name. line 1:characters 7 & 8 — Input 8 user name. line 1:characters 7 & 8 — Input 8 user name. line 1:characters 7 & 8
469.0	1.0	lcd rotate enable, decide how many items will be shown on rotate mode,range0 to 12