TEMCO LEARN

T3000 API & Protocol

Generic Tables API · built Nov 13, 2026

Generic Tables API

Overview

The Generic Tables API provides access to device configuration tables including arrays, user management, graphics screens, alarms, and unit conversions.

Common Operations

Get Table Records

TYPESCRIPT

```typescript
const arrays = await fetch('http://localhost:9103/api/t3_device/arrays?device_id=1')
  .then(res => res.json());
```

Get Users

TYPESCRIPT

```typescript
const users = await fetch('http://localhost:9103/api/t3_device/users?device_id=1')
  .then(res => res.json());
```

Update User

TYPESCRIPT

```typescript
await fetch('http://localhost:9103/api/t3_device/users/1', {
  method: 'PUT',
  headers: { 'Content-Type': 'application/json' },
  body: JSON.stringify({
    username: 'admin',
    password: 'newpassword',
    access_level: 255
  })
});
```

Generic Table Endpoints

GET /api/t3_device/:table

Description: Get records from any table

Parameters:

- `table` (path, string) - Table name (arrays, users, graphics, alarms, etc.)
- `device_id` (query, integer) - Device ID

Supported Tables:

- `arrays`, `users`, `graphics`, `alarms`, `units`, `conversions`, `custom_units`

Request:

```HTTP
GET /api/t3_device/arrays?device_id=1 HTTP/1.1
```

Response:

```JSON
[
  {
    "id": 1,
    "device_id": 1,
    "label": "Zone Setpoints",
    "values": [70, 72, 68, 75]
  }
]
```

Used By: GenericTableView.tsx

GET /api/t3_device/:table/count

Description: Get record count for table

Parameters:

- `table` (path, string) - Table name
- `device_id` (query, integer) - Device ID

Request:

```http
GET /api/t3_device/arrays/count?device_id=1 HTTP/1.1
```

Response:

```json
{
  "count": 24
}
```

User Management

GET /api/t3_device/users

Get all users for a device.

PUT /api/t3_device/users/:id

Update user credentials and permissions.

POST /api/t3_device/users

Create new user.

DELETE /api/t3_device/users/:id

Delete user.

Graphics Screens

GET /api/t3_device/graphics

Get all graphics screens.

PUT /api/t3_device/graphics/:id

Update graphics screen configuration.

Alarms

GET /api/t3_device/alarms

Get all alarm definitions.

PUT /api/t3_device/alarms/:id

Update alarm configuration.

Database Schema

```SQL
CREATE TABLE ARRAYS (
    id INTEGER PRIMARY KEY AUTOINCREMENT,
    device_id INTEGER NOT NULL,
    label TEXT,
    values TEXT,  -- JSON array
    FOREIGN KEY (device_id) REFERENCES DEVICES(id) ON DELETE CASCADE
);

CREATE TABLE USERS (
    id INTEGER PRIMARY KEY AUTOINCREMENT,
    device_id INTEGER NOT NULL,
    username TEXT NOT NULL,
    password TEXT,
    access_level INTEGER DEFAULT 0,
    FOREIGN KEY (device_id) REFERENCES DEVICES(id) ON DELETE CASCADE
);

CREATE TABLE GRAPHICS (
    id INTEGER PRIMARY KEY AUTOINCREMENT,
    device_id INTEGER NOT NULL,
    label TEXT,
    screen_data TEXT,  -- JSON
    FOREIGN KEY (device_id) REFERENCES DEVICES(id) ON DELETE CASCADE
);
```