
FIRMWARE UPDATE, SINGLE DEVICE

Using T3 controllers as an example.

1> Download the latest firmware from temcocontrols.com ,or paste "http://www.temcocontrols.com/ftp/firmware/T3_BB_LB_TB/" to your browser .

Select the version that you want to update to download .




If you get the latest firmware from temco's engineer, don't need the step 1.


2> If your computer didn't install the T3000 ,please download T3000Software.zip .

If you have installed the lastest T3000,don't need the step2.

3> Click "Load firmware for a single device" in Tools menu.



and then it shows a window.



If you want to update other device ,using Com port ,please select "COM FLASH"

And then input the Modbus ID of your device .If you don't know your Modbus ID ,you can try flash the device ,using the 255.


select your Com Port .

and then just click the button of "FLASH"

notes: If you don't know the ip address and ip port of the device, don't care about the two parameters .

ISPTool will show the right message in the blank area ,including the ip and ip port.


1 **Log Information**



<TODO>: Insert description text here...

---


2 **COM Flash**



<TODO>: Insert description text here...

---


3 **Input IP and Port**



<TODO>: Insert description text here...

---


4 **The File Information**



<TODO>: Insert description text here...


---

5 **File path**



<TODO>: Insert description text here...

---

6 **FLASH Button** 

<TODO>: Insert description text here...