TEMCO LEARN

Temco Platform

The application window · built Nov 12, 2026

The application window

What the extension looks like inside **Temco Platform** — the shell's panels are unmodified, and only two of the five areas are ours.

TEXT

```
┌──────────────────────────────────────────────────────────────────────────────────────┐
│ Temco Platform  -  T3000Webview-EEZ-Studio                                           │
├──────────────────────────────────────────────────────────────────────────────────────┤
│   │ CONTENT             │ data-points.md              Preview │ TEMCO AI          (loc
│   ├─────────────────────┼─────────────────────────────────────┼──────────────────────
│ ▣ │ ▾ t3000             │ 1  # Data Points API                │ You   summarise this
│   │   ▾ api-reference   │ 2                                   │ AI    This page lists
│   │     Data Points API │ 3  Read and write the data points   │       points; 14 month
│   │     Database Mgmt   │ 4  of a controller. Each point has a│       Two points are m
│   │   ▾ trends          │ 5  type, a unit and a scaling.      │
│   │ ! Gaps              │ 6                                   │ [ Draft update ] [ Ask
│   │                     │ 7  Point . Type . Unit . Scaling    │ local  qwen2.5-3b  -
├──────────────────────────────────────────────────────────────────────────────────────┤
│ PROBLEMS   OUTPUT   TERMINAL
│ !  data-points.md   Order 20 is used by more than one page in "api-reference".
├──────────────────────────────────────────────────────────────────────────────────────┤
│   335 pages - 12 issues - 341 never reviewed        Markdown  -  Ln 3, Col 1  -  UTF-
└──────────────────────────────────────────────────────────────────────────────────────┘
```

Panel	What it is	Whose
▣ **Content**	the docs tree: areas → chapters → pages, counts on the right, **Gaps** at the bottom	ours — the only view that does not exist in ordinary VS Code
Editor	the page: plain Markdown, no front matter, Preview beside it	the shell's
Temco Docs	the AI: chat about the open page, `Draft update`, `Ask the area`, and which model is loaded	ours
Problems	structural faults only, each naming the file to fix	ours
Status bar	`pages · issues · never reviewed`	mixed

Three properties of this layout are decisions, not accidents:


1. **The only new real estate is the Content view and the AI panel.** Search, source control, compare, terminals, Markdown preview and the problem list are the shell's, already there, nothing to build.
2. **The AI is a panel beside the page, not a separate application.** It reads the page you have open and the registry; `Draft update` writes a normal edit you review — so accepting is a diff, rejecting is `Ctrl+Z`.
3. **Both of the module's areas exist now.** The Content view came first and the AI panel after it, and the mock above is the panel as built — same place, same buttons, so the layout never had to move.

Two worlds, and the seam between them

The dashboard is not in this application. `00-architecture.md` puts it on the **site**: a **generated static page** at `/_admin/` — coverage · stale by owner · docs-owed · unowned pages · broken links · feedback · help-id coverage — noindex, excluded from the PDF, the help file and the offline copy, and produced by the **product repository's** own pipeline (the admin report task in `13-implementation-plan.md`). Nothing in this extension generates it, and nothing here writes into it: the design's rule is that those are *generated pages, not documentation*.

What the extension does in that relationship is be the **hand-off target**. A dashboard row deep-links into the editor (`vscode://file/…`), and this is where the page gets fixed:

TEXT


PRODUCT REPO — the content lives here
docs/t3000/** the pages
docs/help/registry.json the structure
scripts/docs-*.mjs the generators
TEMCO LEARN — the site (ships)
/t3000/13.0/… everything published
/feed/*.xml changelog + releases
downloads/ PDF · help file · zip
/t3000/13.0/ a pinned version
AUTHORING SURFACE (never ships)
:8080 docfx preview — authoring only
/_admin/ GENERATED REPORT
coverage · stale by owner ·
docs-owed · unowned · unreviewed ·
broken links · feedback ·
help-id coverage · health score
noindex · out of PDF/CHM/zip
each row → vscode://file/…
each row → the hosted editor
(served by the tool)
THE EDITOR — Temco Platform / pla
Temco Docs (activity
CONTENT
t3000
api-reference
Data Points API (wrong or
why: Order 20 already u
trends
Gaps (12)
right side
TEMCO AI
You summarise this page
AI This page lists the API po
old. Two points are missing
[Draft update] [Ask the area
bottom panel
PROBLEMS OUTPUT TERMINAL
data-points.md Order 20 is
the page opens in the editor, re
status bar: 335 pages · 12 issues
Build the Site · Build the Offline
invoke the *product repo's o

The dashboard answers *"which pages need work across the organisation?"* — on the site, generated by the product repo, page-level health, never shipped
The Content view answers *"which pages need work in the repository I have open?"* — in the editor, one repository, the reasons as children of the page that has them
The same pages, two distances. Neither is a copy of the other, and neither recomputes what the other owns
This extension is where the work happens — a dashboard row is a hand-off, not a destination

Start a Registry appears where it applies rather than in a title bar: as the Content view's empty state, for the folder that has no `docs/help/registry.json` yet. It works on a folder **you have open** — a repository you have not cloned is refused in words, because starting one there would be a commit made through the API on your behalf. Filling the registry it creates is the repository's own generator's job (`npm run docs:registry`).

Where the AI sits, and why that is a user action. It belongs on the **right**, beside the page being worked on. VS Code has no contribution point that places a container there — `contributes.viewsContainers` accepts `activitybar` and `panel` only — so the view is contributed to the panel container and the **workbench docks it on the right**: the secondary side bar accepts any view, remembers the position, and a fresh install needs one drag. If it must open there by itself, the alternative is an editor-area webview panel opened beside the page (`ViewColumn.Beside`), which is a tab rather than a dock. Recorded in `platform-design.md` , not hidden here.