

```
Admin@DESKTOP-COM4TMI MINGW64 ~ (main)
$ cd "C:\Users\Admin\Downloads\githowto (1).zip\githowto\repositories"
bash: cd: C:\Users\Admin\Downloads\githowto (1).zip\githowto\repositories: Not a
directory
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~ (main)
$ cd "C:\Users\Admin\Downloads\githowto (1)\githowto\repositories"
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories (ma
in)
$ git init
Initialized empty Git repository in C:/Users/Admin/Downloads/githowto (1)/githow
to/repositories/.git/
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories (ma
in)
$ git touch hello.html
git: 'touch' is not a git command. See 'git --help'.
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories (ma
in)
$ git config --global user.name "tima"
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories (ma
in)
$ git config --global user.email "islamtemirlan@gmail.com"
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories (ma
in)
$ mkdir work
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories (ma
in)
$ cd work
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
$ touch hello.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
$ git init
Initialized empty Git repository in C:/Users/Admin/Downloads/githowto (1)/githow
to/repositories/work/.git/
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
$ git add hello.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
$ git commit -m "Initial Commit"
[main (root-commit) cd00590] Initial Commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 hello.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git status
On branch main
nothing to commit, working tree clean

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git status
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.html

no changes added to commit (use "git add" and/or "git commit -a")

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git add hello.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hello.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git add a.html
fatal: pathspec 'a.html' did not match any files

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git touch a.html
git: 'touch' is not a git command. See 'git --help'.

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ touch a.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ touch b.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git add a.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git add b.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
```

```
MINGW64:/c/Users/Admin/Downloads/githowto (1)/githowto/repositories/work
(use "git restore <file>..." to discard changes in working directory)
deleted:    a.html
deleted:    b.html
deleted:    c.html
modified:    hello.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git commit -m "Added standard HTML page tags"
[main 0c5938d] Added standard HTML page tags
1 file changed, 5 insertions(+), 1 deletion(-)

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git status
On branch main
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    a.html
    deleted:    b.html
    deleted:    c.html
    modified:    hello.html

no changes added to commit (use "git add" and/or "git commit -a")

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git add .

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    deleted:    a.html
    deleted:    b.html
    deleted:    c.html
    modified:    hello.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git commit -m "Added HTML header"
[main 84da47a] Added HTML header
4 files changed, 2 insertions(+),
delete mode 100644 a.html
delete mode 100644 b.html
delete mode 100644 c.html

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/work
k (main)
$ git log
84da47a 2025-01-24 | Added HTML header (HEAD -> main) [tima]
0c5938d 2025-01-24 | Added standard HTML page tags [tima]
2652e2d 2025-01-24 | Unrelated change to c [tima]
```

```
$ git add b.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git commit -m "Changes for a and b"
[main c7c99d4] Changes for a and b
3 files changed, 1 insertion(+)
create mode 100644 a.html
create mode 100644 b.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ touch c.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git add c.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git commit -m "Unrelated change to c"
[main 2652e2d] Unrelated change to c
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 c.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git commit
On branch main
nothing to commit, working tree clean
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git status
On branch main
nothing to commit, working tree clean
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git add hello.html
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   hello.html
```

```
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    a.html
        deleted:    b.html
        deleted:    c.html
        modified:   hello.html
```

```
c7c99d4 Changes for a and b
cd00590 Initial Commit
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git log --all --pretty=format:"%h %cd %s (%an)" --since="7 days ago"
84da47a 2025-01-24 Added HTML header (tima)
0c5938d 2025-01-24 Added standard HTML page tags (tima)
2652e2d 2025-01-24 Unrelated change to c (tima)
c7c99d4 2025-01-24 Changes for a and b (tima)
cd00590 2025-01-24 Initial Commit (tima)
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git log --pretty=format:"%h %ad | %s%d [%an]" --date=short
84da47a 2025-01-24 | Added HTML header (HEAD -> main) [tima]
0c5938d 2025-01-24 | Added standard HTML page tags [tima]
2652e2d 2025-01-24 | Unrelated change to c [tima]
c7c99d4 2025-01-24 | Changes for a and b [tima]
cd00590 2025-01-24 | Initial Commit [tima]
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git config --global format.pretty '%h %ad | %s%d [%an]'
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git config --global log.date short
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git log
84da47a 2025-01-24 | Added HTML header (HEAD -> main) [tima]
0c5938d 2025-01-24 | Added standard HTML page tags [tima]
2652e2d 2025-01-24 | Unrelated change to c [tima]
c7c99d4 2025-01-24 | Changes for a and b [tima]
cd00590 2025-01-24 | Initial Commit [tima]
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git checkout <hash>
bash: syntax error near unexpected token `newline'
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ cat hello.html
<html>
<head>
</head>
<body>
<h1>Hello, World!</h1>
</body>
</html>
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k (main)
$ git switch main
Already on 'main'
```

```
delete mode 100644 a.html  
delete mode 100644 b.html  
delete mode 100644 c.html
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/wor

k (main)

\$ git log

```
84da47a 2025-01-24 | Added HTML header (HEAD -> main) [tima]  
0c5938d 2025-01-24 | Added standard HTML page tags [tima]  
2652e2d 2025-01-24 | Unrelated change to c [tima]  
c7c99d4 2025-01-24 | Changes for a and b [tima]  
cd00590 2025-01-24 | Initial Commit [tima]
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/wor

k (main)

\$ git log --pretty=oneline

```
84da47ad0250c9b8dddf42e42b17f001568532b5 (HEAD -> main) Added HTML header  
0c5938db08d376674d0a85b18e0865060ff92631 Added standard HTML page tags  
2652e2d815eaa6c371b0a60bb46f94e618cb8e08 Unrelated change to c  
c7c99d4159e8f6df0b2b1a2ee92f467c13f40e98 Changes for a and b  
cd005900e00507609abf4eed2e817804ed5e5e8b Initial Commit
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/wor

k (main)

\$ git log --oneline --max-count=2

```
84da47a (HEAD -> main) Added HTML header  
0c5938d Added standard HTML page tags
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/wor

k (main)

\$ git log --oneline --since="5 minutes ago"

```
84da47a (HEAD -> main) Added HTML header  
0c5938d Added standard HTML page tags  
2652e2d Unrelated change to c  
c7c99d4 Changes for a and b
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/wor

k (main)

\$ git log --oneline --until="5 minutes ago"

```
cd00590 Initial Commit
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/wor

k (main)

\$ git log --oneline --author="Your Name"

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/wor

k (main)

\$ git log --oneline --all

```
84da47a (HEAD -> main) Added HTML header  
0c5938d Added standard HTML page tags  
2652e2d Unrelated change to c  
c7c99d4 Changes for a and b  
cd00590 Initial Commit
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/wor

k (main)

\$ git log --all --pretty=format:"%h %cd %s (%an)" --since="7 days ago"

```
84da47a 2025-01-24 Added HTML header (tima)
```

```

/body>
tml>
in@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
main)
it switch main
eady on 'main'

in@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
main)
at hello.html
ml>
head>
/head>
body>
<h1>Hello, World!</h1>
/body>
tml>
in@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
main)
it tag v1

in@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
main)
it log
a47a 2025-01-24 | Added HTML header (HEAD -> main, tag: v1) [tima]
938d 2025-01-24 | Added standard HTML page tags [tima]
2e2d 2025-01-24 | Unrelated change to c [tima]
99d4 2025-01-24 | Changes for a and b [tima]
0590 2025-01-24 | Initial Commit [tima]

in@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
main)
it checkout v1^
e: switching to 'v1^'.

are in 'detached HEAD' state. You can look around, make experimental
nges and commit them, and you can discard any commits you make in this
te without impacting any branches by switching back to a branch.

you want to create a new branch to retain commits you create, you may
so (now or later) by using -c with the switch command. Example:

it switch -c <new-branch-name>

undo this operation with:

it switch -

n off this advice by setting config variable advice.detachedHead to false

D is now at 0c5938d Added standard HTML page tags

in@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
(0c5938d...)
at hello.html
ml>
body>
<h1>Hello, World!</h1>
```

HEAD is now at 0c5938d Added standard HTML page tags

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((0c5938d...))

\$ cat hello.html

```
<html>
  <body>
    <h1>Hello, World!</h1>
  </body>
</html>
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((0c5938d...))

\$ git tag v1-beta

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((v1-beta))

\$ git log

```
0c5938d 2025-01-24 | Added standard HTML page tags (HEAD, tag: v1-beta) [tima]
2652e2d 2025-01-24 | Unrelated change to c [tima]
c7c99d4 2025-01-24 | Changes for a and b [tima]
cd00590 2025-01-24 | Initial Commit [tima]
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((v1-beta))

\$ ^[[200~git checkout v1

bash: \$'\E[200~git': command not found

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((v1-beta))

\$ git checkout v1

Previous HEAD position was 0c5938d Added standard HTML page tags

HEAD is now at 84da47a Added HTML header

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((v1))

\$ git checkout v1-beta

Previous HEAD position was 84da47a Added HTML header

HEAD is now at 0c5938d Added standard HTML page tags

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((v1-beta))

\$ git tag

v1

v1-beta

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((v1-beta))

\$ git log main --all

```
84da47a 2025-01-24 | Added HTML header (tag: v1, main) [tima]
0c5938d 2025-01-24 | Added standard HTML page tags (HEAD, tag: v1-beta) [tima]
2652e2d 2025-01-24 | Unrelated change to c [tima]
c7c99d4 2025-01-24 | Changes for a and b [tima]
cd00590 2025-01-24 | Initial Commit [tima]
```

Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/ghowto (1)/ghowto/repositories/work
k ((v1-beta))

\$ |


```
$ git log
84da47a 2025-01-24 | Added HTML header (HEAD -> main, tag: v1) [tima]
0c5938d 2025-01-24 | Added standard HTML page tags (tag: v1-beta) [tima]
2652e2d 2025-01-24 | Unrelated change to c [tima]
c7c99d4 2025-01-24 | Changes for a and b [tima]
cd00590 2025-01-24 | Initial Commit [tima]
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
```

```
$ git tag oops
fatal: tag 'oops' already exists
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
```

```
$ git reset --hard v1
HEAD is now at 84da47a Added HTML header
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
```

```
$ git log
84da47a 2025-01-24 | Added HTML header (HEAD -> main, tag: v1) [tima]
0c5938d 2025-01-24 | Added standard HTML page tags (tag: v1-beta) [tima]
2652e2d 2025-01-24 | Unrelated change to c [tima]
c7c99d4 2025-01-24 | Changes for a and b [tima]
cd00590 2025-01-24 | Initial Commit [tima]
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
```

```
$ git log --all
c7250bd 2025-01-24 | Oops, we didn't want this commit (tag: oops) [tima]
84da47a 2025-01-24 | Added HTML header (HEAD -> main, tag: v1) [tima]
0c5938d 2025-01-24 | Added standard HTML page tags (tag: v1-beta) [tima]
2652e2d 2025-01-24 | Unrelated change to c [tima]
c7c99d4 2025-01-24 | Changes for a and b [tima]
cd00590 2025-01-24 | Initial Commit [tima]
```

```
Admin@DESKTOP-COM4TMI MINGW64 ~/Downloads/githowto (1)/githowto/repositories/wor
k (main)
```

```
$
```