temi

THE PERSONAL ROBOT

Temi OS 137 Release Notes

Updated on: **March 4, 2026**

temi should prompt a message saying that an update is available, if temi doesn't display the message please go to **Settings** and tap **Software update** to update your temi.

If temi prompts "no pending updates" please contact our Help Desk via our website, mobile app or temi Center, or at 833-902-0202.

To verify your *temi* has been updated, go to Settings > About and make sure that:
"Launcher OS" shows **19254**
"Robox OS" shows **137.04** or **1137.03**
"firmware" shows **20251208** or **20251208-jp (JP)** or **20251107 (CN)**

For full details regarding this update and the new and improved features, please refer to our User Manual, the temi Center User Manual and tutorial videos .

temi Launcher

- [NEW] Added "Very High" (1.2 m/s) and "Very Slow" (0.3 m/s) options to goto speed settings, expanding the available choices: 1.2 / 1.0 / 0.7 / 0.5 / 0.3 m/s
- [NEW] Added automatic system recovery option — can be configured to perform a hard reboot if navigation becomes unresponsive for an extended period
- [NEW] Added 1, 5, and 10 seconds options to StandBy timeout settings
- [NEW] Added emergency button representation on the platform UI (For Temi Platform, Temi Go, Temi Go Pro and Temi Fourcast)
- [IMPROVEMENT] Sequence speak actions with text display now feature auto-scroll and word highlighting for better readability
- [IMPROVEMENT] Enabled hardware decoding in Sequence playback for improved support of high-resolution videos

temi browser

- [NEW] temi Browser can support pinch to zoom

temi Center

- [NEW] Added <break/> tag support in Sequence speak actions to insert pauses during speech synthesis
- [NEW] Added ability to copy robot sequences to the organization or to other robots within the same organization
- [NEW] Introduced Notification configuration in Settings and a dedicated robot notification view
- [NEW] Expanded thumbnail UI support for additional robot type
- [NEW] Added visual representation of emergency button state (For Temi Platform, Temi Go, Temi Go Pro and Temi Fourcast)
- [NEW] Added description/clarification for custom screen function button background image size requirements
- [NEW] Added Button Engagement chart in Analytics
- [IMPROVEMENT] Collaborators can now access Analytics for any robot they have permission to view

temi Mobile App

- [NEW] Expanded UI support for additional robot types
- [NEW] Added dedicated robot notification view with support for push notifications
- [NEW] Added visual representation of emergency button state (For Temi Platform, Temi Go, Temi Go Pro and Temi Fourcast)

temi Launcher (Platform / Temi Go)

- [NEW] Added support for WPA3-Personal WiFi networks on Android 10-based systems
- [FIX] Resolved ANR (Application Not Responding) error in wakeup service that could cause it to become unresponsive

Robox (Navigation)

- [NEW] Added automatic recording of bag files on Temi Platform, Temi Go, Temi Go Pro and Temi Fourcast for improved debugging and mapping data capture
- [NEW] Added custom command to display the original (unmodified) map view
- [NEW] Made disconnection hard reboot timeout configurable (previously fixed trigger, now adjustable duration)

For Developers

SDK v1.137.1 now available at: https://github.com/robotemi/sdk/releases/tag/v1.137.1

We value your feedback, which helps us improve. Please share your thoughts, issues, and suggestions.