



Temi OS 138 Release Notes

Updated on: July 15, 2026

FEATURE HIGHLIGHTS



Temi Center - Passkey Login



Navigation Zone



Analytics Enhancement

temi should prompt a message saying that an update is available, if temi doesn't display the message please go to **Settings** and tap **Software update** to update your temi.

If temi prompts "no pending updates" please contact our Help Desk via our website, mobile app or temi Center, or at 833-902-0202.

To verify your *temi* has been updated, go to Settings > About and make sure that:

"Launcher OS" shows **19674**

"Robox OS" shows **138.05** or **1138.08**

"firmware" shows **20251208** or **20251208-jp (JP)** or **20251107 (CN)**

Temi Mobile App

iOS: Latest version **1.137.1** available in App Store

Android: **1.138.9180** Available in Google Play Store

For full details regarding this update and the new and improved features, please refer to our [User Manual](#), the [temi Center User Manual](#) and [tutorial videos](#) .

temi Launcher

- [NEW] Added new battery settings to power off on auto recharge failure
- [NEW] Added Urdu (Pakistan) as a system language
- [NEW] Password protection extended to Privacy Mode and Power Off action
- [NEW] Added automatic loading of a saved map when the robot is powered on from the home base
- [IMPROVEMENT] Replaced automatic timezone sync; navigating to General Settings > Date and Time > Timezone will now launch the Android native timezone settings
- [IMPROVEMENT] Updated home base flow to no longer ask to save a new home base when the robot has drifted or is out of the mapped area while charging
- [IMPROVEMENT] Updated home base flow by removing branches that allow users to reset the map from yes/no prompts
- [IMPROVEMENT] Updated home base flow to bypass asking to fix the home base location if Map password protection is enabled
- [IMPROVEMENT] Expanded auto-return settings to allow selecting any interval from 1 second to 60 minutes
- [IMPROVEMENT] Updated images in interaction animations for devices using temi V3 graphics
- [IMPROVEMENT] Updated images and settings for sensor configurations based on robot type (e.g., V3, Fourcast, BlackJack)
- [FIX] Resolved an issue where a repose in a sequence goto/route action could disrupt the execution steps of a move action
- [FIX] Resolved a potential crash in Text-to-Speech (TTS) when receiving rapid, consecutive requests
- [FIX] Increased auto-return home base distance detection to prevent the robot from continuously attempting to return to the home base when already there
- [FIX] Resolved an issue where Sequence TTS was not pre-generated if the same sentences existed in different languages

temi Center

- [NEW] Added login support using Passkey
 - Setup by going to Account Settings → Passkey → Add Passkey
- [NEW] Added Navigation Zone support to the Map
- [NEW] Added virtual wall length indicator to the Map, with customizable units available in Account Settings > Measurement Settings
- [NEW] Added Shift modifier key support to snap line drawing in the Map editor
- [NEW] Added Ctrl + Z shortcut to undo line drawing in the Map editor
- [NEW] Added the ability to copy virtual walls in the Map editor

- [NEW] Added Navigation System Disconnection alerts and Robot Offline alerts to Notifications
- [NEW] Added visibility of the 2nd battery in the robot card
- [NEW] Added new battery settings to power off on auto recharge failure
- [NEW] Added Telepresence call count to Analytics
- [NEW] Added App Screen Time tracking to Analytics
- [NEW] Added location and runs count to Distance Analytics
- [NEW] Added Spanish (Colombia), Spanish (Argentina), and Urdu (Pakistan) sequence TTS support
- [IMPROVEMENT] Re-enabled Q&A capabilities
- [IMPROVEMENT] Enabled route actions to repeat within Sequences
- [IMPROVEMENT] Updated images in interaction animations for devices using temi V3 graphics
- [IMPROVEMENT] Updated images and settings for sensor configurations based on robot type (e.g., V3, Fourcast, BlackJack)
- [IMPROVEMENT] Changed custom screen background recommended resolution to 1920 x 1080 pixels for temi V3
- [FIX] Resolved multiple bugs to improve overall smoothness and performance
- [FIX] Resolved an issue preventing the copying of sequences from the robot in Q&A

temi Mobile App

- [NEW] Expanded UI support for additional robot types, including temi Go PRO and temi V3
- [NEW] Added iOS support for Screen Control

Robox (Navigation)

- [NEW] Added support for navigation zones
- [IMPROVEMENT] Optimized the docking process
- [IMPROVEMENT] Optimized skidjoy movement
- [FIX] Resolved a LiDAR buffer overrun issue

For Developers

SDK v1.138.0 now available at: <https://github.com/robotemi/sdk/releases/tag/v1.138.0>

We value your feedback, which helps us improve. Please share your thoughts, issues, and suggestions.