

Constructing Features for Prediction

[← Back](#)

Practice Assignment • 28 min

English ▾

Your grade: **91.66%**Your latest: **91.66%** • Your highest: **91.66%**

To pass you need at least 80%. We keep your highest score.

Next item →

1. Which of the following is TRUE about coarse coding? (Select all that apply)

1 / 1 point

☒ In coarse coding, generalization occurs between states that have features with overlapping receptive fields.✔ **Correct**

Correct.


☒ In coarse coding, generalization between states depend on the size and shape of the receptive fields.✔ **Correct**

Correct.


☐ When using features with large receptive fields, the function approximator cannot make discriminations that are finer than the width of the receptive fields.☐ When training at one state, the learned value function will be updated over all states within the intersection of the receptive fields.

2. Consider a continuous two-dimensional state space. Assuming linear function approximation with the coarse-codings in either A, B or C, which of the following is TRUE? (Select all that apply)


1 / 1 point



A



B



C

☐ Generalization is broader in case A as compared to case B.☒ In case B, when updating the state marked by an 'x', the value function will be affected for a larger number of states as compared to case A.✔ **Correct**

Correct. In case B, the receptive fields of the features are larger and include a larger number of states.

☒ In case C, each update results in more generalization along the vertical dimension, as compared to horizontal dimension.✔ **Correct**

Correct. Updates to the state marked by the 'x' change the values for more states further away in the vertical dimension, as indicated by the greyed areas.