apigee

Edge Capacity Expansion

Add and remove Message Processor

Agenda

- Add Message Processor
- Remove Message Processor




Add Message Processor


1. Setup Message Processor:

/opt/apigee/apigee-setup/bin/setup.sh -p mp -f <configFile>

2. Obtain Message Processor UUID:

curl -v http://<mp_IP>:8082/v1/servers/self/uuid







Add Message Processor


3. For each applicable Environment, add Message Processor to environment:

curl -v -u <adminEmail>:<adminPassword> -H "Content-Type: application/x-www-form-urlencoded"
-X POST http://<ms_IP>:8080/v1/o/<org_name>/e/<env_name>/servers" -d "action=add&uuid=<mp_UUID>

Note: Remember to add the new Message Processor to all applicable environments across all applicable organizations.







MP added to Env



Delete Message Processor

1. Deregister Message Processor from the organization's environments:

```
curl -v -u <adminEmail>:<adminPassword>
-X POST http://<management-ip>:8080/v1/o/<orgName>/e/<envName>/servers
-d "uuid=<uuid>&region=<regionName>&pod=<podName>&action=remove"
```

2. Deregister server's type:

```
curl -v -u <adminEmail>:<adminPassword>
-X POST http://<management-ip>:8080/v1/servers
-d "type=message-processor&region=<regionName>&pod=<podName>&uuid=<uuid>&action=remove"
```

3. Delete the server:

```
curl -v -u <adminEmail>:<adminPassword> -X DELETE http://<management-ip>:8080/v1/servers/<uuid>
```

4. If required, uninstall component as described at Uninstalling Edge:

```
http://docs.apigee.com/private-cloud/latest/uninstalling-edge
```

Google Cloud

Proprietary + Confidential 5

apigee Thank You