

Lava Report version 0.3.1

Input options: test_data/VolcCLI_DIANN.txt -e test_data/experimental_table_2.csv -i Protein.Group -g test_results_diann.pdf -o test_results_diann.csv

Input data file: C:\Users\yid26ran\Documents\Lava\test_data\VolcCLI_DIANN.txt

Exp. design file: C:\Users\yid26ran\Documents\Lava\test_data\experimental_table_2.csv

Background file: None specified

PDF output file: C:\Users\yid26ran\Documents\Lava\test_results_diann.pdf

Table output file: C:\Users\yid26ran\Documents\Lava\test_results_diann.csv

Input software: ProteomeDiscoverer

Min. fold-change: 2

Max. p-value: 0.05

Remove contaminants: Yes

Split volcano X-axis: 0

Show hit labels: Yes

Show high quality: No

Z-norm fold-changes: No

Quantile spot size: No

Index column(s): Protein.Group

Keep descriptions: No

Label column: Protein.Group

Label file: None specified

Peptide column: None specified

Min hit peptides: 1

Sample group membership

Comparison: 1

Group "fis": fis1, fis2, fis3, fis4

Group "mt": mt1, mt2, mt3, mt4

Group "wt": wt1, wt2, wt3, wt4

Background groups: fis, mt, wt

Ref. sample groups: None specified

Group pairs compared

Pair 1: fis vs mt


Pair 2: fis vs wt

Pair 3: mt vs wt



Input rows: 4,683


Contaminant rows: 0

Useful rows: 4,683





Sample value distributions






Sample correlation matrix







Sample PCA




P-value distributions



Fold change distributions



fis vs wt



mt vs wt

