

# Custom Action Configuration

Custom Actions provide the possibility to expose PL/SQL methods in IFS Cloud through IFS Cloud Web Pages while Commands provides the functionality to execute Custom Actions, Navigate between pages with or without parameters.

## Custom Actions

### Custom Actions & Commands Example

### Time zone Aware Custom Actions

## Custom Actions

Custom Actions are defined by adding them to a Projection. This can be done in a step in the New Configuration Assistant where Custom Actions can be added, modified and deleted. (Refer Custom Actions and Commands Example) If the PL/SQL methods have any parameters, those parameters will be automatically mapped as parameters

Custom Actions

+

🗑

Save

Cancel New

| (1) ✓                               | Action Name | PL/SQL Method                     | Entity Dependencies | Action Approved          | Action Publish... |  |
|-------------------------------------|-------------|-----------------------------------|---------------------|--------------------------|-------------------|--|
| <input checked="" type="checkbox"/> | TestAction2 | SUPPLIER_QUALITY_STAT_API.DELE    |                     | <input type="checkbox"/> | No                |  |
| <input type="checkbox"/>            | TestAction1 | PURCHASE_REQ_UTIL_API.REMOVE_LINE | CustomerInfo        | Yes                      | No                |  |

| Attribute   | Description                                                                                                                                                                                                                                                                                                          |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Action Name | <p>Name of the Action. It must start with an uppercase alphabetic character. No spaces or underscores are allowed in between words.</p> <p>Chose a name the describes what the action does. The same action can be called from multiple commands, each with their own name, in the page(s) using the projection.</p> |

| Attribute           | Description                                                                                                                                                                                                                         |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PL/ SQL<br>Method   | Existing PL/SQL Procedures in IFS Cloud can be selected here by the List of Values. Each PL/SQL method will include Package, Method Name and Method Option. Method Option will indicate the method overloads for a specific Method. |
| LU<br>Dependencies  | Entities of Datasets that needs be refreshed when executing the Command in order to update the information at runtime.                                                                                                              |
| Action<br>Approved  | Indicates whether the custom action is approved to be used                                                                                                                                                                          |
| Action<br>Published | Indicates whether the custom action is published or not                                                                                                                                                                             |

Custom Actions support methods which have simple Parameters (VARCHAR2, NUMBER, DATE) or no Parameters at all.

Custom Actions currently do not support Methods such as,

1. Return data (Functions or methods with OUT Parameters)
2. Complex Data Types (PL/SQL Record Types)
3. BLOB, CLOB Parameters
4. PL/SQL methods exposed in Projections (\_SVC package), client metadata package (\_CPI) and Report package (\_RPI) methods

## Custom Actions & Commands Example

Custom Actions can be added to a Projection either in the **New Projection Configuration** assistant or by modifying an existing Projection Configuration in **Projection Configuration** Page. In below example the **New Projection Configuration** assistant will be used.

### Adding a ExecuteAction type Command


1. Go to the **Add Actions** step in the New Projection Configuration Assistant to add the Custom Action to a the projection. In the Add Actions Step, add an Action Name, PL/SQL method which needs to be executes with a Command, Entity dependencies and Approve the Action.

**NOTE:** Only the entities related to the projection will be listed for selection for Entity dependency

| Custom Actions                                                                      |             |                    |                     |                           |                          |
|-------------------------------------------------------------------------------------|-------------|--------------------|---------------------|---------------------------|--------------------------|
| +  |             | Done               | Cancel New          | 24 ▾                      |                          |
| (1) ✓                                                                               | Action Name | PL/SQL Method      | Entity Dependencies | Time Zone Default Setting | Approved                 |
| <input type="checkbox"/>                                                            | TestAction1 | BPA_TEST_API.AD... |                     | Server ▾                  | <input type="checkbox"/> |
| <input checked="" type="checkbox"/>                                                 | TestAction2 | MOBILE_ASSIGNM...  |                     | None ▾                    | <input type="checkbox"/> |

## Time zone Aware Custom Actions

When you are creating a custom action, the table associated with the custom action creation will feature a **Time Zone Default Setting** column. This column enables you to specify whether the custom action should be time zone-aware or not.



The screenshot shows the 'Projection Configuration' interface. On the left is a sidebar with a search bar and a list of custom actions. The main area displays 'Entities' and 'Entity Associations' tables. At the bottom, the 'Custom Actions' table is visible. A callout box points to the 'Time Zone Default Setting' dropdown in the 'Test' action row, showing the options: None, Server, and Site.

- You can annotate a custom action to be **Server Time Zone** aware by selecting **Server** option from the drop down menu.
- Similarly you can annotate a custom action to be Site Time Zone aware by selecting **Site** option from the drop down menu.
- After selection, a **Site Source** field will be available, allowing you to choose a supported parameter containing the **Site ID**. This field lists all supported parameters associated with the selected **PL/SQL method**

Projection Configuration

Q Search

Sort by

CustomProjectionCustomLusw

CustomProjectionERu

CustomProjectionTYU

CustomProjectionIfsDesignation

PersonnelFileEmploymentAssignme

CustomProjectionIfsDesignationHisc

CustomProjectionCury

Entities

| Entity Name                  | Entity Type | Entity Set               | Operations Allowed               | Configuration Approved | Configuration Published |
|------------------------------|-------------|--------------------------|----------------------------------|------------------------|-------------------------|
| ItsDesignationHistory - L... | CUSTOM      | ItsDesignationHistorySet | (4) Read, Create, Update, Delete | Yes                    | Yes                     |

Entity Associations

| Association Name | Parent Entity | Child Entity          | Association Approved | Association Published |
|------------------|---------------|-----------------------|----------------------|-----------------------|
| DesignationSet   | CompanyPerson | ItsDesignationHistory | Yes                  | Yes                   |

Custom Actions

Save

Cancel New

| Action Name | PL/SQL Method     | Entity Dependencies | Time Zone Default Setting | Site Source | Action Approved | Action Published |
|-------------|-------------------|---------------------|---------------------------|-------------|-----------------|------------------|
| Test        | EMP_PERS_DEV_C... | AccessRole          | None                      |             | No              |                  |

Q Find

Clear

EMP\_PERS\_DEV\_CYCLE\_SEQ\_API (Package)

UPDATE\_RESOURCE\_ACTIVITIES (Method)

(No value) (Method Option)

EMP\_PERS\_DEV\_CYCLE\_SEQ\_API

UPDATE\_RESOURCE\_ACTIVITY

(No value)

TST\_UNIT\_API

EXIST

(No value)

TST\_UNIT\_API

INIT

(No value)

Q Find

Filtered by

Clear

COMPANY\_ID\_

EMP\_NO\_

DEV\_CYCLE\_ID\_

SEQ\_NO\_