


Query Lifecycle Operations

Once a Query is designed, there are several operations a user can do to maintain the lifecycle of the created query. Some of these operations are directly handled by the tool itself, while the rest through other mediums. Below are the main states once a Query is designed,

- [Query Lifecycle Operations](#)
 - [Preview Query](#)
 - [Save a Query](#)
 - [Publish the Query](#)
 - [Synchronize Query](#)
 - [Unpublish Query](#)
 - [Edit/Delete a Query](#)
 - [Utilizing a Published Query](#)
 - [Consume through API explorer](#)
 - [Generate SQL statement](#)
 - [Use in Projection Configurations](#)
 - [Use as a Lobby Data Source](#)
 - [Add to an ACP](#)
 - [Post Upgrade Behaviour](#)
-


Preview Query

After adding attributes from the selected entity(s), a user can populate the designed draft. This functionality fetches data from the database and displays it for the selected attributes.



Previewing queries with parameters

Once the user clicks on the preview button, a dialog box will be presented to the user so that the user can provide the values for the defined parameters. Once all values are filled, the 'bla' button will be enabled. Clicking on this will fetch data from the database and display it for the selected attributes.



Note:


- The previously entered values will be auto-filled in to the input fields in the dialog box if the user tries to preview the same query again..

Save a Query

The query draft can be saved after the query is designed using the `Save` button. To save the query, the user must provide a mandatory query name and a description. Saving the draft enables features such as publishing and adding it to an [Application Configuration Package \(ACP\)](#).

Publish the Query

Saving a draft will enable the `Publish` button; clicking on the publish button will publish the query to the database. This will enable features such as utilizing the query through the API explorer and a PL/SQL API.




Synchronize Query

A `Synchronize` button will be enabled to the user if they make a change and save an already published query.

Unpublish Query


An `Unpublish` button will be enabled once the query is published to unpublish a saved query from the database. Unpublishing will make the query removable.

Note: The Query Designer will show an error when trying to Preview, Publish or Synchronize a query containing Custom Entities or Custom Attributes while the Custom Attributes framework is OFF.



Edit/Delete a Query


If the user wishes to edit/delete a query, it can be done by clicking on the **Query Designer** button or **Delete** button in the 'Queries' page. Navigate to 'Queries' page from the IFS Cloud. To delete a query, the query must be unpublished.



Utilizing a Published Query

Consume through API explorer

A published query can be consumed through an API endpoint. To view the Rest API Documentation and Specifications, navigate to the API Explorer from IFS Cloud and search for the query by the 'Query Projection' column in the 'Queries' page



Use in Projection Configurations


For more information refer to [Projection Configurations](#)

Use as a Lobby Data Source

For more information refer to [Data Source Designer](#)

Add to an ACP

Once a query is saved click on the **Query Overview** button; this will open up the Query Overview page. Select the respective query and click on **Application Configuration Package** button. A user can either create a new ACP or add to an existing ACP.



Post Upgrade Behaviour

When a query created in a prior version is opened from the query designer after an upgrade, it must be saved and reloaded in order for the query JSON to be aligned with the JSON structure of the new query designer.