



BLOOD GAS ANALYSIS

Naic Doctors Hospital

Makati

0912131213132 | naic-medtech@gmail.com

DOH License No.: 12142324232

PATIENT INFORMATION		
Name	Age	Sex
fds	No value recorded.	No value recorded.
Date & Time	Examination	
07/31/2026 08:44 PM	No value recorded.	
Requesting Physician	Room	Case Number
No value recorded.	No value recorded.	12
BLOOD GAS VALUES		CALCULATED VALUES
ABG		OXIMETRY
pH		sO2
Normal values: 7.35 to 7.45		Normal values: 95 to 100 %
No value recorded.		No value recorded.
pO2		ACID-BASE STATUS
Normal values: 80 to 105 mmHg		HCO3
No value recorded.		No value recorded.
pCO2		Normal values: 22 to 28 mmol/L
Normal values: 35.0 to 45.0 mmHg		BE(ecf)
No value recorded.		No value recorded.
NOTE		Normal values: -2 to +2 mmol/L
No value recorded.		pO2(A-a)
		No value recorded.
		Normal values: 5 to 10 mmHg
		TCO2
		No value recorded.
		Normal values: 23 to 29 mmol/L

ANALYZED BY:

VERIFIED BY:

NOTED BY:

Imelda A. Elemia, RMT

Lic. No. 0036643

Medical Technologist (RMT)

Imelda A. Elemia, RMT

Lic. No. 0036643

Medical Technologist (RMT)

BERNARDO A. MERCIA-PIQUEROLA, MD, QPSP

LIC. NO. 006053

Pathologist