

TENDER NO. SSSCT/PROC/25-26/E&P/026

Date: 20-August-2025

**TENDER DOCUMENT**

**SRI SATHYA SAI CENTRAL TRUST  
PRASANTHI NILAYAM, PUTTAPARTHI**



**WORKS TENDER NOTIFICATION**

**EXTERNAL RAIN WATER SYSTEM AND PUMP FITTING AT  
DORMITORIES CUM ROOM BLOCK AT PRASANTHI NILAYAM**

*Address for communication:*

PRASANTHI NILAYAM,  
PUTTAPARTHI  
SRI SATHYA SAI DISTRICT  
ANDHRA PRADESH – 515134.

Website: [www.srisathyasai.org](http://www.srisathyasai.org)

Email: [ce@mail.sssct.org](mailto:ce@mail.sssct.org)

**Aum Sri Sairam**

**Sri Sathya Sai Central Trust, Prasanthi Nilayam Puttaparthi, Sri Sathya Sai District, A.P.  
- 515134**

**TENDER DOCUMENT**

**Tender Notice Number: SSSCT/PROC/25-26/E&P/025**

**Name of work: External Rain Water System and Pump Fitting At Dormitories cum  
Room Block at Prasanthi Nilayam– Estimated Cost Rs.22 lakhs**

1. On behalf of Sri Sathya Sai Central Trust, Prasanthi Nilayam Sri Sathya Sai District here-in-after mentioned as the Owner, you are hereby invited to bid External Rain Water System and Pump Fitting At Dormitories cum Room Block at Prasanthi Nilayam.
2. Scope of work: Civil works of the above mentioned work as per BOQ and the specification provided along with this tender document.
3. The documents comprising the tender, are
  - A) Notice inviting tender
  - B) General conditions of contract (GCC)
  - C) Special conditions of contract (SCC)
  - D) List of materials to be used.
  - E) Site visit declaration.
  - F) Bill of quantities (BOQ)
4. The Bidder shall furnish the following documents soft copy through mail i.e [tenders@mail.sssct.org](mailto:tenders@mail.sssct.org) and hard copy need to be sent to the following address i.e. Chief Engineer, Sri Sathya Sai Central Trust, Prasanthi Nilayam A.P. 515134 on or before 04-September-2025
  - i) Covering letter
  - ii) BOQ duly filled and signed by the bidder
  - iii) Declaration of site inspection by the bidder before quoting the tender.
  - iv) Acceptance of general conditions of the contract, duly signed.
5. The last date of submission of the tender is 04-September-2025 at 11.00 AM

**CONTENTS**

| <b>SL.NO</b> | <b>DESCRIPTION</b>  | <b>PAGE NO</b> |
|--------------|---|----------------|
| <b>I</b>     | <b>WORKS BID INVITATION</b>   | <b>3-4</b>     |
| <b>II</b>    | <b>GENERAL CONDITIONS OF CONTRACT</b>   | <b>5-9</b>     |
| <b>III</b>   | <b>SPECIAL CONDITIONS OF CONTRACT</b>   | <b>10-11</b>   |
| <b>IV</b>    | <b>BID FORM- Annexure-I</b>   | <b>12-13</b>   |
| <b>V</b>     | <b>DETAILS OF THE BIDDER/CONTRACTOR-<br/>Annexure-III</b>   | <b>14-15</b>   |
| <b>VI</b>    | <b>LIST OF DOCUMENTS TO BE SUBMITTED BY THE<br/>BIDDER ALONG WITH TECHNICAL BID IN A SEALED<br/>COVER-Annexure-IV</b> | <b>16-16</b>   |
| <b>VII</b>   | <b>LIST OF MATERIALS TO BE USED</b>   | <b>17-17</b>   |
| <b>VIII</b>  | <b>SITE VISIT DECLARATION</b>   | <b>18-18</b>   |
| <b>IX</b>    | <b>BILL OF QUANTITIES</b>   | <b>19-22</b>   |

**I-WORKS BID****INVITATION OF BIDS FOR EXTERNAL RAIN WATER SYSTEM AND PUMP FITTING AT DORMITORIES CUM ROOM BLOCK AT PRASANTHI NILAYAM**

The Sri Sathya Sai Central Trust, Prasanthi Nilayam, Puttaparthi, Andhra Pradesh hereby invites tender from for the said work as per the specifications. “Interested parties who wishes to participants may submit their bids as per process mentioned here under”

**To:**

**The Chief Engineer,  
Sri Sathya Sai Central Trust, Prasanthi Nilayam  
Puttaparthi, Sri Sathya Sai District,  
Andhra Pradesh. Pin: 515134**

| Sl. No | Bid issue                                | Description   |
|--------|--|---|
| 1      | Tender Inviting Authority                | Chief Engineer, Sri Sathya Sai Central Trust  |
| 2      | Name of the Work                         | External Rain Water System and Pump Fitting At Dormitories cum Room Block at Prasanthi Nilayam  |
| 3.     | Place at which Tender document available | Tender Document can be downloaded from<br>Website: <a href="http://tenders.sssct.orgExternal_PHE_works_Part-B_PSN.pdf">http://tenders.sssct.orgExternal_PHE_works_Part-B_PSN.pdf</a>  |
| 4.     | Earnest Money Deposit (EMD)              | Estimated Value of the Bid <b>Rs.22 Lakhs</b><br><b>EMD: 22,000/- (Rupees Twenty Two hundred only)</b> To be paid by all the Bidders by bank Transfer as per the details below, at the time of submission of tender bid.<br><b>SSSCT PROJECTS-INDIAN FUNDS UTILIZATION</b><br>A/C No: 39117267217. IFSCODE:SBIN0010480<br><b>STATE BANK OF INDIA, PRASANTHI NILAYAM</b> |
| 5.     | Last Date for Submission of Bid          | <b>04-09-2025</b> (Until 11.00 AM)  |

**1. PROCEDURE FOR BID SUBMISSION:**

The Bidder shall submit the Bids on or before 04-09-2025 (Until 11:00 AM)  
To the Tender Inviting Authority as per the procedure detailed below:

- a. The Bidders shall submit their Bid in a sealed cover along with all the documents as per the Works Bid Invitation along with the Bid.
- b. The Bidder shall sign on all the statements, documents, certificates, and sent by the, owning responsibility for their correctness / authenticity.

**2. TENDER DOCUMENT:**

The Bidder is requested to download the Tender Document and read all the terms and conditions mentioned in the Tender Document and seek clarification if any, from the Tender Inviting Authority through e mail: [ce@mail.sssct.org](mailto:ce@mail.sssct.org)

- 3. LATE BIDS:** Sri Sathya Sai Central Trust will not accept any bid after the deadline for submission of bids.

## **II. GENERAL CONDITIONS OF CONTRACT**

### **1. DEFINITIONS**

In this Contract, the following terms shall be interpreted as indicated:

A. "The Contract" means the agreement entered into between the Sri Sathya Sai Central Trust and Contractor as recorded in the contract form signed by the parties, including all the attachments and appendices thereto and all documents incorporated by reference therein;

B. "The Contract Price" means the price payable to the Contractor under the Contract for the full and proper performance of its contractual obligation;

C. "Services" means services ancillary to the work, such as transportation and insurance, and all other incidental services, such as commissioning, provision of technical assistance, training and other obligations of the Supplier covered under the Contract;

D. "GCC" means the General Conditions of Contract contained in this section;

E. "SCC" means the Special Conditions of Contract;

F. "The Contractor" means the Bidder selected for and services under this Contract.

G. "The Trust" means the Sri Sathya Sai Central Trust, the tender Inviting Authority for the work.

### **2. CHANGE OF ORDERS:**

The Trust may, at any point of time, by written order given to the Contractor make changes modifications within the general scope of the contract in any one or more of the following:

A. The scope of work;

B. The specifications of work; and / or

c. The services to be provided by the Contractor

### **3. APPLICABLE LAWS:**

The contract shall be interpreted in accordance with the prevailing laws of the Government of Andhra Pradesh and Union of India.

### **4. NOTICES:**

Any notice given by the Trust to the Contractor pursuant to this Contract shall be sent in writing or by e-mail and/or confirmed in writing to the Contractor's address specified in Contract.

A notice shall be effective when delivered or on the notice's effective date, whichever is later.

### **5. AGREEMENT:**

The successful Bidder(s) shall execute an agreement for the fulfilment of the contract on **Rs.100/-** non-judicial stamp paper in the prescribed format provided, within seven days from the date of acceptance of the Bid and intimation of the award of Contract.

The incidental expenses of execution of agreement shall be borne by the successful Bidder(s).

The conditions stipulated in the agreement should be strictly adhered to and violation of any of the conditions in full or in part will entail termination of the Contract without prejudice to the rights of The Trust towards Contractor and recovery of any consequential loss from the Contractor.

#### **6. CHANGE OF SPECIFICATIONS:**

No change of specifications after the placement of Order shall be entertained unless the alternate model offered is equivalent or higher in specifications and approval of the Competent Authority has been obtained in writing for such a change of model before execution of the work. Execution of work without such an approval shall not be accepted.

#### **7. CONFLICT OF INTEREST.**

Any Bidder having a conflict of interest, which substantially affects fair competition, shall not be eligible to bid in this tender. Bids found to have a conflict of interest shall be rejected as non-responsive. Bidder shall be required to declare the absence of such conflict of interest. A Bidder in this Tender Process shall be considered to have a conflict of interest if the Bidder:

- i. Directly or indirectly controls and/is controlled by or is under common control with another Bidder; or
- ii .Receives or have received any direct or indirect subsidy/ financial stake from another Bidder; or
- iii. Has the same legal representative/ agent as another Bidder for purposes of this bid. A Principal can authorize only one agent, and an agent also should not represent or quote on behalf of more than one Principal or
- iv. Has a relationship with another bidder, directly or through common third parties, that puts it in a position to have access to information about or influence the bid of another Bidder or influence the decisions of the Procuring Entity regarding this Tender process; or
- v. Participates in more than one bid in this tender process. Participation in any capacity by a Bidder (including the participation of a Bidder as sub-contractor in another bid or vice-versa) in more than one bid shall result in the disqualification of all bids in which he is a party. However, this does not limit the participation of a non-bidder firm as a sub-contractor in more than one bid; or
- vi. Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services that it provided (or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm), for the procurement planning (inter-alia preparation of feasibility/ cost estimates/ Detailed Project Report (DPR), design/ technical specifications, terms of reference (ToR)/ Activity Schedule/ schedule of requirements or the Tender Document etc) of this Tender process; or
- vii. Has a close business or family relationship with a staff of the Procuring Organisation who: (i) are directly or indirectly involved in the preparation of the Tender document or specifications of the Tender Process, and/or the evaluation of bids; or (ii) would be involved in the implementation or supervision of

resulting Contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the Tender process and execution of the Contract.

The Bidder shall go through instructions, terms and conditions given in this tender document. Failure to furnish all the requisite information called for in this Tender will be at the Bidders' risk and may result in rejection of the tender. The Bidder shall download the tender document, sign and send again by e-mail confirming that the Bidder has gone through all the terms and conditions of the tender.

## **8. AMENDMENT OF BIDDING DOCUMENTS**

At any time prior to the deadline for submission of bids, the Sri Sathya Sai Central Trust may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding documents by amendment.

Any such amendment/ corrigendum shall be posted on the Sri Sathya Sai Central Trust website only and no other communication shall be made to any firm in this regard.

In order to allow prospective Bidders reasonable time, in which to take the amendment into account in preparing their bids, the Sri Sathya Sai Central Trust, at its discretion, may extend the deadline for the submission of bids.

## **9. LANGUAGE OF BID**

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Sri Sathya Sai Central Trust shall be written in English language. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the English language in which case, for purposes of interpretation of the Bid, the translation shall govern.

## **10. FORUM FOR LEGAL PROCEEDINGS:**

In all cases of disputes, the decision of the Tender Inviting Authority shall be final. Any dispute or difference or any matter arising out of contract or incidentals thereto under this enquiry shall be subjected to jurisdiction of a competent Court of Law in Puttaparthi in Andhra Pradesh alone and not in any other place.

## **11. ACCEPTANCE or REJECTION OF BIDS:**

A .The Tender Inviting Authority reserves the right to accept or reject any or all bids and to annul the bidding process at any time prior to award of contract, without thereby incurring any liability or any obligation to inform the affected Bidder or Bidders of the grounds for the said action.

B .Any Bid with incomplete information is liable for rejection.

C .For each category of pre-qualification criteria, the documentary evidence is to be produced duly attested by the Bidder, serially numbered and enclosed with the bids. If the documentary proof is not enclosed for any/all criteria the Bid is liable for rejection.



If any information given by the Bidder is found to be false / fictitious, the Bidder will be debarred for 2 years from participating in any other tenders and will be blacklisted.

## **12. OTHER IMPORTANT CONDITIONS:**

1. Validity of offer: The prices quoted must be FIRM and the offers made must remain open for acceptance for 90 days from the date of opening of Tender.
2. Payment Terms: Payment will be released within 15 days after receipt of the certified bill.
3. The Trust will not issue any statutory forms like, Form C, Form D, Way bill etc., and this should be taken into account by the Contractor while quoting the rates.
4. The Tender Quantity is Tentative. It can be increased or decreased at the discretion of the Trust.
5. After finalization of Tender, a work completion schedule shall be submitted by the Contractor which can be revised by the Trust.
6. Penal clauses of the Contractor whatsoever like payment of interest on late payment of bills etc. shall not be acceptable to Sri Sathya Sai Central Trust.
7. Impermissible variations to specifications of work will be viewed seriously and will lead to black-listing.
8. The Trust reserves the right to override all the terms and conditions of the tender at any moment. It may reject any tender without assigning any reasons thereof and the same shall not be questioned in any court of law on any ground, whatsoever.
9. TAXES: TDS as applicable under the Income Tax Act will be deducted from all payments made to the contractor.
10. DISCIPLINE AND BEHAVIOUR OF WORKMEN: The Contractor shall ensure proper decorum, discipline and decency within the premises of the Institution. Smoking, consumption or possession of alcoholic drinks, and non-vegetarian food items within the premises are prohibited.
11. STATUTORY REQUIREMENTS: All necessary permits, licenses, registration and other Environment / Planning-related clearance needed for the works will be arranged by the Trust, assisted by the Contractor in respect of provision of the required data.
12. ASSIGNMENT AND SUBLETTING: The Contractor shall not assign or sub-contract any part of the work to another agency without prior written approval of the Trust.

13. **LIQUIDATED DAMAGES:** The Contractor undertakes to complete the work within the stipulated period. In case there are delays not attributable to Force Majeure, and without acceptable justification, the Trust can issue a notice of 15 days to the Contractor to make up the delay, and if there is still a delay, the Trust reserves the right to levy Liquidated Damages to the extent of 2% of the contract value per week of delay. If and when the Liquidated Damages reach a limit 10%, the Trust shall be entitled to determine the Contract and get the work carried out by another agency, with any relevant costs in excess of the contracted value accruing to the Contractor's account

14. **LABOUR LAWS:**

The Contractor shall be responsible for full compliance with all laws and regulations relating to labour, employment, compensation, wages, working conditions, environment, insurance, safety, etc., and the Trust stands fully indemnified against any claim in this regard.

### **III.SPECIAL CONDITIONS OF CONTRACT**

1. **SCOPE OF WORK:** External Rain Water System and Pump Fitting At Dormitories cum Room Block at Prasanthi Nilayam.
2. **EMD (Earnest Money Deposit)**
  - A. EMD of 1% value of work shall be enclosed along with the Bid. Without EMD, the Bid will not be accepted. This will be refunded to the unsuccessful bidders after awarding the work.**
  - B. The total EMD of 1 % of successful contractor will be released after six months.**
3. **DURATION OF THE CONTRACT:** 120 Days from the date of issuing the letter of Intent. **Time is the essence of the contract.** Contractor shall submit a work schedule highlighting the various milestones immediately after award of work.
4. **CONTRACT AGREEMENT:** Will be executed between the Contractor and SSSCT, Prasanthi Nilayam on a Rs. 100/- stamp paper.
5. **MACHINERY:** All the required machineries Grove Cutting machine should be brought by the contractor. Contractor will be responsible for its maintenance and supply of fuel.
6. **MATERIAL:** All the material required for this Painting works should be brought by the Contractor. Paints Supply by SSSCT Only.
7. **MANPOWER:** All the required manpower **Skilled Painters** should be arranged by the Contractor. The accommodation, safety of the work force is Contractor's responsibility.
8. **SUPERVISION:** A full time experienced Supervisor/ Engineer shall be engaged by the Contractor to supervise the work. **(Works Progress with Photo updates on daily basis into the Group).**
9. **TYPE OF CONTRACT:** Item rate Contract. The rates quoted for different items should cover the cost of labour, transport, Tools & plants materials, Lead, Lift, over heads, incidental charges etc.
10. **MODE OF PAYMENT:** Intermediate/Part Payments will be made based on bills containing detailed measurements to be submitted by the contractor duly certified by the engineer-in-charge and processed through Finance department after effecting Tax Deduction at Source (TDS) as per IT Act.
11. **DEFECT LIABILITY PERIOD:** 120 days from the date of handing over. The work completed in all respects as per BOQ and conditions of Contract.
12. **RETENTION AMOUNT:** 5% of the bill value will be deducted from each R.A. Bill. And same will be released to the contractor along with Final bill after satisfactory completion work.
13. **MODE OF MEASUREMENT:** As per IS Codes.
14. **REPORTING THE PROGRESS OF THE WORK**

- A. The Contractor shall maintain a Site Order Book, where in inspecting Engineers will write day to day observations, instructions and progress of work. This book shall accompany the bills submitted from time to time.
  - B. The contractor shall send the pictures of the work progress to the whatsapp group, (which will be formed). From time to time.
15. **STATUTORY REQUIREMENTS:** Contractors shall arrange to pay the WCP Insurance, on mining material and all other necessary formalities required to execute the work.
16. **QUALITY OF WORK:** Any defective material/ work found by these authorities during their inspection shall be replaced by the contractor at his cost immediately.
- SSSCT reserve the right to terminate the contract if it is found that the work is not up to the mark as for the quality and speed of the progress is concerned, without giving prior notice.
17. **Tower crane facility:** Owner will allow the contractors to use the Tower crane facility available at the site on debatable basic, tower crane charge will be based on Rs.\_\_\_\_\_per sqm/cum mentioned in the BOQ. Only lift charges for crane , loading, un loading lead for contractor scope only
18. **Mobilization advance :** No mobilisation advance will be paid by the owner
19. **‘The Contractor must employ Well Skilled Painters and Experienced Supervisor to the Work Site to Monitor Work. The person must be dedicated Full Time for the project’.**
20. **The tender related queries mail ID: [ce@mail.sssct.org](mailto:ce@mail.sssct.org)**
21. **→All Technical queries Cell no-9398985071(“Gangi Reddy”).@**
- a. Location link for Tender submission:  
<https://maps.app.goo.gl/8wErz5WksHFKF7PX8>

**IV.ANNEXURE -I**

Ref No:Date:

To

Sri Sathya Sai Central Trust

Prasanthi Nilayam, Puttaparthi

Sri Sathya Sai District,

Andhra Pradesh – 515134.

Sir/Madam,

Having examined the Bidding Documents including Addenda Nos. (insert numbers) the receipt of which is hereby duly acknowledged, we, the undersigned, offer to execute the work in conformity with the said bidding documents for the sum of Rs. \_\_\_\_\_ (total bid amount in words and figures) or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith as part of this bid.

**Conditions:**

1. We undertake that if our Bid is accepted, for execution of work in accordance with the terms and conditions in the Bidding document.
2. If our bid is accepted, we will obtain the guarantee of a bank for the sum, specified under Tender Conditions in the form prescribed by the Trust.
3. Until a formal contract is prepared and executed, this bid, together with your written acceptance thereof and your notification of award shall constitute a binding Contract between us.
4. We understand that you are not bound to accept the lowest or any bid you may receive.
5. We confirm that we comply with the eligibility Criteria as per Sl 20 of Special Conditions of Contract of the Tender document.

Dated this .....

Signature:

(In the Capacity of):

Duly authorized to sign bid for and on behalf of

Place:

(In the case of a Partnership Firm, all the partners of the firm should authorize the concerned person for signing the Bid Form. In the case of a Company a copy of the resolution authorizing the concerned person to sign the Bid Form. Copies to be enclosed)

**V.ANNEXURE – III****DETAILS OF THE BIDDER/CONTRACTOR**

| S.No. | Particulars   |  |  |
|-------|---|--|--|
| 1     | Name of the Firm/ Organization/ Society:  |  |  |
| 2     | Year of Establishment:  |  |  |
|       | Registration No. & Date :   |  |  |
| 3     | Complete Address:<br><br>Pin Code<br><br>Phone No.<br><br>Fax No.<br><br>e-mail:  |  |  |
| 4     | Authorized person<br><br>Name, Address:<br>Designation Phone<br>No.<br>e-mail id  |  |  |
| 5     | If Partnership Firm<br><br>a) Name & Address of all Partners<br><br>b) If Registered under Companies Act,<br>Name of the Chairman and Managing<br>Director with full address<br><br>c) Name & Address of Proprietor If<br>Proprietor concern. |  |  |
| 6     | PAN No. & Date:   |  |  |
| 7     | GST No.   |  |  |
| 8     | Branches:   |  |  |
| 9     | Annual Turn-Over  |  |  |
|       | For 22-23   |  |  |

|    |  |  |  |
|----|--|--|--|
|    | <b>For 2023-24:</b>  |  |  |
|    | <b>For 2024-25:</b>  |  |  |
| 10 | Key personnel experience                                   |  |  |
| 11 | Details of men & machinery available for execution of work |  |  |
| 12 | Business Background/History:                               |  |  |
| 13 | Special Accreditations or Awards, if any:                  |  |  |
| 14 | Customer Testimonials:                                     |  |  |
| 15 | Details of man power and equipment                         |  |  |

PLACE

DATE :

SIGNATURE OF THE BIDDER



**VI.ANNEXURE –IV****SRI SATHYA SAI CENTRAL TRUST, PRASANTHI NILAYAM****List of Documents to be submitted by the Bidder along with Technical Bid in a sealed cover****NAME OF THE BIDDER:**

1.Name:

2. Address:

3. Email:

4.Name of Authorised Person

5. Contact Phone Number

| <b>Sl No</b> | <b>List of the Documents (Duly attested by the Authorized person on all the documents)</b>  |
|--------------|---|
| 1            | Tender Document duly signed & with seal on all pages by the Authorized Signatory.   |
| 2            | Status of the Bidder - Proprietary / Partnership Firm / etc. submit documentary evidence.   |
| 3            | Copy of Resolution authorizing the Bidder to Sign the Bid Documents.  |
| 4            | PAN of the Establishment.   |
| 5            | GST Registration Certificate.   |
| 6            | Authorized Person PAN And AADHAAR*  |
| 7            | Details of the Key Person and experience*   |
| 8            | Copies of Income Tax returns filed and Assessment orders for the last three financial years. Financial statements for last three financial years. |
| 9            | Bidder's Bank Details.  |
| 10           | Site visit Declaration.   |

**All the above documents are must for the bid to be considered as valid**

## VII. LIST OF APPROVED MAKES / BRAND OF MATERIALS

### LIST OF BRAND/MAKE TO BE USED

Cement - Ultratech, ACC, Dalmia, JSW ,RAMCO- OPC 43/53 grade

Steel reinforcement bars/Rods - TATA/ Jindal Neo FE500-FE550 /Vizag steel/SAIL

CPVC /UPVC/PVC-pipes & its accessories - Astral, Supreme, Ashirwad

PHE items & accessories/fittings - Cera, Parryware, Hindware , Jaguar, JAL (Havay duty) & watertec ,Slimline ,SEIKO

Valves- Zolotto, Kartar / Astral, Watertec(PVC, GI,SS)

Electrical items – Crompton Greaves, Polycab, Finolex, Havells, Legrand, Gloster(cables), C&S, ABB, Philips, Schneider, HPL. Wires should be FRLSH. KEI (Cable),Atom berg,Roma Anchor, Anchor Penta ,L&T indo asian andAkarui.

Tiles - Kajaria, Somany, Johnson, AGL, RAK Regency

Paints - Asian, Berger , Nerolac, JSW.

Pumps- Kirloskar, KSB.(CRI Wilo for hot water)

Extinguishers - Safex, Ceasefire, Kanex.

Any materials to be used/purchased at site should be from approved vendor & duly certified by SSSCT Engineer & the same to be mentioned in the bills for payment.

### VIII. SITE VISIT DECLARATION

To

Sri Sathya Sai Central Trust,

Prasanthi Nilayam,

Puttaparthi (A.P)

NIT No. TND/   /   /   - Dated   /   /

Dear Sir,

I/We \_\_\_\_\_Undersigned visited the project site on\_\_\_\_\_and collected all the required information and data regarding availability of material and noted the environmental condition. I have also signed the attendance register maintained at site in presence of Site-In-change.

Yours faithfully,

(Signature of the Tenderer)

Seal of Tenderer

Dated

# Bill of Quantities

|        |   |      |       |        |              | AMOUNT in INR |              |
|--------|---|------|-------|--------|--------------|---------------|--------------|
| SL.NO  | SUMMARY - COMMON WORKS  |      |       |        |              | SUPPLY        | INSTALLATION |
| PART A | RAIN WATER SYSTEM   |      |       |        |              |               |              |
| PART B | PUMPS & ACCESSORIES   |      |       |        |              |               |              |
|        |   |      |       |        |              |               |              |
|        | TOTAL   |      |       |        |              |               |              |
|        | GRAND TOTAL   |      |       |        |              |               |              |
|        | ADD GST @ 18%   |      |       |        |              |               |              |
|        |   |      |       |        |              |               |              |
|        |   |      |       |        |              |               |              |
| Sl.No  | Description   | Unit | Qty   | Rate   |              | Amount (Rs)   |              |
|        |   |      |       | Supply | Installation | Supply        | Installation |
| PART A | RAIN WATER SYSTEM   |      |       |        |              |               |              |
| 1.0    | Supplying and Constructing brick <b>Catch basin</b> with `75' class designation bricks in cement motar 1:5 (1cement: 5 fine sand), precast RCC top slab in 1:2:4 Mix (1 cement: 2 coarse sand: 8 graded stone aggregate), with angle iron frame, inside plastering 12mmthick with CM 1:3 (1cement: 3 fine sand) finished very smooth with floating coat of neat cement & making channel in cement concrete 1:2:4 (1cement: 2 coarse sand: 4 gradedstone aggregate) neatly finished complete as per standard design and as per drawing.<br>(The rate shall include earth work excavation and back filling) |      |       |        |              |               |              |
| a      | Inside size of 600x 600mm & depth not exceeding 900mm as per dwgs including providing 450 x 450mm MS gratingwith 50 x 50 x 6mm thick with MS L angle frame.   | No.s | 22.00 |        |              |               |              |
|        |   |      |       |        |              |               |              |
| 2.0    | Supplying, installing, testing and commissioning of <b>inline Filters</b> for the <b>Rain water pipes</b> of approved taking adequate care to use solvent pasted to the PVC pipes with adequate supports etc all nuts bolts, screwed anchor type rods, at both bottom and top surface of connections as required per site conditions etc., complete.  |      |       |        |              |               |              |
|        | Make - RAINY filters TM   |      |       |        |              |               |              |
|        | 160 mm dia  | No.s | 2.00  |        |              |               |              |
|        | 110 mm dia  | No.s | RO    |        |              |               |              |
|        |   |      |       |        |              |               |              |
| 3.0    | Supplying, installing, testing and commissioning of <b>Hume pipes</b> laid to the required level and grade with collars joining in CM 1:3 and filling the excavated trench with approved quality saturated sand on sides, bottom and top surface of connections as required etc., complete.   |      |       |        |              |               |              |
|        | Location: for External capping for crossover pipes or storm water   |      |       |        |              |               |              |
|        | 200mm dia   | Mtr  | RO    |        |              |               |              |
|        | 300mm dia   | Mtr  | RO    |        |              |               |              |
|        | 450mm dia   | Mtr  | RO    |        |              |               |              |
|        | 600mm dia   | Mtr  | RO    |        |              |               |              |
|        |   |      |       |        |              |               |              |

|               |  |     |        |  |  |  |  |
|---------------|--|-----|--------|--|--|--|--|
| 4.0           | Supply & Fixing of Rain water, side mounted or <b>Vertical Khurrah</b> as per the site condition of MOC C.I with all accessories etc complete as per detailed drawing.   |     |        |  |  |  |  |
|               | 160 mm pipe  | Nos | 10.00  |  |  |  |  |
|               | 110 mm pipe  | Nos | 4.00   |  |  |  |  |
|               | 75 mm pipe   | Nos | 4.00   |  |  |  |  |
|               |  |     |        |  |  |  |  |
| 5.0           | Supply and fixing (4 kg/cm <sup>2</sup> ) class 'A' Rigid <b>PVC pipes</b> Conforming to IS 4985 ( For Terrace Rain water & Balcony) ) of approved make with necessary specials like bend,shoe,grating,clamps, screws etc., including jointing the pipes and specials with solvent cement and cutting the pipes required lengths Rate quoted should include for moulded bends, enlarger & leaf trap complete at each outlet. etc., complete at all heights and depths. ( Rain water only )   |     |        |  |  |  |  |
|               | 160 mm OD  | Rmt | 360.00 |  |  |  |  |
|               | 110 mm OD  | Rmt | 120.00 |  |  |  |  |
|               | 75 mm OD   | Rmt | 60.00  |  |  |  |  |
|               | 65 mm OD   | Rmt | R0     |  |  |  |  |
|               |  |     |        |  |  |  |  |
| 6.0           | Supplying and Construction of <b>Rain water recharge pit/well</b> of size mentioned below upto 1500mm clear internal dimension for external storm water soaking with 50mm thick walls in concentric rings fixed in CM 1:4 over a bed of 100 mm thick . Fixing precast RCC grating of size 450 x 500mm on top surface flushed to the finished floor level with necessary excavation, back filling the selected excavated earth with all leads and lifts etc., complete.   | Nos | 10.00  |  |  |  |  |
|               |  |     |        |  |  |  |  |
|               | <b>TOTAL PART A</b>  |     |        |  |  |  |  |
| <b>PART B</b> | <b>PUMPS &amp; ACCESSORIES</b>   |     |        |  |  |  |  |
| 1.0           | Collecting from store, installing/fixing, testing, & commissioning of approved make <b>Monobloc Pump</b> with level control float valve of adequate HP capable of giving required discharge at suitable head to work on single/3 phase 50Hz 400/400 V of specified capacity. Fixing the pump, providing delivery piping with UPVC/CPVC pipes with Brass MOC, NRV, wafer type butterfly valve aof approved make with necessary flanges, nuts, bolts, rubber insertions etc and piping (which is also operated under specific item in PART B o f BOQ) with standard starter panel and accessories, with Making necessary electrical connections with adequate length of cables (including making power supply connection from mains to the pump control panel) shall be carried out by electrical contractor. Cost of electrical works is to be included under this item etc., complete. |     |        |  |  |  |  |
| i             | DOMESTIC TREATED WATER LIFT FROM UG.SUMP TO OHT  |     |        |  |  |  |  |
|               | Make: CRI/KIRLOSKAR/ TEXMO ( 1 Working + 1 Stand BY)   |     |        |  |  |  |  |
|               | Capacity : 5 LPS @ 35 m Head   | set | 3.00   |  |  |  |  |
|               |  |     |        |  |  |  |  |
| ii            | FLUSHING WATER FROM STP TREATED WATER SUMP   |     |        |  |  |  |  |
|               | Make: CRI/KIRLOSKAR/ TEXMO ( 1 Working + 1 Stand BY)   |     |        |  |  |  |  |
|               | Duty : 8 lps Cum @ 55 m head   | Set | 1.00   |  |  |  |  |

|     |  |     |      |  |  |  |  |
|-----|--|-----|------|--|--|--|--|
| 2.0 | Collecting from store, installing/fixing, testing, & commissioning of approved make <b>monobloc/Submersible Pump</b> with float valve of adequate HP capable of giving required discharge at suitable head to work on single/3 phase 50Hz 400/400 V of specified capacity. Fixing the pump, providing delivery piping with UPVC/CPVC pipes with Brass MOC, NRV, wafer type butterfly valve aof approved make with necessary flanges, nuts, bolts, rubber insertions etc nd piping which is covered under specific item in PART 2 o f BOQ with standard starter panels and accessories, with Making necessary electrical connections with adequate length of cables (including making power supply connection from mains to the pump control panel) shall be carried out by electrical contractor. Cost of electrical works is to be included under this item etc., complete.               |     |      |  |  |  |  |
|     | <b>DEWATERING PUMP - BASMENT COLLECTION SUMP</b>   |     |      |  |  |  |  |
|     | Make: CRI/KIRLOSKAR/ TEXMO ( 1 Working + 1 Stand BY)   |     |      |  |  |  |  |
|     | Duty :3lps Cum @ 25m head ( 1 Working + 1 Stand BY)  | Set | RO   |  |  |  |  |
| 3.0 | Collecting from store, installing/fixing, testing, & commissioning of approved make <b>Terrace Booster pump</b> with in built pressure tank of adequate HP capable of giving required discharge at suitable head to work on single/3 phase 50Hz 400/400 V of specified capacity.Fixing the pump, providing delivery piping with UPVC/CPVC pipes with Brass MOC, NRV, wafer type butterfly valve aof approved make with necessary flanges, nuts, bolts, rubber insertions etc nd piping which is operated under specific item in PART 2 of BOQ with standard starter panels and accessories, with Making necessary electrical connections with adequate length of cables (including making power supply connection from mains to the pump control panel) shall be carried out by electrical contractor. Cost of electrical works is to be included under this item etc., complete.          |     |      |  |  |  |  |
|     | <b>DOMESTIC WATER FROM OHT TO RING MAINS FOR UPPER FLOORS ONLY</b>   |     |      |  |  |  |  |
|     | Make:Grundfos/wilo   |     |      |  |  |  |  |
|     | Capacity : 1.5 LPS @ 10 m Head ( 1 Working + 1 Stand BY)   | set | RO   |  |  |  |  |
| 4.0 | Collecting from store, installing/fixing, testing, & commissioning of approved make <b>Submersible, Sewage sludge/ Cutter Pump</b> with float valve of adequate HP capable of giving required discharge at suitable head to work on single/3 phase 50Hz 400/400 V of specified capacity. Fixing the pump, providing delivery piping with UPVC/CPVC pipes with Brass MOC, NRV, wafer type butterfly valve aof approved make with necessary flanges, nuts, bolts, rubber insertions etc nd piping which is covered under specific item in PART 2 o f BOQ with standard starter panels and accessories, with Making necessary electrical connections with adequate length of cables (including making power supply connection from mains to the pump control panel) shall be carried out by electrical contractor. Cost of electrical works is to be included under this item etc., complete. |     |      |  |  |  |  |
|     | <b>SLUDGE PUMP -AT STP TO EXTERNAL SEWER NETWORK</b>   |     |      |  |  |  |  |
|     | Make: CRI/KIRLOSKAR/ TEXMO ( 1 Working + 1 Stand BY)   |     |      |  |  |  |  |
|     | Duty : 3lps Cum @ 25 m head ( 1 Working + 1 Stand BY)  | Set | 1.00 |  |  |  |  |

|     |   |      |      |  |  |  |  |
|-----|---|------|------|--|--|--|--|
|     |   |      |      |  |  |  |  |
| 5.0 | Collecting from store, installing/fixing, testing, & commissioning of approved make <b>Submersible pump</b> of adequate HP capable of giving required discharge at suitable head to work on single/3 phase 50Hz 400/400 V of specified capacity. Fixing the pump, providing delivery piping with UPVC/CPVC pipes with wafer type non return valve, butterfly valve of approved make with necessary flanges, nuts, bolts, rubber insertions etc with standard starter panels and accessories, operated in the item in PART 2 with Making necessary electrical connections with adequate length of cables (including making power supply connection from mains to the pump control panel) shall be carried out by electrical contractor. Cost of electrical works is to be included under this item etc., complete. |      |      |  |  |  |  |
|     | To Pump rain water to Raw water sump or exteranl drain  |      |      |  |  |  |  |
|     | Make:Grundfos/ CRI/Texmo  |      |      |  |  |  |  |
|     | Duty : 4LPS @ 20m Head ( 1 Working + 1 Stand BY)  | No,s | RO   |  |  |  |  |
|     |   |      |      |  |  |  |  |
| 6.0 | Collecting from store, installing/fixing, testing, & commissioning of approved make <b>Submersible pump</b> of adequate HP capable of giving required discharge at suitable head to work on single/3 phase 50Hz 400/400 V of specified capacity. Fixing the pump, providing delivery piping with UPVC/CPVC pipes with wafer type non return valve, butterfly valve of approved make with necessary flanges, nuts, bolts, rubber insertions etc with standard starter panels and accessories, operated in the item in PART 2 with Making necessary electrical connections with adequate length of cables (including making power supply connection from mains to the pump control panel) shall be carried out by electrical contractor. Cost of electrical works is to be included under this item etc., complete. |      |      |  |  |  |  |
|     | <b>To Pump Domestic water from UG sumps at A &amp; C blocks to respective OHTs</b>  |      |      |  |  |  |  |
|     | Make:Grundfos/ CRI/Texmo  |      |      |  |  |  |  |
|     | Duty :4LPS @ 35m Head ( 1 Working + 1 Stand BY)   | No,s | 2.00 |  |  |  |  |
|     |   |      |      |  |  |  |  |
|     | <b>PHE WORKS - ELECTRICAL PANEL</b>   |      |      |  |  |  |  |
| 7   | Supply, Installation, Testing and commissioning of starter panel and all electrical accessoeries for the pumps like trays cables switches etc complete  |      |      |  |  |  |  |
|     | GI DWG FROM CONTRACTOR TO BE DETAILED PER ELECTRICAL CONSULTANT INPUTS  | Set  | RO   |  |  |  |  |
|     | To be taken under electrical services   |      |      |  |  |  |  |
| 8   | Constructing pedestals of requird sizes in 1st class red brick masonry/CC solid blocks in CM (1:4) over PCC (1:4:8) bed, plastered 12 mm thick in CM (1:3), including supply & fixing of MS/GI clamps painted with two coats enamel over primer for holding CPVC pipelines on terrace, complete as directed."   | Nos  | 750  |  |  |  |  |
|     | TOTAL PART B  |      |      |  |  |  |  |