Date: 15-01-2025

## TENDER NO. SSSCT/PROC/24-25/E&P/33

# **TENDER DOCUMENT**

# SRI SATHYA SAI CENTRAL TRUST PRASANTHI NILAYAM, PUTTAPARTHI



#### **WORKS TENDER NOTIFICATION**

# CIVIL FINISHING WORKS OF DORMITORIES CUM ROOMS BLOCK AT PRASANTHI NILAYAM BLOCK-C-(GROUND FLOOR)

Address for communication:

SRI SATHYA SAI CENTRAL TRUST

PRASANTHI NILAYAM, PUTTAPARTHI

SRI SATHYA SAI DISTRICT

ANDHRA PRADESH – 515134.

Website: www.srisathyasai.org

Email: ce@mail.sssct.org

#### Aum Sri Sairam

Sri Sathya Sai Central Trust, Prasanthi Nilayam Puttaparthy, Sri Sathya Sai District, A.P. - 515134

#### TENDER DOCUMENT

Tender Notice Number: SSSCT/PROC/24-25/E&P/033

Name of work: Civil Finishing Works Of Dormitories cum Rooms Block at Prasanthi Nilayam Block-C-(Ground Floor) – Estimated cost Rs.58 Lakhs

On behalf of Sri Sathya Sai Central Trust, Prasanthi Nilayam Sri Sathya Sai District here-in-after mentioned as the Owner, you are hereby invited to bid Civil Finishing Works of Dormitories cum Rooms Block at Prasanthi Nilayam Block-C-(Ground Floor)

- 1. Scope of work: Civil works of the above mentioned work as per BOQ and the specification provided along with this tender document.
- 2. The documents comprising the tender, are
  - A) Notice inviting tender
  - B) General conditions of contract (GCC)
  - C) Special conditions of contract (SCC)
  - D) List of materials to be used.
  - E) Site visit declaration.
  - F) Bill of quantities (BOQ)
- 3. The Bidder shall furnish the following documents soft copy through mail i,e tenders@mail.sssct.org and hard copy need to be sent to the following address i.e. Chief Engineer, Sri Sathya Sai Central Trust, Prasanthi Nilayam A.P. 515134 on or before 22-january-2025
  - i) Covering letter
  - ii) BOQ duly filled and signed by the bidder
  - iii) Declaration of site inspection by the bidder before quoting the tender.
  - iv) Acceptance of general conditions of the contract, duly signed.
- 4. The last date of submission of the tender is 22-January-2025 at 11.00 AM

# **CONTENTS**

SL.NO	DESCRIPTION	PAGE NO
I	WORKS BID INVITATION	3-4
II	GENERAL CONDITIONS OF CONTRACT	5-9
III	SPECIAL CONDITIONS OF CONTRACT	10-11
IV	BID FORM- Annexure-I	12-13
V	DETAILS OF THE BIDDER/CONTRACTOR-	14-15
·	Annexure-III	
	LIST OF DOCUMENTS TO BE SUBMITTED BY THE	16-16
VI	BIDDER ALONG WITH TECHNICAL BID IN A SEALED	
	COVER-Annexure-IV	
VII	LIST OF MATERIALS TO BE USED	17-17
VIII	SITE VISIT DECLARATION	18-18
IX	BILL OF QUANTITIES	19-24

#### **I-WORKS BID**

# INVITATION OF BIDS FOR THE CIVIL FINISHING WORKS OF DORMITORIES CUM ROOMS BLOCK AT PRASANTHI NILAYAM BLOCK-C-(GROUND FLOOR)

The Sri Sathya Sai Central Trust, Prasanthi Nilayam, Puttaparthi, Andhra Pradesh hereby invites tender from for the said work as per the specifications. "Interested parties who wishes to participants may submit their bids as per process mentioned here under"

To: The Chief Engineer, Sri Sathya Sai Central Trust, Prasanthi Nilayam Puttaparthi, Sri Sathya Sai District, Andhra Pradesh. Pin: 515134

Sl.		
No	Bid issue	Description
1	Tender Inviting Authority	Chief Engineer, Sri Sathya Sai Central Trust
2	Name of the Work	Civil Finishing Works Of Dormitories cum Rooms Block at Prasanthi Nilayam, Block-C-(Ground Floor)
3.	Place at which Tender documen tavailable	Tender Document can be downloaded from Website: http://tenders.sssct.org/Civil_Finishing_works_01_at_DCRB_PSN.pdf
4.	Earnest Money Deposit (EMD)	Estimated Value of the Bid Rs. 58Lakhs EMD: 58,000/- (Rupees Fifty Eight thousand only) To be paid by all the Bidders by bank Transfer as per the details below, at the time of submission of tender bid.  SSSCT PROJECTS-INDIAN FUNDS UTILIZATION  A/C No: 39117267217. IFSCODE:SBIN0010480  STATE BANK OF INDIA, PRASANTHI NILAYAM

5.	Security Deposit	Further Security Deposit of 1.5% is to be paid by the selected Bidder
	Deposit	ruther occurry Deposit of 1.570 is to be paid by the selected blader
6.	Last Date for	<b>22.01.2025</b> (Until 11.00 AM)
	Submissio n of Bid	
	II OI DIG	

#### 1. PROCEDURE FOR BID SUBMISSION:

The Bidder shall submit the Bids on or before 22.01.2025 (Until 11:00 AM) To the Tender Inviting Authority as per the procedure detailed below:

- a. The Bidders shall submit their Bid in a sealed cover along with all the documents as per the Works Bid Invitation along with the Bid.
- b. The Bidder shall sign on all the statements, documents, certificates, and sent by the, owning responsibility for their correctness / authenticity.

#### 2. TENDER DOCUMENT:

The Bidder is requested to download the Tender Document and read all the terms and conditions mentioned in the Tender Document and seek clarification if any, from the Tender Inviting Authority through e mail: ce@mail.sssct.org

**3. LATE BIDS**: Sri Sathya Sai Central Trust will not accept any bid after the deadline for submission of bids.

#### II. GENERAL CONDITIONS OF CONTRACT

#### 1. DEFINITIONS

In this Contract, the following terms shall be interpreted as indicated:

- A ."The Contract" means the agreement entered into between the Sri Sathya Sai Central Trust and Contractor as recorded in the contract form signed by the parties, including all the attachments and appendices thereto and all documents incorporated by reference therein:
- B. "The Contact Price" means the price payable to the Contractor under the Contract for the full and proper performance of its contractual obligation;
- C ."Services" means services ancillary to the work, such as transportation and insurance, and all other incidental services, such as commissioning, provision of technical assistance, training and other obligations of the Supplier covered under the Contract;
- D "GCC" means the General Conditions of Contract contained in this section;
- E "SCC" means the Special Conditions of Contract;
- F. "The Contractor" means the Bidder selected for and services under this Contract.
- G. "The Trust" means the Sri Sathya Sai Central Trust, the tender Inviting Authority for the work.

#### 2. CHANGE OF ORDERS:

The Trust may, at any point of time, by written order given to the Contractor make changes modifications within the general scope of the contract in any one or more of the following:

- A .The scope of work;
- B. The specifications of work; and / or
- c. The services to be provided by the Contractor

#### 3. APPLICABLE LAWS:

The contract shall be interpreted in accordance with the prevailing laws of the Government of Andhra Pradesh and Union of India.

#### 4. NOTICES:

Any notice given by the Trust to the Contractor pursuant to this Contract shall be sent in writing or by e-mail and/or confirmed in writing to the Contractor's address specified in Contract.

A notice shall be effective when delivered or on the notice's effective date, whichever is later.

#### 5. AGREEMENT:

The successful Bidder(s) shall execute an agreement for the fulfilment of the contract on **Rs.100/-** non-judicial stamp paper in the prescribed format provided, within seven days from the date of acceptance of the Bid and intimation of the award of Contract.

The incidental expenses of execution of agreement shall be borne by the successful Bidder(s).

The conditions stipulated in the agreement should be strictly adhered to and violation of any of the conditions in full or in part will entail termination of the Contract without prejudice to the rights of The Trust towards Contractor and recovery of any consequential loss from the Contractor.

#### 6. CHANGE OF SPECIFICATIONS:

No change of specifications after the placement of Order shall be entertained unless the alternate model offered is equivalent or higher in specifications and approval of the Competent Authority has been obtained in writing for such a change of model before execution of the work. Execution of work without such an approval shall not be accepted.

#### 7. CONFLICT OF INTEREST.

Any Bidder having a conflict of interest, which substantially affects fair competition, shall not be eligible to bid in this tender. Bids found to have a conflict of interest shall be rejected as non-responsive. Bidder shall be required to declare the absence of such conflict of interest. A Bidder in this Tender Process shall be considered to have a conflict of interest if the Bidder:

- i. Directly or indirectly controls and/is controlled by or is under common control with another Bidder; or ii .Receives or have received any direct or indirect subsidy/ financial stake from another Bidder; or
- iii. Has the same legal representative/ agent as another Bidder for purposes of this bid. A Principal can authorize only one agent, and an agent also should not represent or quote on behalf of more than one Principal or
- iv. Has a relationship with another bidder, directly or through common third parties, that puts it in a position to have access to information about or influence the bid of another Bidder or influence the decisions of the Procuring Entity regarding this Tender process; or
- v. Participates in more than one bid in this tender process. Participation in any capacity by a Bidder (including the participation of a Bidder as sub-contractor in another bid or vice-versa) in more than one bid shall result in the disqualification of all bids in which he is a party. However, this does not limit the participation of a non-bidder firm as a sub-contractor in more than one bid; or
- vi. Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services that it provided (or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm), for the procurement planning (inter-alia preparation of feasibility/ cost estimates/ Detailed Project Report (DPR), design/ technical specifications, terms of reference (ToR)/ Activity Schedule/ schedule of requirements or the Tender Document etc) of this Tender process; or
- vii. Has a close business or family relationship with a staff of the Procuring Organisation who: (i) are directly or indirectly involved in the preparation of the Tender document or specifications of the Tender

Process, and/or the evaluation of bids; or (ii) would be involved in the implementation or supervision of resulting Contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the Tender process and execution of the Contract.

The Bidder shall go through instructions, terms and conditions given in this tender document. Failure to furnish all the requisite information called for in this Tender will be at the Bidders' risk and may result in rejection of the tender. The Bidder shall download the tender document, sign and send again by e-mail confirming that the Bidder has gone through all the terms and conditions of the tender.

#### 8. AMENDMENT OF BIDDING DOCUMENTS

At any time prior to the deadline for submission of bids, the Sri Sathya Sai Central Trust may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding documents by amendment.

Any such amendment/ corrigendum shall be posted on the Sri Sathya Sai Central Trust website only and no other communication shall be made to any firm in this regard.

In order to allow prospective Bidders reasonable time, in which to take the amendment into account in preparing their bids, the Sri Sathya Sai Central Trust, at its discretion, may extend the deadline for the submission of bids.

#### 9. LANGUAGE OF BID

The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Sri Sathya Sai Central Trust shall be written in English language. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in the English language in which case, for purposes of interpretation of the Bid, the translation shall govern.

#### 10. FORUM FOR LEGAL PROCEEDINGS:

In all cases of disputes, the decision of the Tender Inviting Authority shall be final. Any dispute or difference or any matter arising out of contract or incidentals thereto under this enquiry shall be subjected to jurisdiction of a competent Court of Law in Puttaparthi in Andhra Pradesh alone and not in any other place.

# 11. ACCEPTANCE or REJECTION OF BIDS:

A .The Tender Inviting Authority reserves the right to accept or reject any or all bids and to annul the bidding process at any time prior to award of contract, without thereby incurring any liability or any obligation to inform the affected Bidder or Bidders of the grounds for the said action.

- B. Any Bid with incomplete information is liable for rejection.
- C .For each category of pre-qualification criteria, the documentary evidence is to be produced duly

attested by the Bidder, serially numbered and enclosed with the bids. If the documentary proof is not enclosed for any/all criteria the Bid is liable for rejection.

If any information given by the Bidder is found to be false / fictitious, the Bidder will be debarred for 2 years from participating in any other tenders and will be blacklisted.

#### 12. OTHER IMPORTANT CONDITIONS:

- 1. Validity of offer: The prices quoted must be FIRM and the offers made must remain open for acceptance for 90 days from the date of opening of Tender.
- 2. Payment Terms: Payment will be released within 15 days after receipt of the certified bill.
- 3. The Trust will not issue any statutory forms like, Form C, Form D, Way bill etc., and this should be taken into account by the Contractor while quoting the rates.
- 4. The Tender Quantity is Tentative. It can be increased or decreased at the discretion of the Trust.
- 5. After finalization of Tender, a work completion schedule shall be submitted by the Contractor which can be revised by the Trust.
- 6. Penal clauses of the Contractor whatsoever like payment of interest on late payment of bills etc. shall not be acceptable to Sri Sathya Sai Central Trust.
- 7. Impermissible variations to specifications of work will be viewed seriously and will lead to black-listing.
- 8. The Trust reserves the right to override all the terms and conditions of the tender at any moment. It may reject any tender without assigning any reasons thereof and the same shall not be questioned in any court of law on any ground, whatsoever.
- 9. TAXES: TDS as applicable under the Income Tax Act will be deducted from all payments made to the contractor.
- 10. DISCIPLINE AND BEHAVIOUR OF WORKMEN: The Contractor shall ensure proper decorum, discipline and decency within the premises of the Institution. Smoking, consumption or possession of alcoholic drinks, and non-vegetarian food items within the premises are prohibited.
- 11. STATUTORY REQUIREMENTS: All necessary permits, licenses, registration and other Environment / Planning-related clearance needed for the works will be arranged by the Trust, assisted by the Contractor in respect of provision of the required data.
- 12 ASSIGNMENT AND SUBLETTING: The Contractor shall not assign or sub-contract any part of the work to another agency without prior written approval of the Trust.

13. LIQUIDATED DAMAGES: The Contractor undertakes to complete the work within the stipulated period. In case there are delays not attributable to Force Majeure, and without acceptable justification, the Trust can issue a notice of 15 days to the Contractor to make up the delay, and if there is still a delay, the Trust reserves the right to levy Liquidated Damages to the extent of 2% of the contract value per week of delay. If and when the Liquidated Damages reach a limit 10%, the Trust shall be entitled to determine the Contract and get the work carried out by another agency, with any relevant costs in excess of the contracted value accruing to the Contractor's account

#### 14. LABOUR LAWS:

The Contractor shall be responsible for full compliance with all laws and regulations relating to labour, employment, compensation, wages, working conditions, environment, insurance, safety, etc., and the Trust stands fully indemnified against any claim in this regard.

#### **III.SPECIAL CONDITIONS OF CONTRACT**

- SCOPE OF WORK: Civil Finishing Works Of Dormitories cum Rooms Block at Prasanthi Nilayam, Block-C-(Ground Floor)
- 2. EMD (Earnest Money Deposit)
  - A. EMD of 1% value of work shall be enclosed along with the Bid. Without EMD, the Bid will not be accepted. This will be refunded to the unsuccessful bidders after awarding the work.
  - B. The successful bidder shall deposit a further amount of 1.5% towards FSD (Further Security Deposit) before signing of the Agreement.
  - C. The total EMD/FSD of 2.5% of successful contactor will be released after Defect liability period of 24 months after completion of the work.
- DURATION OF THE CONTRACT: 45 Days from the date of issuing the letter of Intent. Time
  is the essence of the contract. Contractor shall submit a work schedule highlighting the various
  milestones immediately after award of work.
- 4. **CONTRACT AGREEMENT:** Will be executed between the Contractor and SSSCT, Prasanthi Nilayam on a Rs. 100/- stamp paper.
- 5. **MACHINERY**: All the required machineries should be brought by the contractor. Contractor will be responsible for its maintenance and supply of fuel.
- 6. **MATERIAL**: All the material required for this construction should be brought by the Contractor. List of approved material Brands is attached separately.
- 7. **MANPOWER:** All the required manpower both skilled and unskilled should be arranged by the Contractor. The accommodation, safety of the work force is Contractor's responsibility.
- 8. **SUPERVISION:** A full time experienced supervisor/ Engineer shall be engaged by the Contractor to supervise the work.
- 9. **TYPE OF CONTRACT**: Item rate Contract. The rates quoted for different items should cover the cost of labour, transport, Tools & plants materials, Lead, Lift, over heads, incidental charges etc.
- 10. **MODE OF PAYMENT**: Intermediate/Part Payments will be made based on bills containing detailed measurements to be submitted by the contractor duly certified by the engineer-in-charge and processed through Finance department after effecting Tax Deduction at Source (TDS) as per IT Act.
- 11. **DEFECT LIABILITY PERIOD**: 24 months from the date of handing over. The work completed in all respects as per BOQ and conditions of Contract.

- **12. RETENTION AMOUNT**: 5% of the bill value will be deducted from each R.A. Bill. And same will be released to the contractor along with Final bill after satisfactory completion work. The FSD amount release after 24 months.
- 13. MODE OF MEASUREMENT: As per IS Codes.
- 14. REPORTING THE PROGRESS OF THE WORK
  - A. The Contractor shall maintain a Site Order Book, where in inspecting Engineers will write day to day observations, instructions and progress of work. This book shall accompany the bills submitted from time to time.
  - B. The contractor shall send the pictures of the work progress to the whatsapp group, (which will be formed). From time to time.
- 15. **STATUTORY REQUIREMENTS:** Contractors shall arrange to pay the WCP Insurance, on mining material and all other necessary formalities required to execute the work.
- 16. **QUALITY OF WORK:** Certificate issued by the local site-in-charge appointed by the SSSCT shall be final. Any defective material/ work found by these authorities during their inspection shall be replaced by the contractor at his cost immediately.
  - SSSCT reserve the right to terminate the contract if it is found that the work is not up to the mark as for the quality and speed of the progress is concerned, without giving prior notice.
- 17. **Tower crane facility:** Owner will allow the contractors to use the Tower crane facility available at the site on debatable basic, tower crane charge will be based on Rs.\_\_\_\_\_per sqm/cum mentioned in the BOQ. Only lift charges for crane, loading, un loading lead for contractor scope only
- 18. Mobilization advance: No mobilisation advance will be paid by the owner
- 19. 'The contractor must employ well qualified masons and foreman's (supervisors) to monitor work. The person must be dedicated full time for the project'.
- 20. The tender related queries mail ID: ce@mail.sssct.org
  21.→ All Technical queries Cell no-9136821601("Sandeep Deshmukh"). €
  - a. Location link for Tender submission:https://maps.app.goo.gl/8wErz5WksHFKF7PX8

## IV.ANNEXURE -I

Ref No: Date:
То
Sri Sathya Sai Central Trust
Prasanthi Nilayam, Puttaparthi
Sri Sathya Sai District,
Andhra Pradesh – 515134.
Sir/Madam,
Having examined the Bidding Documents including Addenda Nos. (insert numbers) the receipt of which is hereby duly acknowledged, we, the undersigned, offer to execute the work in conformity with the said bidding documents for the sum of Rs (total bid amount in words and figures) or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith as part of this bid.
Conditions:
1. We undertake that if our Bid is accepted, for execution of work in accordance with the terms and conditions in the Bidding document.
2. If our bid is accepted, we will obtain the guarantee of a bank for the sum, specified under Tender Conditions in the form prescribed by the Trust.
3. Until a formal contract is prepared and executed, this bid, together with your written acceptance thereof and your notification of award shall constitute a binding Contract between us.
4. We understand that you are not bound to accept the lowest or any bid you may receive.
5. We confirm that we comply with the eligibility Criteria as per Sl 20 of Special Conditions of Contract of the Tender document.
Dated this
Signature:
(In the Capacity of):
Duly authorized to sign bid for and on behalf of

#### Place:

(In the case of a Partnership Firm, all the partners of the firm should authorize the concerned person for signing the Bid Form. In the case of a Company a copy of the resolution authorizing the concerned person to sign the Bid Form. Copies to be enclosed)

# V.ANNEXURE – III

# DETAILS OF THE BIDDER/CONTRACTOR

S.No.	Particulars	
1	Name of the Firm/ Organization/ Society:	
2	Year of Establishment:	
	Registration No. & Date :	
3	Complete Address:	
	Pin Code	
	Phone No.	
	Fax No.	
	e-mail:	
	Authorized person	
4	Name, Address: Designation Phone No. e-mail id	
	If Partnership Firm	
	a) Name & Address of all Partners	
5	b) If Registered under Companies Act, Name of the Chairman and Managing Director with full address	
	c) Name & Address of Proprietor If Proprietor concern.	
6	PAN No. & Date:	
7	GST No.	
8	Branches:	
9	An <b>nua</b> l Turn-Over	
	For 20-21	

TENDER NO. SSSCT/PROC/E&P/24-25/033

	For 2021-22:	
	For 2022-23:	
10	Key personnel experience	
11	Details of men & machinery available for execution of work	
12	Business Background/History:	
13	Special Accreditations or Awards, if any:	
14	Customer Testimonials:	
15	Details of man power and equipment	

PLACE

DATE:

SIGNATURE OF THE BIDDER

# VI.ANNEXURE -IV

# SRI SATHYA SAI CENTRAL TRUST, PRASANTHI NILAYAM

List of Documents to be submitted by the Bidder along with Technical Bid in a sealed cover

#### NAME OF THE BIDDER:

- 1.Name:
- 2. Address:
- 3. Email:
- 4.Name of Authorised Person
- 5. Contact Phone Number

Sl No	List of the Documents (Duly attested by the Authorized person on all the documents)
1	Tender Document duly signed & with seal on all pages by the Authorized Signatory.
2	Status of the Bidder - Proprietary / Partnership Firm / etc. submit documentary evidence.
3	Copy of Resolution authorizing the Bidder to Sign the Bid Documents.
4	PAN of the Establishment.
5	GST Registration Certificate.
6	Authorized Person PAN And AADHAAR*
7	Details of the Key Person and experience*
8	Copies of Income Tax returns filed and Assessment orders for the last three financial years. Financial statements for last three financial years.
9	Bidder's Bank Details.
10	Site visit Declaration.

All the above documents are must for the bid to be considered as valid

#### VII. LIST OF APPROVED MAKES / BRAND OF MATERIALS

#### LIST OF BRAND/MAKE TO BE USED

Cement - Ultratech, ACC, Dalmia, JSW ,RAMCO- OPC 43/53 grade
Steel reinforcement bars/Rods - TATA/ Jindal Neo FE500-FE550 /Vizag steel/SAIL
CPVC /UPVC/PVC-pipes & its accessories - Astral, Supreme, Ashirwad
PHE items & accessories/fittings - Cera, Parryware, Hindware , Jaguar, JAL (Havay duty)
& watertec ,Slimline

Valves- Zolotto, Kartar / Astral, Watertec(PVC, GI,SS)

Electrical items – Crompton Greaves, Polycab, Finolex, Havells, Legrand, Gloster(cables), C&S, ABB, Philips, Schneider, HPL. Wires should be FRLSH. KEI (Cable), Atom berg, Roma Anchor, Anchor Penta, L&T indo asian and Akarui.

Tiles - Kajaria, Somany, Johnson, AGL, RAK.

Paints - Asian, Berger, Nerolac, JSW.

Pumps- Kirloskar, KSB.(CRI Wilo for hot water)

Extinguishers - Safex, Ceasefire, Kanex.

Any materials to be used/purchased at site should be from approved vendor & duly certified by SSSCT Engineer & the same to be mentioned in the bills for payment.

# VIII. SITE VISIT DECLARATION

To
Sri Sathya Sai Central Trust,
Prasanthi Nilayam,
Puttaparthi (A.P)
NIT No. TND/ / / - Dated / /
Dear Sir,
I/WeUndersigned visited the project site onand
collected all the required information and data regarding availability of material and noted the
environmental condition. I have also signed the attendance register maintained at site in presence
of Site-In-change.
Yours faithfully,
(Signature of the Tenderer)
Seal of Tenderer
Dated

# Bill of Quantities

Sino	Description	Unit	Qty	Rate	Amount
	MASONRY WORK				
	230 MM Thick Burnt Brick Masonry work				
	Providing and laying 230 MM thick burnt brick masonry with approved				
	best quality first class normal size table moulded bricks of minimum				
	crushing strength of 50 kgs/sqcm, with the cement mortar 1:6 ., All as				
	per architectural drawings and site instructions the rate inclusive of				
	procuring, stocking, loading into the tower crane basket unloading at				
1	respective floor, shifting to the spot. rate also inclusive of hacking the				
	columns, providing cement slurry , wastages , curing, proving and fixing				
	the necessary scaffolding , wetting of blocks, before construction all				
	should be complete. The cement mortar shall be prepared on a platform				
	with the workable water cement ratio. The rate inclusive of maintaining				
	the mix record. Each batch of mixing in a standard format as per site				
	instructions.				
	Ground floor	SQM	200		
	First floor	RO			
	Second floor	RO			
	Third floor	RO			
	Fourth floor	RO			
	Terrace (Head room walls & Parapets)	RO			
	200 MM Solid cement Concrete Block Masonry				
	Providing and laying 200 MM Thick cement concrete block masonry off				
	Size 400*200 *200 with the minimum compressive strength of				
	40kg/sqcm with the cement mortar 1:6., All as per architecture drawing				
2	and site instructions the rate inclusive of procuring, stocking, loading				
	into the tower crane basket unloading at respective floor, shifting to the				
	spot. rate also inclusive of hacking the columns, providing cement slurry				
	, wastages , curing, proving and fixing the necessary scaffolding , wetting				
	of blocks, before construction all should be complete. the cement				
	mortar shall we prepared on a platform with the worktable water cement				
	ratio. the rate inclusive of maintain the mix record. each batch of mixing				
		I	]		

	Ground floor	SQM		
		SQM	125	
	First floor	RO		
	Second floor	RO		
	Third floor	RO		
	Fourth floor	RO		
	Terrace (Head room walls & Parapets)	RO		
	150 MM Solid cement Concrete Block Masonry			
3	Providing and laying 150 MM Thick cement concrete block masonry off Size 400*150*200 with the minimum compressive strength of 40kg/sqcm with the cement mortar 1:6., All as per architecture drawing and site instructions the rate inclusive of procuring, stocking, loading into the tower crane basket unloading at respective floor, shifting to the spot. rate also inclusive of hacking the columns, providing cement slurry, wastages, curing, proving and fixing the necessary scaffolding, wetting of blocks, before construction all should be complete, the cement mortar shall we prepared on a platform with the worktable water cement ratio, the rate inclusive of maintain the mix record, each batch of mixing in a standard format as per site instructions.			
	Ground floor	SQM	1600	
	First floor	RO		
	Second floor	RO		
	Third floor	RO		
	Fourth floor	RO		
	Terrace (Head room walls & Parapets)	RO		
	PLASTERING WORKS			
	INTERNAL WALL PLASTERING			
	INTERNAL WALL PLASTERING			

fixing expanding mesh columns, beam wall junctions, and filling of the groves, chased for electrical and plumbing line with the cement mortar 1:6(1 cement: 6sand), finishing to the line and level with lime rendering finished smooth, at all levels Heights, including all leads and lifts, hydrating the line 24 hours before starting of work, All as per architecture drawing and site instructions the rate inclusive of procuring, stocking, loading into the tower crane basket unloading at respective floor, shifting to the spot rate also inclusive of hacking the slab, providing cement slurry, wastages, curing, providing and fixing the necessary scaffolding, the cement mortar shall be prepared on a platform with the workstable water cement ratio, the rate inclusive of maintain the mix record, each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  RO  Third floor  RO  Terrace (Head room walls & Parapets)  Sextend floor  RO  External Plastering  Ground floor  RO  Third floor  RO  Celling Plastering  Celling Plastering	4	Providing and laying plastering for internal walls of 12 MM Thick and			
1:6(1 cement : 6sand), finishing to the line and level with lime rendering finished smooth, at all levels Heights , including all leads and lifts , hydrating the lime 24 hours before starting of work, All as per architecture drawing and site instructions the rate inclusive of procuring, stocking, loading into the tower crane basket unloading at respective floor, shifting to the spot rate also inclusive of hacking the slab, providing cement slurry, wastages , curing, providing and fixing the necessary scaffolding , the cement mortar shall be prepared on a platform with the worktable water cement ratio the rate inclusive of maintain the mix record, each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  RO  Third floor  RO  Terrace (Head room walls & Parapets)  Second floor  RO  First floor  RO  Third floor  RO  Third floor  RO  Third floor  RO  Terrace (Head room walls & Parapets)  RO  Third floor  RO  Third floor  RO  Fourth floor  RO  Third floor		fixing expanding mesh columns, beam wall junctions. and filling of the			
finished smooth, at all levels Heights, including all leads and lifts, hydrating the lime 24 hours before starting of work, All as per architecture drawing and site instructions the rate inclusive of procuring, stocking, loading into the tower crane basket unloading at respective floor, shifting to the spot. rate also inclusive of hacking the slab, providing cement slurry, wastages, curing, providing and fixing the necessary scaffolding, the cement mortar shall be prepared on a platform with the worktable water cement ratio, the rate inclusive of maintain the mix record, each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  RO  Third floor  RO  Terrace (Head room walls & Parapets)  RO  Terrace (Head room walls & Parapets)  RO  Third floor  RO  Third floor  RO  Fourth floor  RO  Terrace (Head room walls & Parapets)  RO  Third floor  RO  Third floor  RO  Fourth floor  RO  First floor  RO  First floor  RO  Terrace (Head room walls & Parapets)  RO  Third floor		groves, chased for electrical and plumbing line with the cement mortar			
hydrating the lime 24 hours before starting of work, All as per architecture drawing and site instructions the rate inclusive of procuring, stocking, loading into the tower crane basket unloading at respective floor, shifting to the spot. rate also inclusive of hacking the slab, providing cement slurry, wastages, curing, providing and fixing the necessary scaffolding, the cement mortar shall be prepared on a platform with the worktable water cement ratio. the rate inclusive of maintain the mix record. each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  RO  Third floor  Fourth floor  Fourth floor  Ground floor  RO  Terrace (Head room walls & Parapets)  Second floor  RO  First floor  RO  First floor  RO  First floor  RO  First floor  RO  Fourth floor  RO  First floor  RO  Fourth floor  RO  First floor  RO  Fourth floor  RO  First floor  RO  Fourth floor  RO  Fourth floor  RO  First floor  RO  First floor  RO  First floor  RO  First floor  RO  Third floor		1:6(1 cement : 6sand), finishing to the line and level with lime rendering			
architecture drawing and site instructions the rate inclusive of procuring, stocking, loading into the tower crane basket unloading at respective floor, shifting to the spot. rate also inclusive of hacking the slab, providing cement slurry, wastages, curing, providing and fixing the necessary scaffolding, the cement mortar shall be prepared on a platform with the worktable water cement ratio, the rate inclusive of maintain the mix record, each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  RO  Third floor  Fourth floor  Fourth floor  Ground floor  RO  Terrace (Head room walls & Parapets)  Second floor  RO  First floor  RO  First floor  RO  First floor  RO  Fourth floor  RO  Fourth floor  RO  Fourth floor  RO  Fourth floor  RO  First floor  RO  Fourth floor  RO  First floor  RO  Fourth floor  RO  Fourth floor  RO  First floor  RO  Third floor  RO  Third floor  RO  Third floor  RO  Third floor  RO  Fourth floor  RO  Third floor		finished smooth, at all levels Heights , including all leads and lifts ,			
stocking, loading into the tower crane basket unloading at respective floor, shifting to the spot. rate also inclusive of hacking the slab, providing cement slurry, wastages, curing, providing and fixing the necessary scaffolding, the cement mortar shall be prepared on a platform with the worktable water cement ratio. the rate inclusive of maintain the mix record. each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  Third floor  Fourth floor  Terrace (Head room walls & Parapets)  RO  Second floor  RO  First floor  RO  First floor  RO  Fourth floor  RO  First floor  RO  Fourth floor  RO  First floor  RO  First floor  RO  Fourth floor  RO  Third floor		hydrating the lime 24 hours before starting of work, All as per			
floor, shifting to the spot. rate also inclusive of hacking the slab, providing cement slurry, wastages, curing, providing and fixing the necessary scaffolding, the cement mortar shall be prepared on a platform with the worktable water cement ratio. the rate inclusive of maintain the mix record. each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  Third floor  Terrace (Head room walls & Parapets)  EXTERNAL PLASTERING  Ground floor  RO  First floor  RO  Third floor  RO  Third floor  RO  First floor  RO  Fourth floor  RO  First floor  RO  Terrace (Head room walls & Parapets)  Terrace (Head room walls & Parapets)  Third floor  RO  Third floor		architecture drawing and site instructions the rate inclusive of procuring,			
providing cement slurry, wastages, curing, providing and fixing the necessary scaffolding, the cement mortar shall be prepared on a platform with the worktable water cement ratio. the rate inclusive of maintain the mix record. each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  RO  Third floor  Fourth floor  Terrace (Head room walls & Parapets)  First floor  RO  First floor  RO  Third floor  RO  Terrace (Head room walls & Parapets)  Terrace (Head room walls & Parapets)  Fourth floor  RO  Fourth floor  RO  First floor  RO  Fourth floor  RO  Third floor		stocking, loading into the tower crane basket unloading at respective			
necessary scaffolding, the cement mortar shall be prepared on a platform with the worktable water cement ratio, the rate inclusive of maintain the mix record, each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  RO  Third floor  Fourth floor  Terrace (Head room walls & Parapets)  First floor  RO  First floor  RO  Third floor  RO  Terrace (Head room walls & Parapets)  Found floor  RO  Found floor  RO  First floor  RO  First floor  RO  First floor  RO  First floor  RO  Third floor		floor, shifting to the spot. rate also inclusive of hacking the slab,			
platform with the worktable water cement ratio. the rate inclusive of maintain the mix record. each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  RO  Third floor  Fourth floor  Terrace (Head room walls & Parapets)  First floor  RO  First floor  RO  Terrace (Head room walls & Parapets)  RO  Fourth floor  RO  First floor  RO  First floor  RO  First floor  RO  First floor  RO  Forund floor  RO  First floor  RO  Terrace (Head room walls & Parapets)  RO  Third floor  RO  Fourth floor  RO  Fourth floor  RO  Fourth floor  RO  Terrace (Head room walls & Parapets)		providing cement slurry, wastages , curing, providing and fixing the			
maintain the mix record. each batch of mixing in a standard format as per site instructions.  Ground floor  First floor  Second floor  RO  Third floor  Fourth floor  Terrace (Head room walls & Parapets)  Second floor  RO  First floor  RO  Terrace (Head room walls & Parapets)  Forum floor  RO  First floor  RO  Terrace (Head room walls & Parapets)  RO  Third floor  RO  Third floor  RO  Third floor  RO  Third floor  RO  Terrace (Head room walls & Parapets)		necessary scaffolding , the cement mortar shall be prepared on a			
per site instructions.  Ground floor  First floor  RO  Second floor  RO  Third floor  Fourth floor  Terrace (Head room walls & Parapets)  Ground floor  RO  First floor  RO  Terrace floor  RO  Terrace floor  RO  First floor  RO  Terrace floor  RO  First floor  RO  Terrace floor  RO  Terrace floor  RO  Terrace floor  RO  Terrace floor  RO  Third floor  RO  Third floor  RO  Terrace		platform with the worktable water cement ratio. the rate inclusive of			
Ground floor  First floor  RO  Second floor  RO  Third floor  Fourth floor  Terrace (Head room walls & Parapets)  Ground floor  First floor  RO  Terrace floor  RO  Terrace floor  RO  Terrace floor  RO  Terrace floor  RO  First floor  RO  First floor  RO  First floor  RO  First floor  RO  Terrace floor  RO  Terrace floor  RO  Terrace floor  RO  Terrace floor  RO  Third floor  RO  Terrace floor  RO  Terrace floor  RO  RO  RO  Terrace floor  RO  RO  RO  RO  RO  Terrace floor  RO  RO  RO  RO  RO  Terrace floor		maintain the mix record. each batch of mixing in a standard format as			
First floor RO  Second floor RO  Third floor RO  Fourth floor RO  Terrace (Head room walls & Parapets) RO  Second floor RO  Terrace (Head room walls & Parapets) RO  Trest floor RO  First floor RO  Second floor RO  Third floor RO  Third floor RO  Third floor RO  Third floor RO  Tourth floor RO  Terrace (Head room walls & Parapets) RO  Terrace (Head room walls & Parapets) RO		per site instructions.			
First floor RO  Second floor RO  Third floor RO  Fourth floor RO  Terrace (Head room walls & Parapets) RO  SEXTERNAL PLASTERING  Ground floor RO  First floor RO  First floor RO  Second floor RO  Third floor RO  Terrace (Head room walls & Parapets) RO  To second floor RO  Third floor RO  To second floor RO  Third floor RO  To second floor RO  To		Ground floor	SQM	4200	
Second floor RO  Third floor RO  Fourth floor RO  Terrace (Head room walls & Parapets) RO  SexTERNAL PLASTERING  Ground floor RO  First floor RO  Second floor RO  Third floor RO  Third floor RO  Tourth floor RO  Tourth floor RO  Tourth floor RO  Tourth floor RO  Terrace (Head room walls & Parapets) RO  Terrace (Head room walls & Parapets)					
Third floor RO  Fourth floor RO  Terrace (Head room walls & Parapets) RO  5 EXTERNAL PLASTERING  Ground floor RO  First floor RO  Second floor RO  Third floor RO  Third floor RO  Tourth floor RO  Fourth floor RO  Terrace (Head room walls & Parapets) RO		First floor	RO		
Fourth floor RO  Terrace (Head room walls & Parapets) RO  5 EXTERNAL PLASTERING  Ground floor RO  First floor RO  Second floor RO  Third floor RO  Tourth floor RO  Fourth floor RO  Terrace (Head room walls & Parapets) RO		Second floor	RO		
Terrace (Head room walls & Parapets)  EXTERNAL PLASTERING  Ground floor  RO  First floor  Second floor  RO  Third floor  RO  Fourth floor  RO  Terrace (Head room walls & Parapets)  RO  RO  RO  RO  RO  RO  RO  RO  RO  R		Third floor	RO		
Terrace (Head room walls & Parapets)  EXTERNAL PLASTERING  Ground floor  RO  First floor  Second floor  RO  Third floor  RO  Fourth floor  RO  Terrace (Head room walls & Parapets)  RO  RO  RO  RO  RO  RO  RO  RO  RO  R		Fourth floor	RO		
5 EXTERNAL PLASTERING  Ground floor  RO  First floor  Second floor  Third floor  Fourth floor  Terrace (Head room walls & Parapets)  RO  RO  RO  RO  RO  RO  RO  RO  RO  R					
Ground floor RO  First floor RO  Second floor RO  Third floor RO  Fourth floor RO  Terrace (Head room walls & Parapets)  RO  RO  RO  RO  RO  RO  RO  RO  RO  R		Terrace (Head room walls & Parapets)	RO		
First floor RO Second floor RO Third floor RO Fourth floor RO Terrace (Head room walls & Parapets)	5	EXTERNAL PLASTERING			
First floor RO Second floor RO Third floor RO Fourth floor RO Terrace (Head room walls & Parapets)		Ground floor	RO		
Second floor RO  Third floor RO  Fourth floor RO  Terrace (Head room walls & Parapets)  RO					
Third floor RO  Fourth floor RO  Terrace (Head room walls & Parapets)  RO		First floor	RO		
Fourth floor RO  Terrace (Head room walls & Parapets) RO		Second floor	RO		
Fourth floor RO  Terrace (Head room walls & Parapets) RO		Third floor	RO		
Terrace (Head room walls & Parapets)					
		Fourth floor	KO 		
CEILING PLASTERING		Terrace (Head room walls & Parapets)	RO		
		CEILING PLASTERING			

6	Providing and laying 12 MM Thick plastering to ceilings, in cement			
	mortar 1:3, finishing to line and level with lime rendering finished			
	smooth., at all levels Heights ,hydrating the lime 24 hours before starting			
	of work, All as per architecture drawing and site instructions the rate			
	inclusive of procuring, stocking, loading into the tower crane basket			
	unloading at respective floor, shifting to the spot. rate also inclusive of			
	hacking the slab, providing cement slurry, wastages, curing, providing			
	and fixing the necessary scaffolding, the cement mortar shall we			
	prepared on a platform with the worktable water cement ratio. the rate			
	inclusive of maintain the mix record. each batch of mixing in a standard			
	format as per site instructions.			
	Ground floor	COM	2000	
	Ground noor	SQM	2000	
	First floor	RO		
	Second floor	RO		
	Third floor	RO		
	Fourth floor	RO		
	Terrace (Head room walls & Parapets)	RO		
	SPONGE FACE FINISH PLASTER			
7	Providing and laying 12 MM Thick plastering to ceilings, in cement			
	mortar 1:3, finishing to line and level with lime rendering finished			
	smooth., at all levels Heights ,hydrating the lime 24 hours before starting			
	of work, Rate to include for providing Sponge Face Finish, All as per			
	architecture drawing and site instructions the rate inclusive of procuring,			
	stocking, loading into the tower crane basket unloading at respective			
	floor, shifting to the spot. rate also inclusive of hacking the slab,			
	providing cement slurry, wastages, curing, providing and fixing the			
	necessary scaffolding, the cement mortar shall we prepared on a			
	platform with the worktable water cement ratio. the rate inclusive of			
	maintain the mix record. each batch of mixing in a standard format as			
	per site instructions.(For Exterior Ceiling)			
	Ground floor	RO		
	First floor	RO		

	Second floor	RO		
		RO		
	Third floor	RO		
	Fourth floor	RO		
	Terrace (Head room walls & Parapets)	RO		
	ROUGH PLASTERING			
8	Providing and laying rough cement plastering 12 MM Thick in single			
	coat with cement mortar 1:4, to brick masonry for base of Toilet			
	dadooing works / any other areas with sand of approved quality, All as			
	per architecture drawing and site instructions the rate inclusive of			
	procuring, stocking, loading into the tower crane basket unloading at			
	respective floor, shifting to the spot. rate also inclusive of hacking,			
	providing cement slurry, wastages, curing, providing and removing the			
	necessary scaffolding, the cement mortar shall we prepared on a			
	platform with the worktable water cement ratio. the rate inclusive of			
	maintain the mix record. each batch of mixing in a standard format as			
	per site instruction. (For Exterior Ceiling)			
	Ground floor	SQM	700	
	First floor	RO		
	Second floor	RO		
	Third floor	RO		
	Fourth floor	RO		
	Terrace (Head room walls & Parapets)	RO		
		Sul	o Total	
		18%	% GST	
		Grand	d Total	