

L<sup>A</sup>T<sub>E</sub>X

Figure 1: LaTeX figure

Figure 1 is a LaTeX figure.

L<sup>A</sup>T<sub>E</sub>X L<sup>A</sup>T<sub>E</sub>X L<sup>A</sup>T<sub>E</sub>X

(a) 1 (b) 2 (c) 3

Figure 2: Three subfigures

Figure 4c is the subfigure c of Figure 2.

L<sup>A</sup>T<sub>E</sub>X L<sup>A</sup>T<sub>E</sub>X L<sup>A</sup>T<sub>E</sub>X

(a) 1 (b) 2 (c) 3

Figure 3: Three subfigures

Use hfill to fill spaces in between.

L<sup>A</sup>T<sub>E</sub>X L<sup>A</sup>T<sub>E</sub>X L<sup>A</sup>T<sub>E</sub>X

(a) 1 (b) 2 (c) 3

Figure 4: Three subfigures

Increase the heights of subfigures, then the vertical positions can also be changed.

Use ContinuedFloat to have a page break in the middle of the subfigures.

LATEX

(a) 1

LATEX

(b) 2

LATEX

(c) 3

Figure 5: Subfigures with page break

LATEX

(d) 4

LATEX

(e) 5

LATEX

(f) 6

Figure 5: Subfigures with page break