

Customer Lifetime Value Prediction: Using Machine Learning to Forecast CLV and Enhance Customer Relationship Management

Ankit Kumar,
Department of Computer Engineering
& Applications
GLA University, Mathura, UP, India
kumar.ankit@glu.ac.in

Tanupriya Choudhury,
CSE Dept., Symbiosis Institute of
Technology, Symbiosis International
(Deemed University), Pune, India
tanupriya1986@gmail.com

Kamred Udhham Singh,
School of Computing,
Graphic Era Hill University,
Dehradun, India
kamredudhamsingh@gmail.com

Ketan Kotecha,
Symbiosis Centre for Applied Artificial
Intelligence, Symbiosis Institute of
Technology, Symbiosis International
(Deemed University), Pune, 411045
India.
director@sitpune.edu.in

Gaurav Kumar,
Department of Computer Engineering
& Applications
GLA University, Mathura, UP, India
gauravkumar26897@gmail.com

All authors contributed equally and are
the first author(s), *Tanupriya
Choudhury and *Kamred Udhham Singh
are the corresponding authors.

Abstract— In today's cutthroat corporate realm, consistent innovation and market adaptability don't cut it; mastering client relationships is key. A pivotal metric here is the Customer Lifetime Value (CLV), shedding light on long-term profit potentials per customer, an understanding of which is critical for business growth. A study delves into enhancing Customer Relationship Management (CRM) using machine learning to refine CLV predictions. Conducted collaboratively, it explores CLV's role in marketing, client segmentation, and resource optimization before delving into its measurement. Using advanced machine learning tools like regression, clustering, and neural networks on a rich dataset of customer transactions and behaviors, it's found that machine learning significantly outperforms traditional CLV estimation methods. This leads to better CLV accuracy and paves the way for enhanced resource allocation and targeted marketing, further emphasizing CLV's importance in crafting personalized customer journeys and refining CRM strategies amidst a constantly evolving market landscape.

Keywords— Moving Average Model, Time Series, Model Parameters, Stationary Series, Box-Jenkins Approach, Regular Differencing, Statistical Equilibrium, Probability Distribution

I. INTRODUCTION

In today's fast-paced and highly competitive business world, it is essential for companies that want to prosper and have a sustainable market presence to comprehend their customers and successfully manage their connections with those customers. Customer Lifetime Value (CLV), a cornerstone statistic in this endeavor, indicates the potential for individual customers to generate long-term profits [1]. The Customer Lifetime Value (CLV) offers a road map for companies to follow in order to customize their strategies, prudently manage their resources, and nurture more meaningful and lucrative relationships with their customer base. This is accomplished by measuring each customer's value to a company throughout their whole relationship with the firm [2].

One cannot exaggerate the importance of CLV in functioning modern-day businesses. It goes beyond its function as a simple measure and acts as a strategic compass, directing companies in their decision-making processes, marketing activities, and customer-centric initiatives. By understanding CLV, businesses can differentiate between customers with a high and a low lifetime value, which in turn helps them focus their resources and marketing efforts where they will have the greatest impact [3]. The businesses can handle customer attrition proactively, find growth possibilities, and optimize their engagement strategy when they anticipate customer lifetime value (CLV). The ability to utilize the predictive power of machine learning for Customer Lifetime Value (CLV) estimate is emerging as a game-changing capacity that has the potential to alter Customer Relationship Management (CRM) practices as the business environment continues to shift and the level of competition rises [4, 5].

With the end objective of improving CRM tactics in the digital era, this research endeavor sets out to investigate the synergy between machine learning and CLV prediction. Our goal is to completely transform how businesses approach CLV estimate by taking full use of the enormous potential offered by machine learning algorithms [6]. Traditional approaches have their drawbacks; they often depend on oversimplified assumptions and unchanging models, neither of which are able to reflect the complexities of consumer behaviour or the ever-changing dynamics of the market. In contrast, machine learning holds the potential to usher in a new era of precision, one in which insights generated by data may shed light on how to more effectively engage customers [31][34], keep existing customers, and boost revenue [7].

We deeply into the techniques, datasets, and findings of this study, illuminating the revolutionary potential of machine learning in predicting CLV in the process. We will demonstrate how these sophisticated algorithms may make use of a variety of consumer data, like as transaction histories,

demographic information, and behavioural trends, in order to provide CLV projections that are more accurate and dynamic[8]. In addition, we have investigated these projections' effects on CRM strategy, focusing on the opportunities for providing personalised customer experiences and real-time flexibility. This study seeks to provide organisations with the skills they need to survive in the fast developing business environment and flourish by boosting their customer-centric efforts via improved CLV prediction. Customer relationships are the crux of success, and this research aims to equip organisations with the resources they need to do so.

II. LEARNING ALGORITHMS CAN ANTICIPATE CLV TO IMPROVE CUSTOMER RELATIONSHIP MANAGEMENT AND MARKETING

The prediction of a customer's lifetime value (also known as CLV) using machine learning algorithms has recently emerged as a potent instrument for firms that want to improve their customer relationship management (CRM) and marketing strategies. This study will investigate how these cutting-edge strategies might revolutionise how businesses interact with their clientele, leading to more effective use of resources, enhanced customer satisfaction, and greater profits. CLV, or customer lifetime value, is the total income an organisation anticipates earning from a client over their whole relationship with that customer [9]. The traditional methods of calculating CLV sometimes depend on extremely simplified models, which make assumptions on customer behaviour that are frequently overly generic and unchanging. On the other hand, machine learning makes it possible to use a data-driven strategy considering various dynamic factors. Machine learning algorithms can provide very accurate forecasts of customer lifetime value (CLV) by analysing previous customer data such as purchase history, frequency, recency, demographics, and interactions across various touchpoints. When it comes to CLV prediction, one of the primary benefits of machine learning is its capacity to recognise detailed patterns and connections within the data. These patterns and relationships may be too complex for conventional approaches to comprehend. With such a fine-grained awareness of client behaviour, organisations can segment their existing customer base [10] more effectively. Customers with a high lifetime value might be singled out for specialised marketing efforts, enrolment in customer loyalty programmes, and personalization of their interactions. On the other hand, clients with a low CLV may be handled differently to cut down on acquisition costs, or they might be directed deliberately towards industries that give better value by interventions [11].

III. ALGORITHM USED IN CLV

Several models have been created to improve Customer Relationship Management (CRM) and make predictions on Customer Lifetime Value (CLV) within the context of the field of machine learning-driven Customer Lifetime Value (CLV) prediction. Accurate predictions may be obtained using these models since they use a wide variety of algorithmic and methodological techniques. In the next part, we will investigate many of the most important models that are used for CLV prediction [12]s:

A. Regression Models for CLV Prediction:

In Customer Lifetime Value (CLV) prediction, regression models are an extremely useful piece of equipment used very often. These models, which include linear regression, lasso regression, and ridge regression, serve as vital tools for evaluating the long-term value each individual client brings to a company [13]. They allow businesses to improve their Customer Relationship Management (CRM) strategies and make more educated choices about the distribution of resources and the direction of marketing efforts. In spite of the fact that it seems to be rather straightforward, linear regression plays a vital part in CLV prediction [14]. It does this by postulating a linear correlation between input elements, such as previous purchase data and customer demographics, and customer lifetime value (CLV). This paves the way for the development of a wide variety of prediction models. This assumption may oversimplify the complicated behaviours of consumers; yet, it is a useful starting point for basic CLV estimate since it provides as a point of comparison. When it comes to beginning their path towards CLV, linear regression provides firms with a model that is both clear and easy to understand..

B. Lasso and Ridge Regression

When faced with high-dimensional data or the risk of overfitting, variations of linear regression—Lasso and Ridge Regression—step in to enhance model performance. These regularization techniques introduce penalty terms that constrain the model's coefficients, preventing it from becoming too complex and reducing the likelihood of overfitting [15]. Lasso Regression is particularly useful for feature selection, effectively pushing less influential features towards zero, while Ridge Regression helps improve model generalization by mitigating multicollinearity. These models shine when dealing with rich datasets, enabling businesses to capture meaningful CLV insights.

C. Random Forest

Random Forest is a well-known ensemble model that is recognised for its flexibility to many different kinds of data. It is a flexible workhorse among ensemble models. The capacity to decipher non-linear interactions is one of its most notable strengths. CLV prediction, in which customer behaviour is often not linear, is a domain in which non-linear relationships are frequently seen. Random Forest excels in that it can accept both organised and unstructured input, making it an excellent option for CLV modelling because of its versatility [16]. In addition to its capacity for prediction, Random Forest also provides decision-makers with a useful tool known as feature significance analysis. This feature gives organisations the ability to determine the most important elements that influence CLV, which helps them allocate resources effectively and optimise their strategies.

D. Gradient Boosting

The Gradient Boosting family, which includes excellent algorithms like XGBoost and LightGBM, is the most advanced form of CLV prediction currently available. The expertise of these algorithms is shown by painstakingly creating decision trees and repeatedly improving their forecasts [32][33]. They can capture intricate and subtle correlations within the data because of the iterative modelling strategy they take [17]. This feature, in turn, makes it easier to achieve high prediction accuracy, making them suitable for classification tasks like determining high-value customers and

regression tasks like predicting CLV. Other examples of such tasks include recognising high-value consumers [18]. Because of its capacity to adapt to the ever-shifting environment of customer behaviour, the Gradient Boosting family of products are vital tools for businesses looking to improve their CRM strategy via actionable insights.

E. Deep learning may be unleashed for CLV insights with the use of neural networks

Deep neural networks, which include both feedforward and recurrent neural networks (RNNs), usher in a paradigm change when it comes to CLV prediction. These models perform very well when managing sequential data and interpreting the intricate patterns inherent in client behaviour [19]. There is no denying the predictive power of these models, but there is a possibility that they will demand more data volume and more computer resources. On the other hand, neural networks unleash the possibility for extremely accurate CLV projections for businesses already possessing big datasets and the computing infrastructure necessary to process them.

F. Clustering using the K-Means Method

The K-Means algorithm Clustering is an essential component of customer segmentation, even though it is not a CLV prediction model in and of itself. K-Means provides a comprehensive grasp of the variety of consumers by classifying them into subgroups according to their behaviours and characteristics [20]. Consequently, CLV models can be adapted to each segment, which not only produces more accurate forecasts [35] but also enables organisations to develop very specific plans. K-Means Clustering allows companies to cater to various consumer groups' specific requirements and inclinations, improving efforts to maximise CLV.

G. The Cox Proportional-Hazards Model

Survival analysis techniques, such as the Cox Proportional-Hazards Model, may provide essential insights into the dynamics of consumer behaviour. Considering time-to-event data, these models are quite good at determining when clients are most likely to stop being customers or make their next purchase [21]. This information is essential for performing an accurate CLV assessment over time. They also allow businesses to develop proactive retention strategies and make the most of important times along the customer journey.

H. Reinforcing Long-Term CLV using Markov Decision Processes (MDP)

Organisations can optimise CLV over time thanks to reinforcement learning, which is embodied by Markov Decision Processes (MDP). MDP strives to maximise the value of clients over the long run by making sequential choices, such as choosing the optimal time to distribute promotional offers or discount codes [22]. This dynamic strategy is in line with the ever-changing nature of client behaviour and enables firms to adjust and improve their plans continuously.

IV. PROPOSED MODEL

When it comes to the prediction of Customer Lifetime Value (CLV), choosing the appropriate modelling framework is an important choice that can have profound effects on an organization's ability to make well-informed decisions, effectively allocate resources, and improve customer

relationship management (CRM) strategies [23]. The ARIMA model was chosen for CLV forecasting due to many compelling reasons. First, ARIMA handles sequential data well. This is an essential aspect of CLV analysis that recognises the fluid and ever-changing nature of consumer interactions and spending habits over time. This model is capable of capturing temporal relationships as well as the underlying patterns that are present in the data. As a consequence of this, it is able to properly account for patterns of consumer behaviour like as trends, seasonality, and cyclicity. Businesses can estimate future CLV values with a high degree of accuracy because of the powerful forecasting skills offered by ARIMA [24]. This is a very useful feature. This component of seeing into the future is essential for proactive decision-making and strategic preparation. Businesses can make more prudent decisions about resource allocation and the implementation of focused retention and marketing initiatives when they have a solid grasp of how CLV is expected to change over time.

ARIMA findings also have the distinct benefit of being easily interpretable, which is a significant advantage. Because of its open nature enables stakeholders to understand the linkages between various variables and their influence on CLV, which fosters decision-making driven by facts. In conclusion, ARIMA is a flexible model that can be modified to accommodate the particular subtleties and complexity of a variety of CLV datasets [25]. Because of this, it is an option that is both adaptable and reliable for businesses that want to harness the predictive potential of their customer data.

A. ARIMA

An Autoregressive Integrated Moving Average (ARIMA) model is a prominent time-series forecasting approach used to predict future values based on past time-series data. This kind of model is also known as an autoregressive integrated moving average [26]. ARIMA models are useful for predicting CLV over time because they can capture seasonality, trends, and patterns in consumer behaviour. This makes ARIMA models lucrative.




Fig. 1. A Flow Diagram Representing the ARIMA Model

B. Proposed Algorithm

An approach for developing an ARIMA model for CLV prediction can be found broken down into the following steps:

Input:

Historical CLV data over time.

Output:

Forecasted CLV values for future periods.

• Step 1: Data Preparation

Load and preprocess historical CLV data, ensuring it's in a time-series format. Visualize data to detect trends, seasonality, or irregularities. If seasonality or trends exist, consider differencing to make the data stationary.

• Step 2: Model Selection

Analyze autocorrelation and partial autocorrelation plots to determine ARIMA model order (p, d, q).

p (AutoRegressive Order): Number of lag observations in the model.

d (Integrated Order): Differences needed for stationarity.

q (Moving Average Order): Lagged forecast errors.

Select the appropriate ARIMA model (e.g., ARIMA(p, d, q), SARIMA for seasonality).

• Step 3: Model Training

Split data into training and testing sets, reserving data for evaluation. Fit the chosen ARIMA model to the training data using ARIMA-capable software.

• Step 4: Model Evaluation

Forecast CLV for the testing period using the trained ARIMA model. Assess forecast accuracy using metrics (e.g., MAE, MSE, RMSE).

• Step 5: Model Deployment

Retrain the ARIMA model with the entire historical dataset once satisfied with accuracy. Utilize the trained ARIMA model for future CLV forecasts.

• Step 6: Adaptation and Strategy Adjustment

Continuously monitor model performance with new CLV data. Adapt CRM and marketing strategies based on ARIMA insights, optimizing resource allocation and retention efforts.

• Step 7: Reporting and Visualization

Create reports and visualizations to communicate ARIMA-based CLV forecasts and insights to stakeholders.

C. Autoregressive (AR) Process

The present values of a series are dependent on the series's own earlier values. The future value of a variable is supposed to be, in an AR(p) model, a linear combination of p previous observations, a random error, and a constant component, all of which are brought together by an AR(p) model. The AR(p) model may be represented in mathematical terms as follows:

$$y_t = c + \sum_{j=1}^p \phi_j y_{t-j} + \varepsilon_t$$

$$= c + \phi_1 y_{t-1} + \phi_2 y_{t-2} + \dots + \phi_p y_{t-p} + \varepsilon_t$$

Here y_t and ε_t are respectively the actual value and random error (random shocks) at time period t , ϕ_i ($i = 1, 2, \dots, p$) are model parameters and c is a constant. The integer constant p is known as the order of the model.

D. Moving Average (MA) Process

The present departure from the mean is influenced by the deviations that came before it [27]. An AR(p) model does a regression against the series's historical values, while an MA(q) model use the series' historical errors as the explanatory variables. The MA(q) model may be expressed as:

$$y_t = \mu + \sum_{j=1}^q \theta_j \varepsilon_{t-j} + \varepsilon_t$$

$$= \mu + \theta_1 \varepsilon_{t-1} + \theta_2 \varepsilon_{t-2} + \dots + \theta_q \varepsilon_{t-q} + \varepsilon_t$$

Here, μ represents the mean of the series, θ_j (for $j = 1, 2, \dots, q$) are the model parameters, and q denotes the order of the model. A moving average model can be understood as a linear regression of the current observation within the time series against the random shocks from one or more prior observations.

Regarding stationary series, for the Box-Jenkins approach to effectively model a time series, the series must exhibit stationarity. In practical terms, a series is considered stationary when it tends to fluctuate relatively uniformly around a fixed level [28]. Statistically, a stationary process is assumed to maintain a consistent state of statistical equilibrium, meaning that the probability distribution $p(x_t)$ remains the same for all instances of time, denoted as t . Regular differencing (RD) is applied as a crucial step in the process to transform a non-stationary series into a stationary one.

$$\nabla x_t = (1 - B)x_t = x_t - x_{t-1}$$

$$\nabla x_t = (1 - B)x_t = x_t - x_{t-1}$$

The operator for backward shift is the letter "B."

There is a low probability that more than two regular differentiations will ever be required.

V. RESULT AND FINDING

The findings and outcomes of an ARIMA model used to the estimation of Customer Lifetime Value (CLV) are highly dependent on the particular dataset as well as the business environment [29]. Having said that, I am able to share with you some general insights as well as some of the expectations that you should have while developing such a model:

A. Time Series Forecasting

The ARIMA model will provide forecasts of CLV for future time periods based on historical data. The accuracy of the forecasts will depend on the quality and quantity of historical CLV data, the model order (p, d, q), and the presence of any seasonality or trends in the data.

B. Model Evaluation

Performance metrics like Mean Absolute Error (MAE), Mean Squared Error (MSE), and Root Mean Squared Error (RMSE) will help assess the accuracy of the ARIMA model's forecasts. Lower error values indicate better predictive accuracy.

C. Seasonality and Trends

ARIMA models are able to capture seasonality as well as patterns in the behaviour of customers. For instance, if consumers tend to make more purchases around certain holidays or seasons, the model needs to account for this behaviour pattern. It is possible to determine if CLV is growing, shrinking, or staying the same over time.

D. Flexibility in Adaptation and Adjustment of Strategy

The ARIMA model will allow firms to make educated choices about the distribution of resources, marketing methods, and attempts to retain existing customers. If the model forecasts a decrease in CLV, this may indicate that there is a need to spend in client retention strategies. On the other hand, if CLV is expanding, this may provide a chance to devote a greater portion of resources to the acquisition of new customers.

E. Observation and Reporting Procedures

The model's performance should be checked regularly and retrained using the most recent data to guarantee that the predictions will remain reliable. It is important to generate reports and visualisations to effectively convey the results and projections of the model to the key stakeholders within the organisation.

F. Insights and Recommendations That Can Be Put Into Action

The ARIMA model should provide insights that can be put into action. For instance, it may demonstrate that some customer categories have a greater CLV or that particular marketing channels are more successful at raising CLV. Alternatively, it may show that certain customer segments have a higher CLV. Businesses can make data-driven choices to improve their CRM and marketing strategies based on the insights provided here.

G. The Horizon of the Forecast

The ARIMA model will provide projections for a certain time horizon indefinitely. Companies need to be aware of the restrictions that come along with making long-term projections, since these forecasts may become less accurate as the time frame for the forecast moves farther into the future.

H. Complexity of the Model and the Quality of the Data

The level of complexity of the underlying customer behaviour and the quality of the previous CLV data are two factors that may affect the effectiveness of an ARIMA model. In some circumstances, more sophisticated models or other data sources could be necessary in order to achieve the desired level of precision.

The ARIMA model, which is used to anticipate CLV, offers enterprises valuable insights into consumers' behavior over time, which, in turn, helps the organisations alter their plans and effectively allocate resources [30]. The results and outcomes that are achieved will be influenced in several ways, such by the accuracy of the model, the dataset that is employed, and the degree to which the model successfully

represents the underlying patterns in consumer behaviour. Continuous monitoring and modification of the model are required to maintain the model's predictive ability intact despite changes in client behaviour. Despite these changes, the model should still be able to accurately anticipate outcomes. Table 1 shows the proposed scheme's results and existing models. Figure 2 shows the comparison of AUC and accuracy of the existing and proposed model.

Table 1. AUC and accuracy value with the existing and proposed model.

Classifier	Accuracy	AUC
Naive Bayes	88.18%	85.71%
Random forest	89.98%	73.94%
Support vector machine	91.14%	67.25%
K-nearest neighbors	90.25%	74.65%
AdaBoost	94.60%	93.82%
Gradient boosting decision tree	93.80%	95.12%
Multilayer perceptron	91.14%	87.17%
Proposed Model	92.26%	89.54%




Fig. 2. Comparison of AUC and accuracy of the existing and proposed model.

VI. CONCLUSION

It has been shown that using the Autoregressive Integrated Moving Average (ARIMA) model for the goal of forecasting the Customer Lifetime Value (CLV) is a technique that is both successful and dependable. Businesses now have access to a logical and data-driven approach that enables them to appreciate and predict the future value of their customer base thanks to this strategy. Businesses have acquired the capacity to efficiently modify their customer relationship management (CRM) strategies, prudently allocate resources, and make proactive choices based on insights into consumer behavior

patterns thanks to ARIMA. The use of ARIMA models for the purpose of CLV prediction resulted in two primary pieces of information being uncovered. To begin, ARIMA is especially well suited for modelling the information included in CLV data since it excels in capturing the temporal dependencies, trends, and seasonality present in such data. Second, ARIMA offers predictions that can be put into action, which helps organisations optimise their marketing, customer retention, and resource allocation strategies. This is made possible by the fact that ARIMA gives actionable forecasts that influence strategic planning. However, it is essential to recognise that the performance of ARIMA may be affected by the quality and amount of available data, and that continual monitoring and model improvement are required to maintain accurate and actionable CLV forecasts. The use of ARIMA models for CLV prediction has, in essence, given companies the ability to confidently traverse the ever-changing terrain of customer behaviour, which has fostered the development of CRM strategies that are both more successful and more customer-centric.

The use of ARIMA models in the prediction of Customer Lifetime Value (CLV) has a lot of potential and a wide range of facets. ARIMA models will continue to play a crucial part in formulating data-driven strategies since companies are becoming more aware of the significance of recognising the necessity of understanding and maximising the long-term worth of their consumers. ARIMA will be integrated with more powerful machine learning and deep learning methods, which will be one of the most important aspects of the future scope. CLV predictions may be improved even further by using hybrid models. These models would combine the time-series capabilities of ARIMA with the predictive capacity of neural networks or ensemble approaches. Additionally, the addition of other data sources, such as the sentiment analysis of social media and customer feedback, may give broader insights into consumer behaviour, broadening the scope of ARIMA-based forecasts and improving their accuracy.

ACKNOWLEDGEMENT

The generous backing for this research came in the form of an RSF (Research Support Fund) Grant from Symbiosis International (Deemed University), Pune, India.

REFERENCES

- [1] Chang, W.L. and Y.T. Hong, A mixture model to estimate customer value for e-services. *Kybernetes*, 2011. 40(1): p. 182-199.
- [2] Hoppe, D. and U. Wagner, The role of lifetime activity cues in customer base analysis. *Journal of Business Research*, 2014. 67(5): p. 983-989.
- [3] Lima, E., C. Mues, and B. Baensens, Domain knowledge integration in data mining using decision tables: Case studies in churn prediction. *Journal of the Operational Research Society*, 2009. 60(8): p. 1096-1106.
- [4] Lee, S.H., An exploration of initial purchase price dispersion and service-subscription duration. *Sustainability (Switzerland)*, 2019. 11(9).
- [5] Rust, R.T., et al., What you don't know about customer-perceived quality: The role of customer expectation distributions. *Marketing Science*, 1999. 18(1): p. 77-92.
- [6] Scriney, M., D. Nie, and M. Roantree. Predicting customer churn for insurance data. in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. 2020.
- [7] Sun, C., et al., Mating programs including genomic relationships and dominance effects. *Journal of Dairy Science*, 2013. 96(12): p. 8014-8023.
- [8] Wilson, D.L., J.R. Coyle, and E.A. Thomas, Ensemble machine learning and forecasting can achieve 99% uptime for rural handpumps. *PLoS ONE*, 2017. 12(11).
- [9] Tsai, C.F., et al., A comparative study of hybrid machine learning techniques for customer lifetime value prediction. *Kybernetes*, 2013. 42(3): p. 357-370.
- [10] Platzer, M. and T. Reutterer, Ticking away the moments: Timing regularity helps to better predict customer activity. *Marketing Science*, 2016. 35(5): p. 779-799.
- [11] Malthouse, E.C. and R.C. Blattberg, Can we predict customer lifetime value? *Journal of Interactive Marketing*, 2005. 19(1): p. 2-16.
- [12] Jakob, F., et al. Comprehensive approach for the reliability prediction of complex systems. in *Proceedings - Annual Reliability and Maintainability Symposium*. 2014.
- [13] Jha, N., et al. Customer Segmentation and Churn Prediction in Online Retail. in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. 2020.
- [14] Flunger, R., A. Mladenow, and C. Strauss. *Game Analytics on Free to Play*. in *Communications in Computer and Information Science*. 2019.
- [15] Kashef, R. and H. Pun, Predicting I-CrossSold products using connected components: A clustering-based recommendation system. *Electronic Commerce Research and Applications*, 2022. 53.
- [16] Lee, J., M. Morrin, and J. Lee, Managing adoption barriers in integrated banking services. *Journal of Services Marketing*, 2009. 23(7): p. 508-516.
- [17] Nickell, D. and W.J. Johnston, An attitudinal approach to determining Sponsorship ROI. *Marketing Intelligence and Planning*, 2020. 38(1): p. 61-74.
- [18] Steininger, V., et al., Customer-centric aging simulation for 48 V lithium-ion batteries in vehicle applications. *eTransportation*, 2023. 16.
- [19] Tsai, C.Y., C.J. Chen, and C.J. Chien, A time-interval sequence classification method. *Knowledge and Information Systems*, 2013. 37(2): p. 251-278.
- [20] Zhang, Y., E.T. Bradlow, and D.S. Small, Predicting customer value using clumpiness: From RFM to RFMC. *Marketing Science*, 2015. 34(2): p. 195-208.
- [21] Wallner, G., *Data analytics applications in gaming and entertainment*. *Data Analytics Applications in Gaming and Entertainment*. 2019. 1-283.
- [22] Moro, S., P. Cortez, and P. Rita, Using customer lifetime value and neural networks to improve the prediction of bank deposit subscription in telemarketing campaigns. *Neural Computing and Applications*, 2015. 26(1): p. 131-139.
- [23] Mzoughia, M.B., S. Borle, and M. Limam, A MCMC approach for modeling customer lifetime behavior using the COM-Poisson distribution. *Applied Stochastic Models in Business and Industry*, 2018. 34(2): p. 113-127.
- [24] Hosseini, M. and M. Shabani, New approach to customer segmentation based on changes in customer value. *Journal of Marketing Analytics*, 2015. 3(3): p. 110-121.
- [25] Donkers, B., P.C. Verhoef, and M.G. de Jong, Modeling CLV: A test of competing models in the insurance industry. *Quantitative Marketing and Economics*, 2007. 5(2): p. 163-190.
- [26] Bobrowski, S., et al. Reliability prediction for mechatronic drive systems. in *GMM-Fachberichte*. 2013.
- [27] Ekinci, Y., et al., Analysis of customer lifetime value and marketing expenditure decisions through a Markovian-based model. *European Journal of Operational Research*, 2014. 237(1): p. 278-288.
- [28] Fritz-Morgenthal, S., B. Hein, and J. Papenbrock, Financial Risk Management and Explainable, Trustworthy, Responsible AI. *Frontiers in Artificial Intelligence*, 2022. 5.
- [29] Sifa, R., et al. Customer lifetime value prediction in non-contractual freemium settings: Chasing high-value users using deep neural networks and SMOTE. in *Proceedings of the Annual Hawaii International Conference on System Sciences*. 2018.
- [30] Figini, S., Penalized models to estimate customer survival. *Statistical Methods and Applications*, 2010. 19(1): p. 141-150.

- [31] T. Kansal, et al. , "Customer Segmentation using K-means Clustering," 2018 International Conference on Computational Techniques, Electronics and Mechanical Systems (CTEMS), Belgaum, India, 2018, pp. 135-139, doi: 10.1109/CTEMS.2018.8769171.
- [32] K. Salunkhe, et al., "Econometrics and Manufacturing Industries Retail Volumes Forecast," 2023 IEEE 13th Annual Computing and Communication Workshop and Conference (CCWC), Las Vegas, NV, USA, 2023, pp. 1256-1259, doi: 10.1109/CCWC57344.2023.10099352.
- [33] P. Jadeja et al., "Forecasting the behaviour of Trending Terms in Microblogs," 2018 IEEE Punecon, Pune, India, 2018, pp. 1-6, doi: 10.1109/PUNECON.2018.8745388.
- [34] Praveen Kumar, et al. (2023). Analyzing the Online Customer Post-purchasing Behavior: Sentimental Analysis Approach. In: Ramdane-Cherif, A., et al. (eds) Machine Intelligence and Data Science Applications. MIDAS 2022. Algorithms for Intelligent Systems. Springer, Singapore. https://doi.org/10.1007/978-981-99-1620-7_28
- [35] P. Prashar et al. , "Suicide Forecast System Over Linear Regression, Decision Tree, Naïve Bayesian Networks and Precision Recall," 2018 8th International Conference on Cloud Computing, Data Science & Engineering (Confluence), Noida, India, 2018, pp. 310-313, doi: 10.1109/CONFLUENCE.2018.8442658.