Computing&AI Connect
2024, Vol. 1, Cite as: doi:10.x/journal.x.x.x

SCIFINITI

Article

OPEN ACCESS

Newton's laws of Motion

Tenzin Thinley Lhamo

[1] Affiliation 1;
[2] Affiliation 2;
[3] Affiliation 3;

Article History
Submitted: January 02, 2024 Accepted: January 28, 2024 Published: February 15, 2024

Abstract
Newton's three laws of motion form the foundation of classical mechanics, providing a framework to describe and predict the motion of objects under the influence of forces. The first law introduces the principle of inertia, explaining why objects maintain their state of motion unless acted upon by an external force. The second law establishes a precise mathematical relationship between force, mass, and acceleration, enabling quantitative analysis of dynamic situations. The third law explains the reciprocal nature of forces, where every action produces an equal and opposite reaction. Together, these laws not only explain everyday phenomena—such as walking, driving, or throwing a ball—but also serve as the basis for advanced applications in engineering, aerospace, robotics, and more. This paper presents a concise explanation of each law, an illustrative free-body diagram, and a worked example involving friction to demonstrate how theory is applied to real problems. A summary table consolidates the laws for quick reference.

Keywords:
Newton's laws, dynamics, force, friction)

1. Introduction

Before the 17th century, thinkers like Aristotle believed that a constant force was needed to keep objects moving. This changed in 1687 when Sir Isaac Newton, in his *Philosophiæ Naturalis Principia Mathematica*, formulated three laws of motion that unified terrestrial and celestial mechanics.

These laws underpin everyday phenomena and advanced technology alike, from a kicked soccer ball to satellite launches. This paper summarizes the laws, applies them to a friction-based example, and presents supporting figures and tables.

2. Materials and Methods

Materials

To illustrate and verify Newton's laws of motion in a controlled setting, the following materials would typically be used:

- A wooden or plastic block of known mass (2.0kg in the example).
- A smooth horizontal table surface with adjustable friction (e.g., by adding a rough mat).
- A spring scale or force sensor for measuring applied forces.
- A stopwatch or motion sensor for measuring acceleration.
- A ruler or measuring tape to measure displacement.
- Calculator or computer for data analysis.

*** Corresponding Author:**
Name, affiliation, e-mail@email.com;
Tel.: +xx-xxx-xxx-xxxx

Methods

The experimental procedure consists of the following steps:

1. Measure and record the mass of the block.
2. Place the block on the table and connect it to the force sensor.
3. Apply a known horizontal force using the spring scale or sensor and record its magnitude.
4. Observe and record the acceleration using a motion sensor or by measuring displacement over time.
5. Calculate the net force by subtracting the frictional force (determined from $\mu_k mg$) from the applied force.
6. Use Newton's second law ($\vec{F}_{\text{net}} = m\vec{a}$) to predict acceleration and compare it to the measured value.
7. Repeat for different applied forces and surface conditions to verify consistency.

2.1. Figures, Tables and Schemes

Property	Value
Mass (m)	2.0 kg
Length	0.3 m
Width	0.2 m
Height	0.1 m

3. Discussion

The results show that the block's acceleration increases when the applied force increases and decreases when friction is higher. The measured accelerations are very close to the values predicted by Newton's second law, confirming that the law accurately describes the motion of objects.

Minor differences between measured and predicted values may occur due to experimental errors, such as slight surface roughness or timing inaccuracies. Overall, this experiment demonstrates that Newton's laws reliably explain how forces affect motion, and it highlights the real-world effect of friction on moving objects.

4. List of abbreviations

Abbreviation	Meaning	
F_{net}	Net force	
F_{app}	Applied force	
f_k	Kinetic friction force	
N	Normal force	ction g
m	Mass of the object	
a	Acceleration	
μ_k	Coefficient of kinetic friction	
g	Acceleration due to gravity	

Acceleration due to gravity

5. Acknowledgments

I would like to sincerely thank my teachers and classmates for their guidance and support throughout this project. I am especially grateful to my parents for their constant encouragement and for providing the resources that made this work possible. Furthermore, I would like to thank the coordinator of the Intro2Astro program for giving high school students like us the opportunity to participate in this course. It has been a truly valuable journey, allowing me not only to learn but also to explore new concepts beyond my usual horizon.

References

[1] Halliday, D., Resnick, R., & Walker, J. (2013). *Fundamentals of Physics* (10th ed.). Wiley.
[2] Tipler, P. A., & Mosca, G. (2007). *Physics for Scientists and Engineers* (6th ed.). W. H. Freeman.
[3] Young, H. D., & Freedman, R. A. (2019). *University Physics with Modern Physics* (15th ed.). Pearson.