

Visoka škola strukovnih studija
za informacione i komunikacione
Tehnologije

AZURE

Teodora Nedeljković, 5/18

Smer: Internet Tehnologije
Modul: Web programiranje
Predmet: Web programiranje PHP2

Sadržaj

Uvod.....	5
Korišćeni programski jezici.....	5
Opis Funkcionalnosti.....	5
Template	5
Organizacija.....	16
Šema baze podataka	16
Struktura projekta.....	17
Kod	20
PHP	20
web.php	20
AlbumController.php	20
BackController.php	24
CartController.php	25
FrontController.php	27
LoginController.php	29
LogoutController.php.....	30
MyController.php.....	31
OrderController.php	31
RegisterController.php.....	32
Middleware/IsAdminMiddleware.php	34
Middleware/LoggedInMiddleware.php.....	34
Requests/ContactRequest.php	35
Requests/EditAlbumRequest.php.....	35
Requests/LoginRequest.php	36
Requests/OrderRequest.php	37
Requests/RegisterRequest.php	37
Requests/StoreAlbumRequest.php	38
Mail/ContactEmail.php	39
Models/Album.php	39
Models/Artist.php.....	40
Models/Genre.php.....	40

Models/Menu.php	40
Models/Order.php	41
Models/Price.php.....	41
Models/Role.php	41
Models/User.php	41
Models/UserAction.php.....	42
JS	43
cart.js.....	43
Blade	45
admin/layout.blade.php	45
admin/pages/home.blade.php	45
admin/pages/orders.blade.php	48
admin/pages/useractions.blade.php.....	50
admin/pages/albums/create.blade.php	52
admin/pages/albums/edit.blade.php	54
admin/pages/albums/index.blade.php	55
admin/components/album/album.php.....	57
admin/fixed/footer.blade.php	58
admin/fixed/head.blade.php	60
admin/fixed/header.blade.php.....	61
admin/fixed/scripts.blade.php	62
client/components/album/labels.blade.php	62
client/fixed/footer.blade.php	63
client /fixed/head.blade.php	65
client /fixed/header.blade.php.....	65
client /fixed/scripts.blade.php.....	66
client/pages/albums/index.php.....	67
client/pages/about.blade.php	69
client/pages/cart.blade.php	73
client/pages/contact.blade.php.....	75
client/pages/home.blade.php	77
client/pages/login.blade.php	80

client/pages/order.blade.php..... 81

client/pages/orders.blade.php 82

client/pages/register.blade.php 83

email/layout.blade.php..... 84

author.blade.php 85

Uvod

Korišćeni programski jezici

Za izradu sajta korišćeno je sledeće:



- Laravel
- PhpMyAdmin
- Bootstrap
- HTML 5, CSS 3
- JavaScript, jQuery, AJAX
- PHPStorm

Opis Funkcionalnosti

- Registracija i logovanje, serverska validacija.
- Dinamicko ispisivanje albuma iz baze.
- Dinamičko ispisivanje menija.
- Sortiranje, filtriranje i paginacija albuma.
- Samo logovani korisnici mogu dodati album u korpu. Upotrebom ajaxa realizovano. Na stranici posvećenj albumima u korpi korisnik može izbrisati album, promeniti kolicinu ili završiti narudzbini tako što na sledećoj stranici dopunjuje informacije o narudzbini – država, grad, adresa..
- Na stranici „see orders“ izlistane narudzbine korisnika, ako ih ima.
- Forma za kontakt koju korisnici bilo kog tipa mogu koristiti kako bi kontaktirali admina, lazni mejl se salje mejl uslugom mailtrap.
- Admin stranice su zaštićene middleware-om, izlistane porudzbine korisnika i glavna desavanja- login, register i logout. Može izvršiti CRUD operacije nad albumima.

Template

- Korišćen template: <https://bootstrapmade.com/free-bootstrap-template-corporate-moderna/>
- A za admin stranice: <https://www.wrappixel.com/demos/free-admin-templates/monster-admin-lite/monster-html/index.html>



Coverage during the whole year

Sit back and enjoy news we post live as all the biggest music award shows happen!



RECORDING ACADEMY® GRAMMY AWARDS

The Grammys are the first of the Big Three networks' major music awards held annually.

The annual award ceremony features performances by prominent artists and presentation of awards that showcase achievements made by industry recording artists.

- ✓ The first Grammy Awards ceremony was held on May 4, 1959.
- ✓ After the 2011 ceremony, the Academy overhauled many Grammy Award categories for 2012.

The Brits

The 2021 Brit Awards will take place on 11 May 2021 and aim to celebrate the best in British and international music.

Usually held in February, the ceremony was delayed due to the COVID-19 pandemic. The 2021 Brits will be hosted by comedian Jack Whitehall, who has hosted the awards since 2018, who equals the record set by former host and The Late Late Show host James Corden by hosting the ceremony in four consecutive years.



About



Beginnings of Azure.

Azure started as a mess of friends in Minneapolis, fooling around after school, trying to make music without reading the manual. The group had varied tastes—rap, punk, indie rock, pop—so the music they made together often bore the toolmarks of several styles.

- ✓ Passionate about music.
- ✓ Highly positive.
- ✓ Always trying for a better version of everything we're involved in.

A decade and fifty releases later, it's all properly official—Azure is now a real, live label with international distribution—but not that much has changed. Azure still partners with people who aren't jerks. If members can't find something they need, they make it themselves.

232

Clients

521

Projects


1463

Hours Of Support

15

Hard Workers

Our Favorite Genres



Tetstimonials



John Larson
Entrepreneur

I can always find what I'm looking for here. A big recommendation to everyone reading this!



The image displays a web application for 'AZURE' with a contact form and a map. The top section shows the 'Contact' page with a header, a contact form, and a map. The bottom section shows the same page with a red error message indicating required fields.

Albums

AZURE

[Home](#) [About](#) [Albums](#) [Contact Us](#) [Cart](#) [See Orders](#) [Logout](#)

Albums

Home / Albums

Browse...

A-Z

☐ pop




☐ rock

☐ indie

☐ alternative

Choose Artist

search



Folklore

14-Nov, 1982

Genre: indie

Artist: Taylor Swift

+

10\$

Add to cart

Cart – klik na add to cart

AZURE

127.0.0.1:8000 says
Added to the cart.


ms Contact Us Cart See Orders Logout

A-Z


☐ pop
☐ rock
☐ indie
☐ alternative

Choose Artist


Search



10\$
Add to cart



15\$
Add to cart



23\$
Add to cart


↑

Cart – stranica, ispis

Shopping Cart
AZURE


Home About Albums Contact Us Cart See Orders Logout

Continue shopping



DAMN.
25 \$

Remove From Cart



Rising
10 \$

Remove From Cart

Total \$ 35
Order

↑

Order

AZURE

[Home](#)[About](#)[Albums](#)[Contact Us](#)[Cart](#)[See Orders](#)[Logout](#)

Order Details

Country

City

Address

Phone

Our Newsletter

See Orders

AZURE

[Home](#)[About](#)[Albums](#)[Contact Us](#)[Cart](#)[See Orders](#)[Logout](#)

Welcome,

Teodora Nedeljkovic

Album	Country	Quantity	Price
Folklore	Serbia	1	10\$
Evermore	Serbia	1	15\$

Our Newsletter

Useful Links

[> Home](#)

Our Services

[> Author](#)

Contact Us

A108 Adam Street
New York, NY 10001

About Azure

Login

AZURE

HomeAboutAlbumsContact UsLoginRegister

Login

Enter email

We'll never share your email with anyone else.

Password

Login

Our Newsletter

Subscribe

Useful Links

> Home

> About us

Our Services

> Author

> Documentation

Contact Us

A108 Adam Street

New York, NY 535022

About Azure

Register

AZURE

HomeAboutAlbumsContact UsLoginRegister

Register

First Name

Last Name

Username

Enter email

We'll never share your email with anyone else.

Password


Submit

Our Newsletter

Subscribe

Admin home

ispis osnovnih desavanja



Albums- CRUD

MODERNA

Home Albums Orders User Actions Logout

Create new album

Browse...

A-Z

☐ pop




☐ rock

☐ indie

☐ alternative

Choose Artist

Search

		
Update	Delete	Update
Delete	Update	Delete

↑

Orders ispis

MODERNA

HomeAlbumsOrdersUser ActionsLogout

Statistics

Welcome back, Admin Admin

Orders Stats

User	Album	Country	Quantity	Price
Teodora Nedeljkovic	Folklore	Serbia	1	10\$
Teodora Nedeljkovic	Evermore	Serbia	1	15\$

Our Newsletter

Tamen quem nulla quae legam multos aute sint culpa legam noster magna

Subscribe

Useful Links

> Home

> About us

Our Services

> Web Design

> Web Development

Contact Us

A108 Adam Street

New York, NY 535022

About Moderna

Cras fermentum odio eu feugiat lide par naso

tierra. Justo eget nuda terra vidna magna dentia

velles dextra dextra massa fermentum laudis eu

User Actions ispis

MODERNA

HomeAlbumsOrdersUser ActionsLogout

Customise and control Google Chrome

Statistics

Welcome back, Admin Admin

User Activity

User	Action	Date
Teodora	login	2021-04-14 21:17:16
Teodora	login	2021-05-02 23:13:51
Teodora	login	2021-05-05 13:14:03
Teodora	logout	2021-05-05 14:29:11
Teodora	login	2021-05-05 14:29:19
Teodora	logout	2021-05-05 14:31:53
Teodora	login	2021-05-05 14:32:02


Our Newsletter

Tamen quem nulla quae legam multos aute sint culpa legam noster magna


Subscribe



Organizacija


Šema baze podataka



Struktura projektu







Kod

PHP

web.php

AlbumController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\EditAlbumRequest;
use App\Http\Requests\StoreAlbumRequest;
use App\Models\Album;
use App\Models\Artist;
use App\Models\Genre;
use Illuminate\Http\Request;

class AlbumController extends MyController
{
    private $albums;

    public function __construct(){
        $this->albums = Album::all();
    }

    public function index(Request $request, Album $albums)
    {
        $checkedGenres = $request->get("genreIds") ? $request->get("genreIds") : [];

        $artists = Artist::all();
        $genres = Genre::all();

        $albums = $albums->newQuery();

        if ($request->has('name')) {
            $albums->where('name', $request->input('name'));
        }

        if ($request->has('keyword')) {
            $albums->where('name', 'LIKE', '%'. $request->input('keyword').'%');
        }

        if ($request->has('artists')) {
            if($request->get('artists') !== "0"){
                $albums->whereHas('artist', function ($query) use ($request)
                {
                    $query->where('artists.id', $request->input('artists'));
                });
            }
        }

        if ($request->has('genreIds')) {
            $albums->whereHas('genre', function ($query) use ($request) {
```

```

        $query->whereIn('genres.id', $request->input('genreIds'));
    });
}

if ($request->has('sort')) {
    if($request->get('sort') == 'az' || $request->get('sort') ==
'za'){
        if($request->get('sort') == 'az'){
            $albums->orderBy('name');
        }
        else{
            $albums->orderBy('name', 'desc');
        }
    }
    else{
        if($request->get('sort') == 'newest'){
            $albums->orderBy('dateReleased', 'desc');
        }
        else{
            $albums->orderBy('dateReleased');
        }
    }
}
$albums = $albums->paginate(12)->withQueryString();

return view('admin.pages.albums.index', [
    'albums' => $albums,
    'artists' => $artists,
    'genres' => $genres,
    'checkedGenres' => $checkedGenres
]);
}

public function create()
{
    $artists = Artist::all();
    $genres = Genre::all();
    return view('admin.pages.albums.create', [
        'artists' => $artists,
        'genres' => $genres
    ]);
}

public function store(StoreAlbumRequest $request)
{
    try {
        $name = $request->get('name');
        $dateReleased = $request->get('dateReleased');
        $image = $request->file('image');
        $length = $request->get('length');
        $description = $request->get('description');
        $artistId = $request->get('artists');
        $genreId = $request->get('genres');

        $album = new Album;

        //dd($artistId);
    }
}

```

```

        if($artistId ==0 || $genreId == 0){
            return redirect()->back()->with("error", "Genre or artist not
chosen.");
        }
        if($image == null){
            return redirect()->back()->with("error", "Photo not
uploaded.");
        }
        else{
            $imgName = uniqid()."_.time().".". $image->extension();
            $image->storeAs("public/images", $imgName);

            $album->name = $name;
            $album->dateReleased = $dateReleased;
            $album->image = $imgName;
            $album->length = $length;
            $album->description = $description;
            $album->artist_id = $artistId;
            $album->genre_id = $genreId;
        }

        $album->save();

        return redirect()->route("albums.index")->with("success",
"Successfully added.");
    }
    catch(\Exception $e) {
        \Log::error($e->getMessage());
        return redirect()->back()->with("error", "There's been an
error");
    }
}

public function show($id)
{
    //
}

public function edit($id)
{
    $artists = Artist::all();
    $genres = Genre::all();
    return view('admin.pages.albums.edit', [
        'album' => Album::find($id),
        'artists' => $artists,
        'genres' => $genres
    ]);
}

public function update(EditAlbumRequest $request, $id)
{
    try {
        $name = $request->get('name');
        $dateReleased = $request->get('dateReleased');
        $image = $request->file('image');
    }
}

```

```

        $length = $request->get('length');
        $description = $request->get('description');
        $artistId = $request->get('artists');
        $genreId = $request->get('genres');

        $album = Album::find($id);

        if($image == null){
            $album->name = $name;
            $album->dateReleased = $dateReleased;
            $album->length = $length;
            $album->description = $description;
            $album->artist_id = $artistId;
            $album->genre_id = $genreId;
        }
        else{
            $imgName = uniqid()."_".time().".$image->extension();
            $image->storeAs("public/images", $imgName);

            $album->name = $name;
            $album->dateReleased = $dateReleased;
            $album->image = $imgName;
            $album->length = $length;
            $album->description = $description;
            $album->artist_id = $artistId;
            $album->genre_id = $genreId;
        }

        $album->save();

        return redirect()->route("albums.index")->with("success",
"Successfully edited.");
    }
    catch(\Exception $e) {
        \Log::error($e->getMessage());
        return redirect()->back()->with("error", "There's been an
error.");
    }
}

public function destroy($id)
{
    try {
        Album::destroy($id);
        return redirect()->back()->with("success", "Successfully
deleted.");
    }
    catch (\Exception $ex) {
        \Log::error($ex->getMessage());
        return redirect()->back()->with("error", "There was an error
deleting the item.");
    }
}
}

```

BackController.php

```
<?php

namespace App\Http\Controllers;

use App\Models\Album;
use App\Models\Order;
use App\Models\User;
use App\Models\UserAction;
use Illuminate\Http\Request;

class BackController extends MyController
{
    private $data;

    public function home(){

        $this->data['albums'] = Album::count('id');
        $this->data['users'] = User::count('id');
        $this->data['orders'] = Order::count('id');

        $total = Order::all();
        $totalPrice = 0;

        if($total->count() > 0){
            foreach($total as $el){
                $totalPrice += $el->albums->price->price;
            }
        }
        $this->data['totalPrice'] = $totalPrice;

        return view('admin.pages.home', $this->data);
    }

    public function orders(){

        $orders = Order::all();
        $this->data['orders'] = $orders;

        $totalPrice = 0;

        if($orders->count() > 0){
            foreach($orders as $el){
                $totalPrice += $el->albums->price->price;
            }
        }
        $this->data['totalPrice'] = $totalPrice;

        return view('admin.pages.orders', $this->data);
    }

    public function useractions(){

        $useractions = UserAction::all();
```



```

        return view('admin.pages.useractions', ['useractions' =>
$useractions]);
    }
}

```

CartController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\Album;
use Illuminate\Http\Request;

class CartController extends MyController
{
    public function index(){
        return view("client.pages.cart");
    }

    public function store(Request $request){
        $id = $request->get('id');

        $album = Album::find($id);

        $cartItems = session()->get("cartItems");

        if(!$cartItems) {
            $cartItems = [];
        }

        $existingIndex = null;

        foreach($cartItems as $index => $item) {
            if($item->album->id == $id) {
                $existingIndex = $index;
                break;
            }
        }

        if($existingIndex !== null) {
            $cartItems[$existingIndex]->quantity++;
        }
        else {
            $cartItem = new \stdClass();
            $cartItem->quantity = 1;
            $cartItem->album = $album;

            array_push($cartItems, $cartItem);
        }

        session()->put("cartItems", $cartItems);
    }
}

```

```

    }

    public function destroy(Request $request) {

        $id = $request->get('id');
        $existingIndex = null;

        $cartItems = session()->get("cartItems");

        if(!$cartItems) {
            $cartItems = [];
        }

        foreach($cartItems as $index => $item) {
            if($item->album->id == $id) {
                $existingIndex = $index;
                break;
            }
        }

        if($existingIndex !== null) {
            unset($cartItems[$existingIndex]);
            session()->put("cartItems", $cartItems);
        }

    }

    public function changeQuantity(Request $request) {
        $id = $request->get("id");
        $quantity = $request->get("quantity");

        $existingIndex = null;

        $cartItems = session()->get("cartItems");

        if(!$cartItems) {
            $cartItems = [];
        }

        foreach($cartItems as $index => $item) {
            if($item->album->id == $id) {
                $existingIndex = $index;
                break;
            }
        }

        if($existingIndex !== null) {
            $cartItems[$existingIndex]->quantity = $quantity;
            session()->put("cartItems", $cartItems);
            return response()->json([], 204);
        }

        return response()->json(["message" => "Cannot be changed."], 409);
    }
}

```

FrontController.php

```
<?php

namespace App\Http\Controllers;

use App\Http\Requests\ContactRequest;
use App\Mail\ContactEmail;
use App\Models\Album;
use App\Models\Artist;
use App\Models\Genre;
use App\Models\Order;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;
use Illuminate\Support\Facades\Mail;
use function GuzzleHttp\Promise\all;

class FrontController extends MyController
{
    public function home(){
        $labels = [
            array('name' =>'Epic', 'image' =>"l1.png"),
            array('name' => 'Arista', 'image' => "l2.png"),
            array('name' =>'RCA','image' => "l3.png"),
            array('name' => 'Colombia','image' => "l4.png"),
        ];
        return view('client.pages.home',['labels' => $labels]);
    }
    public function about(){
        return view('client.pages.about');
    }

    public function author(){
        return view('author');
    }

    public function contact(){
        return view('client.pages.contact');
    }

    public function albums(Request $request, Album $albums){

        $checkedGenres = $request->get("genreIds") ? $request->get("genreIds") : [];

        $artists = Artist::all();
        $genres = Genre::all();

        $albums = $albums->newQuery();

        if ($request->has('name')) {
            $albums->where('name', $request->input('name'));
        }
    }
}
```

```

    }

    if ($request->has('keyword')) {
        $albums->where('name','LIKE','%'. $request->
>input('keyword').'%');
    }

    if ($request->has('artists')) {
        if($request->get('artists') !== "0"){
            $albums->whereHas('artist', function ($query) use ($request)
{
                $query->where('artists.id', $request->input('artists'));
            });
        }
    }

    if ($request->has('genreIds')) {
        $albums->whereHas('genre', function ($query) use ($request) {
            $query->whereIn('genres.id', $request->input('genreIds'));
        });
    }

    if ($request->has('sort')) {
        if($request->get('sort') == 'az' || $request->get('sort') ==
'za'){
            if($request->get('sort') == 'az'){
                $albums->orderBy('name');
            }
            else{
                $albums->orderBy('name','desc');
            }
        }
        else{
            if($request->get('sort') == 'newest'){
                $albums->orderBy('dateReleased','desc');
            }
            else{
                $albums->orderBy('dateReleased');
            }
        }
    }

    $albums = $albums->paginate(12)->withQueryString();

    return view('client.pages.albums.index',[
        'albums' => $albums,
        'artists' => $artists,
        'genres' => $genres,
        'checkedGenres' => $checkedGenres
    ]);
}

public function sendEmail(ContactRequest $request){
    try{
        $name = $request->get('name');
        $email = $request->get('email');
        $subject = $request->get('subject');
    }
}

```

```

        $message = $request->get('message');

        $data = [
            'name' => $name,
            'email' => $email,
            'subject' => $subject,
            'message' => $message,
        ];

        $adminEmail = 'nedeljko.victeodora3@gmail.com';
        Mail::to($adminEmail)->send(new ContactEmail($data));

        return redirect()->back()->with('status','Successfully sent
email.');
```

```

    }
    catch (\Exception $ex){
        Log::error($ex->getMessage());
        return redirect()->back()->with('status','Failed to send an
email.');
```

```

    }
}

public function orders(Request $request){
    $allOrders = Order::OrderBy('id')->get();
    $user = $request->session()->get('user');

    $orders = [];

    if($allOrders !== null){
        foreach ($allOrders as $order){
            if($order->user_id == $user->id){
                array_push($orders, $order);
            }
        }
    }

    return view('client.pages.orders',['orders' => $orders]);
}
}

```

LoginController.php

```

<?php

namespace App\Http\Controllers;

use App\Http\Requests\LoginRequest;
use App\Models\User;
use App\Models\UserAction;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;

```

```

class LoginController extends MyController
{
    public function index(){
        return view('client.pages.login');
    }

    public function login(LoginRequest $request){
        try{
            $email = $request->input('email');
            $password = md5($request->input('password'));

            $user = User::where('email',$email)
                ->where('password',$password)
                ->first();

            if($user){
                $request->session()->put('user',$user);

                $userAction = new UserAction;

                $userAction->user_id = $user->id;
                $userAction->action = 'login';

                $userAction->save();

                if($user->role_id == 1){
                    return redirect()->route('admin.home');
                }
                else{
                    return redirect()->route('home');
                }
            }

            return back()->with('loginFail', 'Username or password
incorrect.');
```

```

        }
        catch(\Exception $ex){
            Log::error($ex->getMessage());
            return back()->with('loginFail', $ex);
        }
    }
}

```

LogoutController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\UserAction;
use Illuminate\Http\Request;

class LogoutController extends MyController
{

```

```

    public function logout(Request $request){
        $userAction = new UserAction;

        $userAction->user_id = session()->get('user')->id;
        $userAction->action = 'logout';
        $userAction->save();

        $request->session()->remove('user');
        return redirect()->route('home');
    }
}

```

MyController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\Menu;
use Illuminate\Http\Request;

class MyController extends Controller
{
    public $menus;
    public function __construct()
    {
        $this->menus['menu'] = Menu::orderBy('order')->get();
    }
}

```

OrderController.php

```

<?php

namespace App\Http\Controllers;

use App\Http\Requests\OrderRequest;
use App\Models\Order;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;

class OrderController extends MyController
{
    public function index(Request $request){
        return view('client.pages.order');
    }

    public function order(OrderRequest $request){
        $id = $request->get('id');

        $cartItems = session()->get("cartItems");

        $country = $request->get('country');
    }
}

```

```

        $city = $request->get('city');
        $address = $request->get('address');
        $phone = $request->get('phone');

        if(!$cartItems) {
            $cartItems = [];
        }

        try{
            $order = new Order();

            foreach($cartItems as $index => $item) {
                $order->user_id = $request->session()->get('user')->id;
                $order->album_id = $item->album->id;
                $order->quantity = $item->quantity;
                $order->country = $country;
                $order->city = $city;
                $order->address = $address;
                $order->phone = $phone;

                $order->save();
            }

            $request->session()->forget('cartItems');
            return redirect()->route('home.albums')->with('order','Successfully ordered.');
```

```

        }
        catch (\Exception $ex){
            Log::error($ex->getMessage());
            return redirect()->route('home.albums')->with('order','Error
while ordering.');
```

```

        }
    }
}

```

RegisterController.php

```

<?php

namespace App\Http\Controllers;

use App\Http\Requests\RegisterRequest;
use App\Models\User;
use App\Models\UserAction;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;

class RegisterController extends MyController
{
    public function index(){
        return view('client.pages.register');
    }
}

```



```

public function register(RegisterRequest $request){
    $firstName = $request->get('firstName');
    $lastName = $request->get('lastName');
    $username = $request->get('username');
    $email = $request->get('email');
    $password = md5($request->get('password'));

    try{
        $emailExists = User::where('email',$email)->get()->count();
        $usernameExists = User::where('username',$username)->get()-
>count();

        if($emailExists && !$usernameExists){
            return redirect()->back()->with('regFail','Email taken.');
```

```
    }
```

```
    else if(!$emailExists && $usernameExists) {
```

```
        return redirect()->back()->with('regFail','Username taken.');
```

```
    }
```

```
    else if($emailExists && $usernameExists){
```

```
        return redirect()->back()->with('regFail','Email and username
taken.');
```

```
    }
```

```
    else{
```

```
        $user = new User;
```

```
        $userAction = new UserAction;
```

```
        $user->first_name = $firstName;
```

```
        $user->last_name = $lastName;
```

```
        $user->username = $username;
```

```
        $user->email = $email;
```

```
        $user->password = $password;
```

```
        $user->role_id = 2;
```

```
        $user->save();
```

```
        $userAction->user_id = $user->id;
```

```
        $userAction->action = 'register';
```

```
        $userAction->save();
```

```
        $request->session()->put('user',$user);
```

```
        return redirect()->route('home');
```

```
    }
```

```
}
```

```
catch (\Exception $ex){
```

```
    Log::error($ex->getMessage());
```

```
    return redirect()->back()->with('regFail','Try again.');
```

```
}
```

```
}
```

```
}
```

Middleware/IsAdminMiddleware.php

```
<?php

namespace App\Http\Middleware;

use Closure;

class IsAdminMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param \Illuminate\Http\Request $request
     * @param \Closure $next
     * @return mixed
     */
    public function handle($request, Closure $next)
    {
        if($request->session()->has("user") && $request->session()->get("user")->role_id == 1) {
            return $next($request);
        }

        /*if($request->ajax()) {
            return response()->json([], 401);
        }*/

        return redirect()->route('home');
    }
}
```

Middleware/LoggedInMiddleware.php

```
<?php

namespace App\Http\Middleware;

use Closure;

class LoggedInMiddleware
{
    /**
     * Handle an incoming request.
     *
     * @param \Illuminate\Http\Request $request
     * @param \Closure $next
     * @return mixed
     */
    public function handle($request, Closure $next)
    {
        if($request->session()->has('user')){
            return $next($request);
        }
    }
}
```

```

    }
    return redirect()->route('home');
}
}

```

Requests/ContactRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class ContactRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'name' => 'required|string',
            'email' => 'required|email',
            'subject' => 'required',
            'message' => 'required'
        ];
    }
}

```

Requests/EditAlbumRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class EditAlbumRequest extends FormRequest
{

```

```

/**
 * Determine if the user is authorized to make this request.
 *
 * @return bool
 */
public function authorize()
{
    return true;
}

/**
 * Get the validation rules that apply to the request.
 *
 * @return array
 */
public function rules()
{
    return [
        'name' => 'required|max:150|',
        'dateReleased' => 'required',
        'image' => 'image',
        'length' => 'required|min:1|numeric',
        'description' => 'required|string',
    ];
}
}

```

Requests/LoginRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class LoginRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'email' => 'required|max:150|email',

```

```

        'password' => 'required|min:4'
    ];
}
}

```

Requests/OrderRequest.php

```

<?php
namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class OrderRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'country' => 'required|max:250|min:2|string',
            'city' => 'required|max:250|min:2|string',
            'address' => 'required|max:250|min:4',
            'phone' => 'required|max:30|'
        ];
    }
}

```

Requests/RegisterRequest.php

```

<?php
namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class RegisterRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
}

```

```

    */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'firstName' => 'required|max:250',
            'lastName' => 'required|max:250',
            'username' => 'required|max:40|min:3',
            'email' => 'required|max:250|email',
            'password' => 'required|min:4'
        ];
    }
}

```

Requests/StoreAlbumRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class StoreAlbumRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'name' => 'required|max:150|',
            'dateReleased' => 'required',
            'image' => 'required|image',
            'length' => 'required|min:1|numeric',
            'description' => 'required|string',

```

```

        'artists' => 'required',
        'genres' => 'required'
    ];
}
}

```

Mail/ContactEmail.php

```

<?php

namespace App\Mail;

use Illuminate\Bus\Queueable;
use Illuminate\Contracts\Queue\ShouldQueue;
use Illuminate\Mail\Mailable;
use Illuminate\Queue\SerializesModels;

class ContactEmail extends Mailable
{
    use Queueable, SerializesModels;

    public $data;

    /**
     * Create a new message instance.
     *
     * @return void
     */
    public function __construct($data)
    {
        $this->data = $data;
    }

    /**
     * Build the message.
     *
     * @return $this
     */
    public function build()
    {
        return $this->markdown('emails.layout')->with(['data', $this->data]);
    }
}

```

Models/Album.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

```

```
class Album extends Model
{
    public function price(){
        return $this->hasOne(Price::class);
    }

    public function genre(){
        return $this->belongsTo(Genre::class);
    }

    public function artist(){
        return $this->belongsTo(Artist::class);
    }
}
```

Models/Artist.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Artist extends Model
{
    //
}
```

Models/Genre.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Genre extends Model
{
    //
}
```

Models/Menu.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Menu extends Model
{
    //
}
```


Models/Order.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Order extends Model
{
    public function albums() {
        return $this->hasOne(Album::class, 'id', 'album_id');
    }

    public function users() {
        return $this->hasOne(User::class, 'id', 'user_id');
    }
}
```

Models/Price.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Price extends Model
{
    //
}
```

Models/Role.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Role extends Model
{
    //
}
```

Models/User.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
```

```
class User extends Model
{
    protected $fillable = [
        'first_name',
        'last_name',
        'email',
        'password',
        'role_id',
        'username'
    ];
}
```

Models/UserAction.php

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class UserAction extends Model
{
    public function users(){
        return $this->hasOne(User::class, 'id', 'user_id');
    }
}
```

JS

cart.js

```
function removeFromCart(id) {
    $.ajax({
        url : "/cart",
        method: "DELETE",
        data: {
            "_token": token,
            "id" : id
        },
        headers: {
            "Accept": "application/json"
        },
        success: function() {
            console.log(id)
            $("#cart_item_" + id).remove()
            updateTotalPrice()
        },
        error: function(xhr, status, error) {
            console.log(error)
        }
    })
}

function updateTotalPrice() {
    var albums = $(".album")

    let total = 0

    for(album of albums) {
        let price = $(album).data("price")
        let albumId = $(album).data("id")

        let quantity = $("#input_" + albumId).val()

        total += price * quantity
    }
    $("#total").html("$ " + total)
}

function changeAlbumQuantity(id) {

    $.ajax({
        url : "/cart",
        method: "PUT",
        headers: {
            "Accept": "application/json"
        },
        data: {
            id : id,
            _token: token,
            quantity: $("#input_" + id).val()
        }
    })
}
```

```
    },
    success: function() {
        updateTotalPrice()
    },
    error: function() {
        alert("Error!")
    }
    })
}

function addToCart(id) {
    $.ajax({
        url : "/cart",
        method: "POST",
        data: {
            "_token" : token,
            "id" : id
        },
        headers: {
            "Accept": "application/json"
        },
        success: function (data) {
            alert("Added to the cart.")
        },
        error: function(err,xhr,status) {
            alert("Error occured.")
        }
    })
}
```

Blade

admin/layout.blade.php

```
<!DOCTYPE html>

<html>

@include ("admin.fixed.head")
@include ("admin.fixed.header")

@yield('content')

@include ("admin.fixed.footer")
@include ("admin.fixed.scripts")

@yield('scripts')
</html>
```

admin/pages/home.blade.php

```
@extends('admin.layout')

@section('title') Alb - Home Page @endsection
@section('description') Top music of the year. Featuring album reviews,
ratings, charts, year end lists and more.
@endsection
@section('keywords') music,rate,albums,artists,group,singer @endsection

@section('content')
    <!-- ===== Hero No Slider Section ===== -->
    <!--<section id="hero-no-slider" class="d-flex justify-content-center
align-items-center">
        <div class="container position-relative" data-aos="fade-up" data-aos-
delay="100">
            <div class="row justify-content-center">
                <div class="col-xl-8">
                    <h2>Welcome to Moderna</h2>
                    <p>Ut velit est quam dolor ad a aliquid qui aliquid.
Sequi ea ut et est quaerat sequi nihil ut aliquam. Occaecati alias dolorem
mollitia ut. Similique ea voluptatem. Esse doloremque accusamus repellendus
deleniti vel. Minus et tempore modi architecto.</p>
                    <a href="" class="btn-get-started ">Read More</a>
                </div>
            </div>
        </div>
    </section> -->

    <main id="main">

        <section class="breadcrumbs">
            <div class="container">
```

```

        <div class="d-flex justify-content-between align-items-
center">
            <h2>Statistics</h2>
        </div>
        <h1 class="h3 mb-0 text-gray800">
            Welcome back, {{ session()->get('user')->first_name. ' '
.session()->get('user')->last_name }}
        </h1>
    </div>
</section>

    <div class="p-lg-5" id="main-wrapper" data-layout="vertical" data-
navbarbg="skin6" data-sidebartype="full"
    data-sidebar-position="absolute" data-header-position="absolute"
data-boxed-layout="full">
        <div class="page-wrapper">
            <div class="page-breadcrumb">
                <div class="row align-items-center">
                </div>
            </div>
            <div class="container-fluid">
                <div class="row">
                    <div class="col-sm-12">
                        <h3 style="color: #a2cce3">Orders Stats</h3>
                    </div>
                    <!-- Column -->
                    <div class="col-sm-6 mb-lg-5">
                        <div class="card">
                            <div class="card-body">
                                <h4 class="card-title">Number of
Orders</h4>
                                <div class="text-end">
                                    <h2 class="font-light mb-0"><i
class="ti-arrow-up text-success"></i> {{ $orders }}</h2>
                                </div>
                                <span class="text-success">80%</span>
                                <div class="progress">
                                    <div class="progress-bar bg-success"
role="progressbar"
                                    style="width: 80%; height: 6px;"
aria-valuenow="25" aria-valuemin="0"
                                    aria-valuemax="100"></div>
                                </div>
                            </div>
                        </div>
                    </div>
                    <!-- Column -->
                    <!-- Column -->
                    <div class="col-sm-6 mb-lg-5">
                        <div class="card">
                            <div class="card-body">
                                <h4 class="card-title">Income</h4>
                                <div class="text-end">
                                    <h2 class="font-light mb-0"><i
class="ti-arrow-up text-info"></i> {{ $totalPrice }} $</h2>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

[illegible]

```

        </div>
    </div>
</div>
</div>
<!-- Column -->
</div><br><br><br>
</div>
</div>
</div>

</main>

@endsection

```

admin/pages/orders.blade.php

```

@extends('admin.layout')

@section('title') Alb - Home Page @endsection
@section('description') Top music of the year. Featuring album reviews,
ratings, charts, year end lists and more.
@endsection
@section('keywords') music,rate,albums,artists,group,singer @endsection

@section('content')
    <!-- ===== Hero No Slider Section ===== -->
    <!--<section id="hero-no-slider" class="d-flex justify-content-center
align-items-center">
        <div class="container position-relative" data-aos="fade-up" data-aos-
delay="100">
            <div class="row justify-content-center">
                <div class="col-xl-8">
                    <h2>Welcome to Moderna</h2>
                    <p>Ut velit est quam dolor ad a aliquid qui aliquid.
Sequi ea ut et est quaerat sequi nihil ut aliquam. Occaecati alias dolorem
mollitia ut. Similique ea voluptatem. Esse doloremque accusamus repellendus
deleniti vel. Minus et tempore modi architecto.</p>
                    <a href="" class="btn-get-started ">Read More</a>
                </div>
            </div>
        </div>
    </div>
</section> -->

<main id="main">

    <section class="breadcrumbs">
        <div class="container">
            <div class="d-flex justify-content-between align-items-
center">
                <h2>Statistics</h2>
            </div>
            <h1 class="h3 mb-0 text-gray800">

```



```

Welcome back, {{ session()->get('user')->first_name. ' '
.session()->get('user')->last_name }}
    </h1>
  </div>
</section>

  <div class="p-lg-5" id="main-wrapper" data-layout="vertical" data-
navbarbg="skin6" data-sidebartype="full"
  data-sidebar-position="absolute" data-header-position="absolute"
data-boxed-layout="full">
  <div class="page-wrapper">
    <div class="page-breadcrumb">
      <div class="row align-items-center">
    </div>
  </div>
  <div class="container-fluid">
    <div class="row">
      <div class="col-sm-12">
        <h3 style="color: #a2cce3">Orders Stats</h3>
      </div>

    </div><br><br><br>
    <div class="row">
      <div class="col-sm-12">
        <div class="card">
          <div class="card-body">
            <!--<div class="d-md-flex">
              <h4 class="card-title col-md-10 mb-
md-0 mb-3 align-self-center">Orders</h4>
              <div class="col-md-2 ms-auto">
                <select class="form-select
shadow-none col-md-2 ml-auto">
                  <option
selected>January</option>
                  <option
value="1">February</option>
                  <option
value="2">March</option>
                  <option
value="3">April</option>
                </select>
              </div>
            </div>-->
            <div class="table-responsive mt-5">
              <table class="table stylish-table no-
wrap">
                <thead>
                  <tr>
                    <th class="border-top-0"
>User</th>
                    <th class="border-top-
0">Album</th>
                    <th class="border-top-
0">Country</th>
                    <th class="border-top-
0">Quantity</th>

```



```

        <div class="col-xl-8">
            <h2>Welcome to Moderna</h2>
            <p>Ut velit est quam dolor ad a aliquid qui aliquid.
Sequi ea ut et est quaerat sequi nihil ut aliquam. Occaecati alias dolorem
mollitia ut. Similique ea voluptatem. Esse doloremque accusamus repellendus
deleniti vel. Minus et tempore modi architecto.</p>
            <a href="" class="btn-get-started ">Read More</a>
        </div>
    </div>
</div>
</section> -->

<main id="main">

    <section class="breadcrumbs">
        <div class="container">
            <div class="d-flex justify-content-between align-items-
center">
                <h2>Statistics</h2>
            </div>
            <h1 class="h3 mb-0 text-gray800">
                Welcome back, {{ session()->get('user')->first_name. ' '
.session()->get('user')->last_name }}
            </h1>
        </div>
    </section>

    <div class="p-lg-5" id="main-wrapper" data-layout="vertical" data-
navbarbg="skin6" data-sidebartype="full"
    data-sidebar-position="absolute" data-header-position="absolute"
data-boxed-layout="full">
        <div class="page-wrapper">
            <div class="page-breadcrumb">
                <div class="row align-items-center">
                </div>
            </div>
            <div class="container-fluid">
                <div class="row">
                    <div class="col-sm-12">
                        <h3 style="color: #a2cce3">User Activity</h3>
                    </div>

                    </div><br><br><br>
                    <div class="row">
                        <div class="col-sm-12">
                            <div class="card">
                                <div class="card-body">
                                    <div class="table-responsive mt-5">
                                        <table class="table stylish-table no-
wrap">
                                            <thead>
                                                <tr>
                                                    <th class="border-top-0"
>User</th>
                                                    <th class="border-top-
0">Action</th>

```

```

                                <th class="border-top-
0">Date</th>
                                </tr>
                                </thead>
                                <tbody>
                                    @foreach($useractions as
$useraction)
                                        <tr>
                                            <td><span class="round
round-danger">{{ $useraction->users->first_name}}</span></td>
                                            <td class="align-middle">
                                                <h6>{{ $useraction->
>action }}</h6>
                                            </td>
                                            <td class="align-
middle">{{ $useraction->created_at }}</td>
                                        </tr>
                                    @endforeach
                                </tbody>
                                </table>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</main>
@endsection

```

admin/pages/albums/create.blade.php

```

@extends('admin.layout')

@section('title') Alb - Create Album @endsection
@section('description') Create Album.
@endsection
@section('keywords') create albums @endsection

@section('content')
    <main id="main">
        <section>
            <div class="container">
                @if(session()->has('error'))
                    <div class="alert alert-danger">
                        <ul>
                            <li>{{ session()->get('error') }}</li>
                        </ul>
                    </div>
                @endif
            </div>
        </section>
    </main>

```

```

        @endif
        <form class="m-5" action="{{ route('albums.store') }}"
method="POST" enctype="multipart/form-data">
        @csrf
        <div class="form-group">
            <input type="text" name="name" class="form-control"
placeholder="Name">
        </div><br/>
        <div class="form-group">
            <input type="date" name="dateReleased" class="form-
control" placeholder="Date Released">
        </div><br/>
        <div class="form-group">
            <input type="file" name="image" class="form-control">
        </div><br/>
        <div class="form-group">
            <input type="text" name="length" class="form-control"
placeholder="Length in minutes">
        </div><br/>
        <div class="form-group">
            <textarea name="description" class="form-control"
placeholder="Description"></textarea>
        </div><br/>
        <div class="form-group">
            <select name="genres" class="form-control">
                <option value="0" selected>Choose genre</option>
                @foreach($genres as $genre)
                    <option value="{{ $genre->id }}">{{ $genre-
>name }}</option>
                @endforeach
            </select>
        </div><br/>
        <div class="form-group">
            <select name="artists" class="form-control">
                <option value="0" selected>Choose artist</option>
                @foreach($artists as $artist)
                    <option value="{{ $artist->id }}">{{ $artist-
>first_name.' '.$artist->last_name }}</option>
                @endforeach
            </select>
        </div><br/>
        <div class="form-group">
            <input type="submit" class="form-control"
value="Create new">
        </div><br/>
    </form>
    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
</div>
</section>

```

```
</main>
@endsection
```

admin/pages/albums/edit.blade.php

```
@extends('admin.layout')

@section('title') Alb - Edit Album @endsection
@section('description') Edit Album.
@endsection
@section('keywords') edit albums @endsection

@section('content')

    <main id="main">
        <section>
            <div class="container">
                <form class="m-5" action="{{ route('albums.update', ['album'
=> $album->id]) }}" method="POST" enctype="multipart/form-data">
                    @method('put')
                    @csrf
                    <div class="form-group">
                        <input type="text" name="name" class="form-control"
value="{{ $album->name }}">
                    </div><br/>
                    <div class="form-group">
                        <input type="text" name="dateReleased" class="form-
control" value="{{ $album->dateReleased }}">
                    </div><br/>
                    <div class="form-group">
                        <input type="file" name="image" class="form-control">
                    </div><br/>
                    <div class="form-group">
                        <input type="text" name="length" class="form-control"
value="{{ $album->length }}">
                    </div><br/>
                    <div class="form-group">
                        <textarea name="description" class="form-control">{{
$album->description }}</textarea>
                    </div><br/>
                    <div class="form-group">
                        <select name="genres" class="form-control">
                            @foreach($genres as $genre)
                                <option {{ $genre->id == $album->genre_id ?
"selected" : "" }} value="{{ $genre->id }}">{{ $genre->name }}</option>
                            @endforeach
                        </select>
                    </div><br/>
                    <div class="form-group">
                        <select name="artists" class="form-control">
```

```

        @foreach($artists as $artist)
            <option {{ $artist->id == $album->artist_id ?
"selected" : "" }} value="{{ $artist->id }}">{{ $artist->first_name.'
'.$artist->last_name }}</option>
        @endforeach
    </select>
</div><br>
    <div class="form-group">
        <input type="submit" class="form-control"
value="Edit">
    </div><br/>
</form>
@if ($errors->any())
    <div class="alert alert-danger">
        <ul>
            @foreach ($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif
</div>
</section>
</main>

@endsection

```

admin/pages/albums/index.blade.php

```

@extends('admin.layout')

@section('title') Alb - Artists @endsection
@section('description') A comprehensive listing of albums from various
artists.
@endsection
@section('keywords') music,album,lp,ep @endsection

@section('content')

    <main id="main">

        <!-- ===== Our Portfolio Section ===== -->
        <section class="breadcrumbs">
            <div class="container">

                <div class="d-flex justify-content-between align-items-
center">

                    <h2>Albums</h2>
                    <ol>
                        <li><a href="{{ route('home') }}">Home</a></li>
                        <li>Albums</li>
                    </ol>
                </div>

            </div>
        </section><!-- End Our Portfolio Section -->
    </main>

```

```

<!-- ===== Portfolio Section ===== -->
<section class="portfolio">
  <div class="container">

    <div class="form-group">
      <a href="{{ route('albums.create') }}" class="btn btn-
outline-info">Create new album</a>
    </div><br>

    <div class="row">
      <div class="col-sm-12 mb-3">
        <form method="get" action="{{ route('albums.index')
}}">

          <div class="form-group">
            <input type="text" class="form-control"
name="keyword" placeholder="Browse...">
          </div>
          <div class="form-group">
            <select name="sort" class="form-control">
              <option value="az">A-Z</option>
              <option value="za">Z-A</option>
              <option value="newest">Newest</option>
              <option value="oldest">Oldest</option>
            </select>
          </div>
          <div class="form-check">
            @foreach($genres as $genre)
              <input class="form-check-input"
type="checkbox" {{ in_array($genre->id, $checkedGenres) ? "checked" : "" }}
name="genreIds[]" id="gcheckbox-{{ $genre->id }}" value="{{ $genre->id }}" >
                <label for="gcheckbox-{{ $genre->id }}"
class="form-check-label" >{{ $genre->name }}</label><br>
            @endforeach
          </div>

          <div class="form-group">
            <select name="artists" class="form-control">
              <option value="0">Choose Artist</option>
              @foreach($artists as $artist)
                <option value="{{ $artist->id }}">{{
$artist->first_name.' '.$artist->last_name }}</option>
              @endforeach
            </select>
          </div><br>
          <div class="form-group">
            <button type="submit" class="btn btn-
info">Search</button>
          </div>
        </form>
      </div>
    </div>
  </div>

  @if(session()->has('error'))
    <div class="alert alert-danger">
      {{ session()->get('error') }}
    </div>
  @endif

```



```

        </div>
    @endif

    @if(session()->has('success'))
        <div class="alert alert-success">
            {{ session()->get('success') }}
        </div>
    @endif

    <div class="row" id="album-container" data-aos="fade-up"
data-aos-easing="ease-in-out" data-aos-duration="500">

        @foreach($albums as $a)
            @include('admin.components.album.album', ['album'
=> $a])
        @endforeach

    </div>

    {{ $albums->links() }}

</div>

</section><!-- End Portfolio Section -->

</main><!-- End #main -->

@endsection

@section('scripts')
    <!--<script src="{{ asset('assets/js/albums.js') }}"></script>-->
@endsection

```

admin/components/album/album.php

```

<div class="col-lg-4 col-md-6 portfolio-wrap filter-app">
    <div class="portfolio-item">
        
        <div class="portfolio-info">
            <h3>{{ $a->name }}</h3>
            <h3>{{ date('d-M, Y', strtotime($a->dateReleased)) }}</h3>
            <h3>Genre: {{ $a->genre->name }}</h3>
            <h3>Artist: {{ $a->artist->first_name . $a->artist->last_name
}}</h3>
            <div>
                <a href="{{ asset('/storage/images/'.$a->image) }}" data-
galleryery="portfolioGallery" class="portfolio-lightbox" title="{{ $a->name
}}"><i class="bx bx-plus"></i></a>
            </div>
        </div>
    </div>
</div>

```

```

<div class="d-flex flex-row mb-lg-4 justify-content-between">

    <a href="{{ route('albums.edit', ['album' => $a->id]) }}" class="btn
btn-outline-info">Update</a>

    <form method="POST" action="{{ route('albums.destroy', ['album' =>
$a->id]) }}">
        @method('DELETE')
        @csrf
        <div class="form-group">
            <button class="btn btn-outline-info">Delete</button>
        </div>
    </form>

</div>
</div>

```

admin/fixed/footer.blade.php

```

<a href="#" class="back-to-top d-flex align-items-center justify-content-
center"><i class="bi bi-arrow-up-short"></i></a>

<!-- ===== Footer ===== -->

<footer id="footer" data-aos="fade-up" data-aos-easing="ease-in-out" data-
aos-duration="500">

    <div class="footer-newsletter">
        <div class="container">
            <div class="row">
                <div class="col-lg-6">
                    <h4>Our Newsletter</h4>
                    <p>Tamen quem nulla quae legam multos aute sint culpa
legam noster magna</p>
                </div>
                <div class="col-lg-6">
                    <form action="" method="post">
                        <input type="email" name="email"><input type="submit"
value="Subscribe">
                    </form>
                </div>
            </div>
        </div>
    </div>

    <div class="footer-top">
        <div class="container">
            <div class="row">

                <div class="col-lg-3 col-md-6 footer-links">
                    <h4>Useful Links</h4>
                    <ul>
                        <li><i class="bx bx-chevron-right"></i> <a
href="#">Home</a></li>

```

```

                <li><i class="bx bx-chevron-right"></i> <a
href="#">About us</a></li>
                <li><i class="bx bx-chevron-right"></i> <a
href="#">Services</a></li>
                <li><i class="bx bx-chevron-right"></i> <a
href="#">Terms of service</a></li>
                <li><i class="bx bx-chevron-right"></i> <a
href="#">Privacy policy</a></li>
            </ul>
        </div>

        <div class="col-lg-3 col-md-6 footer-links">
            <h4>Our Services</h4>
            <ul>
                <li><i class="bx bx-chevron-right"></i> <a
href="#">Web Design</a></li>
                <li><i class="bx bx-chevron-right"></i> <a
href="#">Web Development</a></li>
                <li><i class="bx bx-chevron-right"></i> <a
href="#">Product Management</a></li>
                <li><i class="bx bx-chevron-right"></i> <a
href="#">Marketing</a></li>
                <li><i class="bx bx-chevron-right"></i> <a
href="#">Graphic Design</a></li>
            </ul>
        </div>

        <div class="col-lg-3 col-md-6 footer-contact">
            <h4>Contact Us</h4>
            <p>
                A108 Adam Street <br>
                New York, NY 535022<br>
                United States <br><br>
                <strong>Phone:</strong> +1 5589 55488 55<br>
                <strong>Email:</strong> info@example.com<br>
            </p>
        </div>

        <div class="col-lg-3 col-md-6 footer-info">
            <h3>About Moderna</h3>
            <p>Cras fermentum odio eu feugiat lide par naso tierra.
Justo eget nada terra videa magna derita valies darta donna mare fermentum
iaculis eu non diam phasellus.</p>
            <div class="social-links mt-3">
                <a href="#" class="twitter"><i class="bx bxl-
twitter"></i></a>
                <a href="#" class="facebook"><i class="bx bxl-
facebook"></i></a>
                <a href="#" class="instagram"><i class="bx bxl-
instagram"></i></a>
                <a href="#" class="linkedin"><i class="bx bxl-
linkedin"></i></a>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>

    <div class="container">
        <div class="copyright">
            &copy; Copyright <strong><span>Moderna</span></strong>. All
Rights Reserved
        </div>
        <div class="credits">
            <!-- All the links in the footer should remain intact. -->
            <!-- You can delete the links only if you purchased the pro
version. -->
            <!-- Licensing information: https://bootstrapmade.com/license/ --
>
            <!-- Purchase the pro version with working PHP/AJAX contact form:
https://bootstrapmade.com/free-bootstrap-template-corporate-moderna/ -->
            Designed by <a
href="https://bootstrapmade.com/">BootstrapMade</a>
        </div>
    </div>
</footer><!-- End Footer -->

```

admin/fixed/head.blade.php

```

<head>
    <meta charset="utf-8">
    <meta content="width=device-width, initial-scale=1.0" name="viewport">

    <title>@yield('title')</title>
    <meta content="@yield('description')" name="description">
    <meta content="@yield('keywords')" name="keywords">

    <!-- Favicons -->
    <link href="{{ asset('assets/img/favicon.png') }}" rel="icon">
    <link href="{{ asset('assets/img/apple-touch-icon.png') }}" rel="apple-
touch-icon">

    <!-- Google Fonts -->
    <link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600
,600i,700,700i|Roboto:300,300i,400,400i,500,500i,700,700i&display=swap"
rel="stylesheet">

    <!-- Vendor CSS Files -->
    <link href="{{ asset('assets/vendor/animate.css/animate.min.css') }}"
rel="stylesheet">
    <link href="{{ asset('assets/vendor/aos/aos.css') }}" rel="stylesheet">
    <link href="{{ asset('assets/vendor/bootstrap/css/bootstrap.min.css') }}"
rel="stylesheet">
    <link href="{{ asset('assets/vendor/bootstrap-icons/bootstrap-

```

```

icons.css"))}}" rel="stylesheet">
    <link href="{{ asset("assets/vendor/boxicons/css/boxicons.min.css") }}"
rel="stylesheet">
    <link href="{{ asset("assets/vendor/glightbox/css/glightbox.min.css") }}"
rel="stylesheet">
    <link href="{{ asset("assets/vendor/swiper/swiper-bundle.min.css") }}"
rel="stylesheet">

    <!-- Template Main CSS File -->
    <link href="{{ asset("assets/css/style.css") }}" rel="stylesheet">

    <link rel="canonical" href="https://www.wrappixel.com/templates/monster-
admin-lite/" />
    <!-- Favicon icon -->
    <link rel="icon" type="image/png" sizes="16x16" href="{{
asset('images/favicon.png') }}">
    <!-- Custom CSS -->
    <!--<link href="{{ asset('plugins/chartist/dist/chartist.min.css') }}"
rel="stylesheet"> idkkkk -->
    <!-- Custom CSS -->
    <!--<link href="{{ asset('admin/css/style.css/style.min.css') }}"
rel="stylesheet"> idkkk -->

    <!-- =====
    * Template Name: Moderna - v4.1.0
    * Template URL: https://bootstrapmade.com/free-bootstrap-template-
corporate-moderna/
    * Author: BootstrapMade.com
    * License: https://bootstrapmade.com/license/
    ===== -->
</head>

```

admin/fixed/header.blade.php

```

<!-- ===== Header ===== -->
<header id="header" class="fixed-top d-flex align-items-center ">
    <div class="container d-flex justify-content-between align-items-center">

        <div class="logo">
            <h1 class="text-light"><a href="{{ route('admin.home')
}}"><span>Moderna</span></a></h1>
        </div>

        <nav id="navbar" class="navbar">
            <ul>
                <li><a class="active " href="{{ route('admin.home')
}}">Home</a></li>
                <li><a href="{{ route('albums.index') }}">Albums</a></li>
                <li><a href="{{ route('admin.orders') }}">Orders</a></li>
                <li><a href="{{ route('useractions') }}">User
Actions</a></li>

                @if(session()->has('user'))
                <li><a href="{{ route('logout') }}">Logout</a></li>
            </ul>
        </nav>
    </div>
</header>

```

```

        @elseif(!session()->has('user'))
            <li><a href="{{ route('login') }}">Login</a></li>
            <li><a href="{{ route('register') }}">Register</a></li>
        @endif

    </ul>
    <i class="bi bi-list mobile-nav-toggle"></i>
</nav><!-- .navbar -->

</div>
</header><!-- End Header -->

```

admin/fixed/scripts.blade.php

```

<!-- Vendor JS Files -->
<script src="{{ asset('assets/vendor/aos/aos.js') }}"></script>
<script src="{{
asset('assets/vendor/bootstrap/js/bootstrap.bundle.min.js') }}"></script>
<script src="{{
asset('assets/vendor/glightbox/js/glightbox.min.js') }}"></script>
<script src="{{ asset('assets/vendor/isotope-
layout/isotope.pkgd.min.js') }}"></script>
<script src="{{ asset('assets/vendor/php-email-
form/validate.js') }}"></script>
<script src="{{
asset('assets/vendor/purecounter/purecounter.js') }}"></script>
<script src="{{ asset('assets/vendor/swiper/swiper-
bundle.min.js') }}"></script>
<script src="{{
asset('assets/vendor/waypoints/noframework.waypoints.js') }}"></script>

<!-- Template Main JS File -->
<script src="{{ asset('assets/js/main.js') }}"></script>

<!-- Jquery -->
<script src="https://code.jquery.com/jquery-3.6.0.min.js" integrity="sha256-
/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>

```

client/components/album/labels.blade.php

```

<div class="col-md-6 col-lg-3 d-flex align-items-stretch" data-aos="fade-up">
    <div class="icon-box icon-box-pink">
        <h4 class="title"><a href="">{{ $label['name'] }}</a></h4>
        
    </div>
</div>

```

client/fixed/footer.blade.php

```
<a href="#" class="back-to-top d-flex align-items-center justify-content-center"><i class="bi bi-arrow-up-short"></i></a>

<!-- ===== Footer ===== -->

<footer id="footer" data-aos="fade-up" data-aos-easing="ease-in-out" data-aos-duration="500">

    <div class="footer-newsletter">
        <div class="container">
            <div class="row">
                <div class="col-lg-6">
                    <h4>Our Newsletter</h4>
                </div>
                <div class="col-lg-6">
                    <form action="" method="post">
                        <input type="email" name="email"><input type="submit"
value="Subscribe">
                    </form>
                </div>
            </div>
        </div>
    </div>

    <div class="footer-top">
        <div class="container">
            <div class="row">

                <div class="col-lg-3 col-md-6 footer-links">
                    <h4>Useful Links</h4>
                    <ul>
                        <li><i class="bx bx-chevron-right"></i> <a href="{{
route('home') }}">Home</a></li>
                        <li><i class="bx bx-chevron-right"></i> <a href="{{
route('about') }}">About us</a></li>
                        <li><i class="bx bx-chevron-right"></i> <a href="{{
route('home.albums') }}">Albums</a></li>
                        <li><i class="bx bx-chevron-right"></i> <a href="{{
route('contact') }}">Contact</a></li>
                    </ul>
                </div>

                <div class="col-lg-3 col-md-6 footer-links">
                    <h4>Our Services</h4>
                    <ul>
                        <li><i class="bx bx-chevron-right"></i> <a href="{{
route('author') }}">Author</a></li>
                        <li><i class="bx bx-chevron-right"></i> <a
href="#">Documentation</a></li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
</div>
```

```

        <div class="col-lg-3 col-md-6 footer-contact">
            <h4>Contact Us</h4>
            <p>
                A108 Adam Street <br>
                New York, NY 535022<br>
                United States <br><br>
                <strong>Phone:</strong> +1 5589 55488 55<br>
                <strong>Email:</strong> info@example.com<br>
            </p>

        </div>

        <div class="col-lg-3 col-md-6 footer-info">
            <h3>About Azure</h3>
            <div class="social-links mt-3">
                <a href="#" class="twitter"><i class="bx bxl-
twitter"></i></a>
                <a href="#" class="facebook"><i class="bx bxl-
facebook"></i></a>
                <a href="#" class="instagram"><i class="bx bxl-
instagram"></i></a>
                <a href="#" class="linkedin"><i class="bx bxl-
linkedin"></i></a>
            </div>
        </div>

    </div>
</div>
</div>

<div class="container">
    <div class="copyright">
        &copy; Copyright <strong><span>Azure</span></strong>. All Rights
Reserved
    </div>
    <div class="credits">
        <!-- All the links in the footer should remain intact. -->
        <!-- You can delete the links only if you purchased the pro
version. -->
        <!-- Licensing information: https://bootstrapmade.com/license/ --
>
        <!-- Purchase the pro version with working PHP/AJAX contact form:
https://bootstrapmade.com/free-bootstrap-template-corporate-moderna/ -->
        Designed by <a
href="https://bootstrapmade.com/">BootstrapMade</a>
    </div>
</div>
</footer><!-- End Footer -->

```


client /fixed/head.blade.php

```
<head>
    <meta charset="utf-8">
    <meta content="width=device-width, initial-scale=1.0" name="viewport">

    <title>@yield('title')</title>
    <meta content="@yield('description')" name="description">
    <meta content="@yield('keywords')" name="keywords">

    <!-- Favicons -->
    <link href="{{ asset('assets/img/favicon.png') }}" rel="icon">
    <link href="{{ asset('assets/img/apple-touch-icon.png') }}" rel="apple-
touch-icon">

    <!-- Google Fonts -->
    <link
href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600
,600i,700,700i|Roboto:300,300i,400,400i,500,500i,700,700i&display=swap"
rel="stylesheet">

    <!-- Vendor CSS Files -->
    <link href="{{ asset('assets/vendor/animate.css/animate.min.css') }}"
rel="stylesheet">
    <link href="{{ asset('assets/vendor/aos/aos.css') }}" rel="stylesheet">
    <link href="{{ asset('assets/vendor/bootstrap/css/bootstrap.min.css') }}"
rel="stylesheet">
    <link href="{{ asset('assets/vendor/bootstrap-icons/bootstrap-
icons.css') }}" rel="stylesheet">
    <link href="{{ asset('assets/vendor/boxicons/css/boxicons.min.css') }}"
rel="stylesheet">
    <link href="{{ asset('assets/vendor/glightbox/css/glightbox.min.css') }}"
rel="stylesheet">
    <link href="{{ asset('assets/vendor/swiper/swiper-bundle.min.css') }}"
rel="stylesheet">

    <!-- Template Main CSS File -->
    <link href="{{ asset('assets/css/style.css') }}" rel="stylesheet">

    <!-- =====
    * Template Name: Moderna - v4.1.0
    * Template URL: https://bootstrapmade.com/free-bootstrap-template-
corporate-moderna/
    * Author: BootstrapMade.com
    * License: https://bootstrapmade.com/license/
    ===== -->
</head>
```

client /fixed/header.blade.php

```
<!-- ===== Header ===== -->
<header id="header" class="fixed-top d-flex align-items-center ">
    <div class="container d-flex justify-content-between align-items-center">
```

```

        <div class="logo">
            <h1 class="text-light"><a href="{{ route('home')
}}"><span>Azure</span></a></h1>
            <!-- Uncomment below if you prefer to use an image logo -->
            <!-- <a href="index.html"></a>-->
        </div>

        <nav id="navbar" class="navbar">
            <ul>

                @foreach($menu as $link)
                    <li class="nav-item">
                        <a class="nav-link @if(request()->routeIs($link-
>route)) active @endif" href="{{ route($link->route )}}" >{{ $link->title
}}</a>

                        </li>
                    @endforeach
                    <li><a href="{{ route('home.albums') }}">Albums</a></li>
                    @if(session()->has('user'))
                        <li><a href="{{ route('cart') }}">Cart</a></li>
                        <li><a href="{{ route('orders') }}">See Orders</a></li>
                        <li><a href="{{ route('logout') }}">Logout</a></li>
                    @elseif(!session()->has('user'))
                        <li><a href="{{ route('login') }}">Login</a></li>
                        <li><a href="{{ route('register') }}">Register</a></li>
                    @endif

            </ul>
            <i class="bi bi-list mobile-nav-toggle"></i>
        </nav><!-- .navbar -->

    </div>
</header><!-- End Header -->

```

client /fixed/scripts.blade.php

```

<!-- Vendor JS Files -->
<script src="{{ asset('assets/vendor/aos/aos.js') }}"></script>
<script src="{{
asset('assets/vendor/bootstrap/js/bootstrap.bundle.min.js') }}"></script>
<script src="{{
asset('assets/vendor/glightbox/js/glightbox.min.js') }}"></script>
<script src="{{ asset('assets/vendor/isotope-
layout/isotope.pkgd.min.js') }}"></script>
<script src="{{ asset('assets/vendor/php-email-
form/validate.js') }}"></script>
<script src="{{
asset('assets/vendor/purecounter/purecounter.js') }}"></script>
<script src="{{ asset('assets/vendor/swiper/swiper-
bundle.min.js') }}"></script>
<script src="{{
asset('assets/vendor/waypoints/noframework.waypoints.js') }}"></script>

```



```

        <select name="sort" class="form-control">
            <option value="az">A-Z</option>
            <option value="za">Z-A</option>
            <option value="newest">Newest</option>
            <option value="oldest">Oldest</option>
        </select>
    </div><br>
    <div class="form-check">
        @foreach($genres as $genre)
            <input class="form-check-input"
type="checkbox" {{ in_array($genre->id, $checkedGenres) ? "checked" : "" }}
name="genreIds[]" id="gcheckbox-{{ $genre->id }}" value="{{ $genre->id }}" >
                <label for="gcheckbox-{{ $genre->id }}"
class="form-check-label" >{{ $genre->name }}</label><br>
            @endforeach
        </div><br>

        <div class="form-group">
            <select name="artists" class="form-control">
                <option value="0">Choose Artist</option>
                @foreach($artists as $artist)
                    <option value="{{ $artist->id }}">{{
$artist->first_name.' '.$artist->last_name }}</option>
                @endforeach
            </select><br>
        </div><br>
        <div class="form-group">
            <button type="submit" class="btn btn-
info">Search</button>
        </div>
    </form>
</div>
</div>

@if(session()->has('error'))
    <div class="alert alert-danger">
        {{ session()->get('error') }}
    </div>
@endif

@if(session()->has('success'))
    <div class="alert alert-success">
        {{ session()->get('success') }}
    </div>
@endif

@if(session()->has('order'))
    <div class="alert alert-info">
        {{ session()->get('order') }}
    </div>
@endif

@if(!session()->has('user'))
    <div class="mb-lg-4">
        <a href="{{ route('login') }}">Login in to add to
cart</a>
    </div>

```

```

        @endif

        <div class="row" id="album-container" data-aos="fade-up"
data-aos-easing="ease-in-out" data-aos-duration="500">

            @foreach($albums as $a)

@include('client.components.album.album',['albums' => $a])
            @endforeach

        </div>

        {{ $albums->links() }}

    </div>

</section><!-- End Portfolio Section -->

</main><!-- End #main -->

@endsection

@section("scripts")
    <script src="{{ asset('assets/js/cart.js') }}"></script>
@endsection

```

client/pages/about.blade.php

```

@extends('client.layout')

@section('title') Alb - About Page @endsection
@section('description') Our beginnings, motivation and crew.
@endsection
@section('keywords') music,about,history,beginnings @endsection

@section('content')

    <main id="main">

        <!-- ===== About Us Section ===== -->
        <section class="breadcrumbs">
            <div class="container">

                <div class="d-flex justify-content-between align-items-
center">
                    <h2>About Us</h2>
                    <ol>
                        <li><a href="{{ route('home') }}">Home</a></li>
                        <li>About Us</li>
                    </ol>
                </div>

            </div>

```

```

</section><!-- End About Us Section -->

<!-- ===== About Section ===== -->
<section class="about" data-aos="fade-up">
  <div class="container">

    <div class="row">
      <div class="col-lg-6">
        
      </div>
      <div class="col-lg-6 pt-4 pt-lg-0">
        <h3>Beginnings of Azure.</h3>
        <p class="fst-italic">
          Azure started as a mess of friends in
Minneapolis, fooling around after school,
          trying to make music without reading the manual.
The group had varied tastes—rap, punk, indie rock,
          pop—so the music they made together often bore
the toolmarks of several styles.

        </p>
        <ul>
          <li><i class="bi bi-check2-circle"></i>
Passionate about music.</li>
          <li><i class="bi bi-check2-circle"></i> Highly
positive.</li>
          <li><i class="bi bi-check2-circle"></i> Always
trying for a better version of everything we're involved in.</li>
        </ul>
        <p>
          A decade and fifty releases later, it's all
properly official—Azure is now a real,
          live label with international distribution—but
not that much has changed.
          Azure still partners with people who aren't
jerks. If members can't find something they need,
          they make it themselves.
        </p>
      </div>
    </div>
  </div>
</section><!-- End About Section -->

<!-- ===== Facts Section ===== -->
<section class="facts section-bg" data-aos="fade-up">
  <div class="container">

    <div class="row counters">

      <div class="col-lg-3 col-6 text-center">
        <span data-purecounter-start="0" data-purecounter-
end="232" data-purecounter-duration="1" class="purecounter"></span>
        <p>Clients</p>
      </div>
    </div>
  </div>

```

```

        <div class="col-lg-3 col-6 text-center">
            <span data-purecounter-start="0" data-purecounter-
end="521" data-purecounter-duration="1" class="purecounter"></span>
            <p>Projects</p>
        </div>

        <div class="col-lg-3 col-6 text-center">
            <span data-purecounter-start="0" data-purecounter-
end="1463" data-purecounter-duration="1" class="purecounter"></span>
            <p>Hours Of Support</p>
        </div>

        <div class="col-lg-3 col-6 text-center">
            <span data-purecounter-start="0" data-purecounter-
end="15" data-purecounter-duration="1" class="purecounter"></span>
            <p>Hard Workers</p>
        </div>

    </div>

</div>
</section><!-- End Facts Section -->

<!-- ===== Our Skills Section ===== -->
<section class="skills" data-aos="fade-up">
    <div class="container">

        <div class="section-title">
            <h2>Our Favorite Genres</h2>
        </div>

        <div class="skills-content">

            <div class="progress">
                <div class="progress-bar bg-dark" role="progressbar"
aria-valuenow="100" aria-valuemin="0" aria-valuemax="100">
                    <span class="skill">indie rock <i
class="val">100%</i></span>
                </div>
            </div>

            <div class="progress">
                <div class="progress-bar bg-secondary"
role="progressbar" aria-valuenow="90" aria-valuemin="0" aria-valuemax="100">
                    <span class="skill">alternative <i
class="val">90%</i></span>
                </div>
            </div>

            <div class="progress">
                <div class="progress-bar bg-info" role="progressbar"
aria-valuenow="75" aria-valuemin="0" aria-valuemax="100">
                    <span class="skill">baroque pop <i
class="val">75%</i></span>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="progress">
            <div class="progress-bar bg-secondary"
role="progressbar" aria-valuenow="55" aria-valuemin="0" aria-valuemax="100">
                <span class="skill">r&b <i
class="val">55%</i></span>
            </div>
        </div>

    </div>

</div>
</section><!-- End Our Skills Section -->

<!-- ===== Tetstimonials Section ===== -->
<section class="testimonials" data-aos="fade-up">
    <div class="container">

        <div class="section-title">
            <h2>Tetstimonials</h2>
        </div>

        <div class="testimonials-carousel swiper-container h-50">
            <div class="swiper-wrapper">
                <div class="testimonial-item swiper-slide">
                    

                    <h3>Saul Goodman</h3>
                    <h4>Customer &amp;</h4>
                    <p>
                        <i class="bx bxs-quote-alt-left quote-icon-
left"></i>
                            The easiest, most convenient music website
there is! Can't count the number of records I've purchased. Still yet to
experience a fault!
                        <i class="bx bxs-quote-alt-right quote-icon-
right"></i>
                    </p>
                </div>

                <div class="testimonial-item swiper-slide">
                    

                    <h3>John Larson</h3>
                    <h4>Entrepreneur</h4>
                    <p>
                        <i class="bx bxs-quote-alt-left quote-icon-
left"></i>
                            I can always find what I'm looking for
here. A big recommendation to everyone reading this!
                        <i class="bx bxs-quote-alt-right quote-icon-
right"></i>
                    </p>
                </div>
            </div>
        </div>
    </div>
</div>

```



```
<div data-id="{{ $item-  
>album->id }}" data-price="{{ $item->album->price->price }}" class="col-sm-5  
album" id="cart_item_{{ $item->album->id }}">  
  
    <div class="col-xs-  
2">  
  
    </div>  
    <div class="col-xs-4">  
        <h4 class="product-  
name"><strong>{{ $item->album->name }}</strong></h4><h4></h4>  
    </div>  
    <div class="col-xs-6">  
        <div class="col-xs-6  
text-right">  
            <h6><strong>{{  
$item->album->price->price }} $</strong> </h6>  
  
            </div>  
            <div class="col-xs-  
4">  
  
                <input  
type="number" id="input_{{ $item->album->id }}"  
onblur="changeAlbumQuantity({{$item->album->id}})" class="form-control input-  
sm" value="{{ $item->quantity }}">  
  
            </div>  
            <div class="col-xs-2  
mt-lg-3">  
  
                <button  
type="button" class="btn btn-outline-info" onclick="removeFromCart({{ $item-  
>album->id }})">  
  
                    <span  
class="glyphicon glyphicon-trash">Remove From Cart</span>  
  
                </button>  
  
            </div>  
        </div>  
    </div>  
@endforeach  
</div>  
</div>  
  
    <div class="panel-footer">  
        <div class="row text-center">  
            <div class="col-xs-9">  
                @php  
                    $totalPrice = 0;  
                    foreach(session()-  
>get("cartItems") as $item) {  
                        $totalPrice += $item-  
>quantity * $item->album->price->price;  
                    }  
  
                @endphp  
                <h4 class="text-right">Total <strong  
id="total">$ {{ $totalPrice }}</strong></h4>  
            </div>
```

```

                                <div class="col-xs-3 mb-lg-5">
                                    <div class="form-group">
                                        <a href="{{ route('order') }}"
class="btn btn-outline-info">Order</a>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div><br>
                @else
                    <p class="lead mb-lg-5">Your cart is empty.</p>
                @endif
            </div>

        </main><!-- End #main -->

@endsection

@section("scripts")
    <script src="{{ asset('assets/js/cart.js') }}"></script>
@endsection

```

client/pages/contact.blade.php

```

@extends('client.layout')

@section('title') Alb - Contact @endsection
@section('description') Contact us if you have any issues.
@endsection
@section('keywords') contact @endsection

@section('content')

    <main id="main">

        <!-- ===== Contact Section ===== -->
        <section class="breadcrumbs">
            <div class="container">

                <div class="d-flex justify-content-between align-items-
center">
                    <h2>Contact</h2>
                    <ol>
                        <li><a href="{{ route('home') }}">Home</a></li>
                        <li>Contact</li>
                    </ol>
                </div>

            </div>
        </section><!-- End Contact Section -->

        <!-- ===== Contact Section ===== -->
        <section class="contact" data-aos="fade-up" data-aos-easing="ease-in-

```

```

out" data-aos-duration="500">
    <div class="container">

        <div class="row">

            <div class="col-lg-6">

                <div class="row">
                    <div class="col-md-12">
                        <div class="info-box">
                            <i class="bx bx-map"></i>
                            <h3>Our Address</h3>
                            <p>A108 Adam Street, New York, NY
535022</p>

                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="info-box">
                            <i class="bx bx-envelope"></i>
                            <h3>Email Us</h3>

<p>info@example.com<br>contact@example.com</p>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="info-box">
                                <i class="bx bx-phone-call"></i>
                                <h3>Call Us</h3>
                                <p>+1 5589 55488 55<br>+1 6678 254445
41</p>

                            </div>
                        </div>
                    </div>

                </div>

            </div>

            <div class="col-lg-6">
                <form action="{ route('contact') }" method="post">
                    @csrf
                    <div class="row">
                        <div class="col-md-6 form-group">
                            <input type="text" name="name"
class="form-control" placeholder="Your Name">
                        </div>
                        <div class="col-md-6 form-group mt-3 mt-md-
0">
                            <input type="email" class="form-control"
name="email" placeholder="Your Email">
                        </div>
                    </div>
                    <div class="form-group mt-3">
                        <input type="text" class="form-control"
name="subject" placeholder="Subject">
                    </div>
                    <div class="form-group mt-3">
                        <textarea class="form-control" name="message"
rows="5" placeholder="Message"></textarea>

```

```

        </div>

        <div class="text-center"><button class="btn btn-
outline-info mt-lg-5" type="submit">Send Message</button></div>
    </form>
    @if(session()->has('error'))
        <div class="alert alert-danger">
            {{ session()->get('error') }}
        </div>
    @endif

    @if(session()->has('status'))
        <div class="alert alert-success">
            {{ session()->get('status') }}
        </div>
    @endif

    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif

</div>

</div>

</div>
</section><!-- End Contact Section -->

<!-- ===== Map Section ===== -->
<section class="map mt-2">
    <div class="container-fluid p-0">
        <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3024.2219901290355
!2d-
74.00369368400567!3d40.71312937933185!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1
!3m3!1m2!1s0x89c25a23e28c1191%3A0x49f75d3281df052a!2s150%20Park%20Row%2C%20Ne
w%20York%2C%20NY%2010007%2C%20USA!5e0!3m2!1sen!2sbg!4v1579767901424!5m2!1sen!
2sbg" frameborder="0" style="border:0;" allowfullscreen=""></iframe>
        </div>
    </section><!-- End Map Section -->

</main><!-- End #main -->
@endsection

```

client/pages/home.blade.php

```
@extends('client.layout')
```

```

@section('title') Alb - Home Page @endsection
@section('description') Top music of the year. Featuring album reviews,
ratings, charts, year end lists and more.
@endsection
@section('keywords') music,rate,albums,artists,group,singer @endsection

@section('content')
    <!-- ===== Hero No Slider Section ===== -->
    <section id="hero-no-slider" class="d-flex justify-content-center align-
items-center">
        <div class="container position-relative" data-aos="fade-up" data-aos-
delay="100">
            <div class="row justify-content-center">
                <div class="col-xl-8">
                    <h2>Welcome to Azure</h2>
                    <p>The world's largest online store for used and new
records. Infinite variety for everyone.
                    </p>
                    <a href="{{ route('about') }}" class="btn-get-started
">Read More</a>
                </div>
            </div>
        </div>
    </section><!-- End Hero No Slider Sectio -->

    <main id="main">

        <!-- ===== Services Section ===== -->
        <section class="services">
            <div class="container">
                <div class="row">
                    <div class="d-flex justify-content-center mb-lg-
4"><h2>Labels</h2></div>
                    @foreach($labels as $label)
                        @include('client.components.labels',['label' => $label])
                    @endforeach
                </div>
            </div>

        </section><!-- End Services Section -->

        <!-- ===== Why Us Section ===== -->
        <section class="why-us section-bg" data-aos="fade-up" data-aos-
delay="200">
            <div class="container">

                <div class="row">
                    <div class="col-lg-6 video-box">
                        
                        <a href="https://www.youtube.com/watch?v=jDDaplaOz7Q"
class="venobox play-btn mb-4" data-vbtype="video" data-autoplay="true"></a>
                    </div>

                    <div class="col-lg-6 d-flex flex-column justify-content-
center p-5">

```

```

        <div class="icon-box">
            <div class="icon"><i class="bx bx-
gift"></i></div>

            <h4 class="title"><a href="">Always
Expanding</a></h4>

            <p class="description">Our search for the new and
the good is everlasting. Our team is tirelessly owrking to bring you the most
expansive record collection!</p>
        </div>

    </div>
</div>

</div>
</section><!-- End Why Us Section -->

<!-- ===== Features Section ===== -->
<section class="features mb-lg-5">
    <div class="container">

        <div class="section-title">
            <h2>Coverage during the whole year</h2>
            <p>Sit back and enjoy news we post live as all the
biggest music award shows happen!</p>
        </div>

        <div class="row" data-aos="fade-up">
            <div class="col-md-5">
                
            </div>
            <div class="col-md-7 pt-4">
                <h3>The Grammys are the first of the Big Three
networks' major music awards held annually.</h3>
                <p class="fst-italic">
                    The annual award ceremony features performances
by prominent artists and presentation of
                    awards that showcase achievements made by
industry recording artists.
                </p>
                <ul>
                    <li><i class="bi bi-check"></i> The first Grammy
Awards ceremony was held on May 4, 1959.</li>
                    <li><i class="bi bi-check"></i> After the 2011
ceremony, the Academy overhauled many Grammy Award categories for 2012.</li>
                </ul>
            </div>
        </div>
    </div>

    <div class="row" data-aos="fade-up">
        <div class="col-md-5 order-1 order-md-2">
            
        </div>
        <div class="col-md-7 pt-5 order-2 order-md-1">
            <h3>The Brits</h3>
            <p class="fst-italic">

```

```

                The 2021 Brit Awards will take place on 11 May
2021 and aim to celebrate the best in British and international music.
            </p>
            <p>
                Usually held in February, the ceremony was
delayed due to the COVID-19 pandemic.
                The 2021 Brits will be hosted by comedian Jack
Whitehall, who has hosted the awards since 2018,
                who equals the record set by former host and The
Late Late Show host James Corden by hosting
                the ceremony in four consecutive years.
            </p>
        </div>
    </div>

</div>
</section><!-- End Features Section -->

</main><!-- End #main -->

@endsection

```

client/pages/login.blade.php

```

@extends('client.layout')

@section('title') Alb - Login @endsection
@section('description') Login to add albums to your lists, rate and save them
for later.
@endsection
@section('keywords') login @endsection

@section('content')

    <main id="main">
        <section>
            <div class="container">
                <h2>Login</h2>
                <form class="m-5" action=" {{ route('login') }}"
method="POST">
                    @csrf
                    <div class="form-group">
                        <input type="email" name="email" class="form-control"
id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter
email">
                        <small id="emailHelp" class="form-text text-
muted">We'll never share your email with anyone else.</small>
                    </div><br/>
                    <div class="form-group">
                        <input type="password" name="password" class="form-
control" id="exampleInputPassword1" placeholder="Password">

```



```

        </div><br/>
        <button type="submit" class="btn btn-
primary">Login</button>
    </form>
    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
    @if(session()->has('loginFail'))
        <div class="alert alert-danger">
            {{ session()->get('loginFail')}}
        </div>
    @endif
</div>
</section>
</main>
@endsection

```

client/pages/order.blade.php

```

@extends('client.layout')

@section('title') Alb - Login @endsection
@section('description') Login to add albums to your lists, rate and save them
for later.
@endsection
@section('keywords') login @endsection

@section('content')
    <main id="main">
        <section>
            <div class="container">
                <h2>Order Details</h2>
                <form class="m-5" action=" {{ route('order') }}"
method="POST">
                    @csrf
                    <div class="form-group">
                        <input type="text" name="country" class="form-
control" placeholder="Country">
                    </div><br/>
                    <div class="form-group">
                        <input type="text" name="city" class="form-control"
placeholder="City">
                    </div><br/>
                    <div class="form-group">
                        <input type="text" name="address" class="form-
control" placeholder="Address">

```

```

        </div><br/>
        <div class="form-group">
            <input type="text" name="phone" class="form-control"
placeholder="Phone">
        </div><br/>
        <button type="submit" class="btn btn-
primary">Order</button>
    </form>

    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
    @if(session()->has('loginFail'))
        <div class="alert alert-danger">
            {{ session()->get('loginFail')}}
        </div>
    @endif
</div>
</section>
</main>
@endsection

```

client/pages/orders.blade.php

```

@extends('client.layout')

@section('title') Alb - Login @endsection
@section('description') Login to add albums to your lists, rate and save them
for later.
@endsection
@section('keywords') login @endsection

@section('content')

    <main id="main">
        <section>
            <div class="container">
                <div>
                    <p>Welcome, </p><h1>{{ session()->get('user')->first_name
. ' ' . session()->get('user')->last_name}}</h1>
                </div>
                @if(count($orders) > 0)
                    <div class="table-responsive mt-5 mb-5">
                        <table class="table stylish-table no-wrap">
                            <thead>
                                <tr>
                                    <th class="border-top-0">Album</th>

```

```

        <th class="border-top-0">Country</th>
        <th class="border-top-0">Quantity</th>
        <th class="border-top-0">Price</th>
    </tr>
</thead>
<tbody>
    @foreach($orders as $order)
        <tr>
            <td class="align-middle">
                <h6>{{ $order->albums->name }}</h6>
            </td>
            <td class="align-middle">{{ $order-
>country }}</td>
            <td class="align-middle">{{ $order-
>quantity }}</td>
            <td class="align-middle">{{ $order-
>albums->price->price }}$</td>
        </tr>
    @endforeach
</tbody>
</table>
</div>
@else
    <div>
        <h2>You have no orders.</h2>
        <a href="{{ route('home.albums') }}">Check out albums
in our collection!</a>
    </div>
@endif
</div>
</section>
</main>
@endsection

```

client/pages/register.blade.php

```

@extends('client.layout')

@section('title') Alb - Register @endsection
@section('description') Register to add albums to your lists, rate and save
them for later.
@endsection
@section('keywords') register @endsection

@section('content')
    <main id="main">
        <section>
            <div class="container">
                <h2>Register</h2>
                <form class="m-5" action="{{ route('register') }}"
method="POST">

```

```

        @csrf
        <div class="form-group">
            <input type="text" name="firstName" class="form-
control" id="exampleInputName" placeholder="First Name">
        </div><br/>
        <div class="form-group">
            <input type="text" name="lastName" class="form-
control" id="exampleInputName" placeholder="Last Name">
        </div><br/>
        <div class="form-group">
            <input type="text" name="username" class="form-
control" id="exampleInputUsername" placeholder="Username">
        </div><br/>
        <div class="form-group">
            <input type="email" name="email" class="form-control"
id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter
email">
            <small id="emailHelp" class="form-text text-
muted">We'll never share your email with anyone else.</small>
        </div><br/>
        <div class="form-group">
            <input type="password" name="password" class="form-
control" id="exampleInputPassword1" placeholder="Password">
        </div><br/>
        <button type="submit" class="btn btn-
primary">Submit</button>
    </form>
    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
    @if(session()->has('regFail'))
        <div class="alert alert-danger">
            {{ session()->get('regFail') }}
        </div>
    @endif
</div>
</section>
</main>
@endsection

```

email/layout.blade.php

```

@component('mail::message')
    {{ $data['subject'] }} <br>

    {{ $data['message'] }}

```

```
    {{ $data['name'] }}  
@endcomponent
```

author.blade.php

```
@extends('client.layout')  
  
@section('title') Alb - Author Page @endsection  
@section('description') Author.  
@endsection  
@section('keywords') author, azure @endsection  
  
@section('content')  
  
    <main id="main">  
        <div class="container">  
            <div class="row d-flex justify-content-center">  
                <div class="col-sm-7">  
                    <h1>Author</h1>  
                </div>  
                <div class="col-sm-7 mb-lg-4">  
                      
                </div>  
                <div class="col-sm-7">  
                    <p>My name's Teodora Nedeljković. In 2018 I entered ICT  
College of Vocational Studies. I was first introduced to web design here and  
since the start have been trying my best to learn.</p><br><br>  
                    <p>Check out my portfolio <a href="#">here.</a></p><br>  
                </div>  
            </div>  
        </div>  
    </main><!-- End #main -->  
  
@endsection
```