
PDC50 LABORATORY 3


ShopSmart Live Catalog Search Through the API

Name: John Kerby Sambile
Section: BSIT-4


API Response



Description Search



Category Filter and Sort Result



Final npm run check Output

```
PS C:\Users\kerby\OneDrive\Desktop\New folder (3)\COGNIX--ShopSmart-Challenge> npm run check
   Duration  1.57s (transform 43ms, setup 0ms, collect 52ms, tests 3ms, environment 0ms, prepare 724ms)


> shopsmart-backend@1.0.0 test
> node --test

✓ parseBudget extracts a peso budget (1.518ms)
✓ rankProducts respects the budget (1.8092ms)
✓ assistant response contains traceable sources (0.2416ms)
✓ a valid classroom order passes validation (4.0892ms)
✓ duplicate products fail order validation (0.5728ms)
✓ an oversized assistant question fails validation (0.6325ms)
ℹ tests 6
ℹ suites 0
ℹ pass 6
ℹ fail 0
ℹ cancelled 0
ℹ skipped 0
ℹ todo 0
ℹ duration_ms 286.9722

> shopsmart-starter@1.0.0 build
> npm run build --workspace frontend


> shopsmart-frontend@1.0.0 build
> vite build

vite v7.3.6 building client environment for production...
✓ 52 modules transformed.
dist/index.html                  0.50 kB │ gzip:  0.31 kB
dist/assets/index-DGpO74lK.css   4.81 kB │ gzip:  1.61 kB
dist/assets/index-bC94q-zt.js  273.51 kB │ gzip: 86.56 kB
✓ built in 986ms
```

Essay:

When you type in the search box like “privacy”, React asks the backend server for matching items through an API call. Then the server checks PostgreSQL with Prisma to see if your word matches the name or the description, while making sure the item is still active. Once the database finds the items, the server sends them back as JSON data. In ProductsPage.jsx, the code uses a cleanup check so only your newest search shows up on the screen, even if you type fast. The app saves the full list of categories right from the start instead of remaking it from the search results. Because of this, you can still click all the categories and sort buttons even if your search finds only one item or nothing at all.