

John Doe



DOB: 08/01/2007
 Sex: M
 Phone: (312) 555-9472
 Patient ID: 4829103

Age: 18
 Fasting: No

Specimen ID: XT920184B
 Requisition : 0000045
 Report Status: FINAL / SEE REPORT

Collected: 07/18/2025 - 09:22 AM
 Received: 07/18/2025 - 09:25 AM
 Reported: 07/19/2025 - 04:12 PM

Client : 84562109
 SMITH, RICHARD, METROCARE
 HEALTH SERVICES, 2450 Lakeview
 Ave, Chicago, IL 60616
 Phone: (773) 555-2841
 Fax: (773) 555-2842

FASTING: YES


▲ HEMOGLOBIN A1c

FINAL

Lab: UL

▲ HEMOGLOBIN A1c (4548-4)

Reference Range: <5.7 % of total Hgb



FINAL

No Historical Data

For someone without known diabetes, a hemoglobin A1c value between 5.7% and 6.4% is consistent with prediabetes and should be confirmed with a follow-up test.

For someone with known diabetes, a value <7% indicates that their diabetes is well controlled. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations.

This assay result is consistent with an increased risk of diabetes.

Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.


▲ CBC (INCLUDES DIFF/PLT)

FINAL

Lab: UL

▲ WHITE BLOOD CELL COUNT (6690-2)

Reference Range: 3.8-10.8 Thousand/uL




FINAL

No Historical Data

▲ RED BLOOD CELL COUNT (789-8)

Reference Range: 3.80-5.10 Million/uL




FINAL

No Historical Data

HEMOGLOBIN (718-7)

Reference Range: 11.7-15.5 g/dL




FINAL

No Historical Data

▲ HEMATOCRIT (4544-3)

Reference Range: 35.0-45.0 %




FINAL

No Historical Data


MCV (787-2)

Reference Range: 80.0-100.0 fL






FINAL

No Historical Data

▲ MCH (785-6) Reference Range: 27.0-33.0 pg	25.6  27.0 33.0 <i>No Historical Data</i>	FINAL
▲ MCHC (786-4) Reference Range: 32.0-36.0 g/dL	30.9  32.0 36.0 <i>No Historical Data</i>	FINAL
For adults, a slight decrease in the calculated MCHC value (in the range of 30 to 32 g/dL) is most likely not clinically significant; however, it should be interpreted with caution in correlation with other red cell parameters and the patient's clinical condition.		
RDW (788-0) Reference Range: 11.0-15.0 %	14.5  11.0 15.0 <i>No Historical Data</i>	FINAL
PLATELET COUNT (777-3) Reference Range: 140-400 Thousand/uL	194  140 400 <i>No Historical Data</i>	FINAL
MPV (776-5) Reference Range: 7.5-12.5 fL	12.4  7.5 12.5 <i>No Historical Data</i>	FINAL
▲ ABSOLUTE NEUTROPHILS (751-8) Reference Range: 1500-7800 cells/uL	7914  1500 7800 <i>No Historical Data</i>	FINAL
ABSOLUTE LYMPHOCYTES (731-0) Reference Range: 850-3900 cells/uL	2276  850 3900 <i>No Historical Data</i>	FINAL
ABSOLUTE MONOCYTES (742-7) Reference Range: 200-950 cells/uL	833  200 950 <i>No Historical Data</i>	FINAL
ABSOLUTE EOSINOPHILS (711-2) Reference Range: 15-500 cells/uL	44  15 500 <i>No Historical Data</i>	FINAL
ABSOLUTE BASOPHILS (704-7) Reference Range: 0-200 cells/uL	33  0 200 <i>No Historical Data</i>	FINAL
NEUTROPHILS (770-8) %	71.3 <i>No Historical Data</i>	FINAL
LYMPHOCYTES (736-9) %	20.5 <i>No Historical Data</i>	FINAL


MONOCYTES (5905-5)	7.5	FINAL
%	No Historical Data	
EOSINOPHILS (713-8)	0.4	FINAL
%	No Historical Data	
BASOPHILS (706-2)	0.3	FINAL
%	No Historical Data	

COMPREHENSIVE METABOLIC PANEL
FINAL
Lab: UL

GLUCOSE (2345-7)	87	FINAL
Reference Range: 65-99 mg/dL		
	No Historical Data	
Fasting reference interval		
UREA NITROGEN (BUN) (3094-0)	11	FINAL
Reference Range: 7-25 mg/dL		
	No Historical Data	
CREATININE (2160-0)	0.88	FINAL
Reference Range: 0.50-1.05 mg/dL		
	No Historical Data	
EGFR (98979-8)	73	FINAL
Reference Range: > OR = 60 mL/min/1.73m2		
	No Historical Data	
BUN/CREATININE RATIO (3097-3)	SEE NOTE:	FINAL
Reference Range: 6-22 (calc)	No Historical Data	
Not Reported: BUN and Creatinine are within reference range.		
SODIUM (2951-2)	140	FINAL
Reference Range: 135-146 mmol/L		
	No Historical Data	
POTASSIUM (2823-3)	4.3	FINAL
Reference Range: 3.5-5.3 mmol/L		
	No Historical Data	
CHLORIDE (2075-0)	103	FINAL
Reference Range: 98-110 mmol/L		
	No Historical Data	
CARBON DIOXIDE (2028-9)	28	FINAL
Reference Range: 20-32 mmol/L		
	No Historical Data	
CALCIUM (17861-6)	9.7	FINAL
Reference Range: 8.6-10.4 mg/dL		
	No Historical Data	

PROTEIN, TOTAL (2885-2)

Reference Range: 6.1-8.1 g/dL




FINAL

No Historical Data

ALBUMIN (1751-7)

Reference Range: 3.6-5.1 g/dL



FINAL

No Historical Data

GLOBULIN (10834-0)

Reference Range: 1.9-3.7 g/dL (calc)




FINAL

No Historical Data

ALBUMIN/GLOBULIN RATIO (1759-0)

Reference Range: 1.0-2.5 (calc)




FINAL

No Historical Data

BILIRUBIN, TOTAL (1975-2)

Reference Range: 0.2-1.2 mg/dL




FINAL

No Historical Data

ALKALINE PHOSPHATASE (6768-6)

Reference Range: 37-153 U/L




FINAL

No Historical Data

AST (1920-8)

Reference Range: 10-35 U/L




FINAL

No Historical Data

ALT (1742-6)

Reference Range: 6-29 U/L



FINAL

No Historical Data


TSH

FINAL

Lab: UL

TSH (3016-3)

Reference Range: 0.40-4.50 mIU/L



FINAL

No Historical Data

Performing Sites

Metrocare Health Services, 2450 Lakeview Ave, Chicago, IL 60616 Laboratory Director: Davis, Alexander

Key

Priority Out of Range Out of Range (PEND) Pending Result (PRE) Preliminary Result (FINAL) Final Result (RE) Reissued Result

Note: Data displayed only for results that meet strict identification matching. Historical result view may vary based on corrected or updated patient demographics. The reference range displayed may vary due to potential changes in laboratory testing methods. Please refer to the published reference range on each lab report.

Metrocare Health Services, the associated logo, and all associated Metrocare Health Services marks are the registered trademarks of Metrocare Health Services. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://metrocarehealthservices.com/privacy-policy/online-privacy.html>. © 2026 Quest Diagnostics Incorporated. All rights reserved.