S R ENGG WORKS



About Us

Who We Are

Established a decade ago, S R ENGG WORKS has been a stalwart in the stone crushing and manufacturing industry. With a rich history of a decade, we have consistently delivered cutting-edge solutions, earning a reputation for reliability, innovation, and customer satisfaction.









From Quarry to Production Line – Our Complete Range of Offerings

HSI (HORIZONTAL SHAFT IMPACTOR)



MODEL	SIZE (mm)	POWER* (HP)	CAPACITY* (TPH)	MAX. FEED SIZE (mm)
2400HSI	600 x 600	40 - 50	15 - 20	0 - 25
3200HSI	800 x 800	50 - 75	30 - 35	0 - 40
4000HSI	1000 x 1000	120 - 150	50 - 75	0 - 70
4800HSI	1000 x 1200	180 - 215	80 - 120	0 - 100
5200HSI	1200 x 1400	215 - 250	120 - 150	0 - 120


SINGLE TOGGLE GREASE TYPE JAW CRUSHER

SIZE	POWER* (HP)	CAPACITY* (TPH)	MAX. FEED SIZE (mm)
300 x 175 mm	3 - 5	2 - 5	100 - 150
400 x 225 mm	10 - 15	7 - 12	150 - 200
500 x 300 mm	25 - 30	15 - 18	200 - 250
600 x 300 mm	30	20 - 25	200 - 250
600 x 350 mm	30 - 40	25 - 30	250 - 300
750 x 225 mm	40	20 - 25	175 - 200
750 x 375 mm	40 - 50	30 - 35	300 - 325
750 x 500 mm	50 - 60	50 - 55	400 - 450
750 x 600 mm	75	60 - 70	500 - 550
900 x 200 mm	50 - 60	25 - 30	125 - 175
1050 x 200 mm	60 - 75	30 - 40	125 - 175
1200 x 200 mm	75 - 100	45 - 50	125 - 175
900 x 600 mm	100	80 - 100	500 - 550
900 x 700 mm	100 - 120	100 - 115	600 - 650
1050 x 800 mm	150 - 180	180 - 200	700 - 750



Roller Crusher

ROLL DIA. (mm)	ROLL WIDTH (mm)	POWER* (HP) 960 rpm	CAPACITY* (TPH)
350	400	5 - 7.5*2	1 - 2
500	500	10 - 15*2	7 - 10
600	600	20*2	10 - 15
750	450	25*2	10 - 15
750	600	30*2	15 - 20
800	1000	40 - 50*2	25 - 30
1000	500	40*2	20 - 25
1000	1000	50 - 75*2	40 - 50
1200	1000	75 - 100*2	45 - 55



Vibrating Screen



SIZE (mm)	POWER* (HP)	SCREENING CAPACITY* (TPH)
1800 X 900	3	2 - 5
2400 x 900	3	4 - 8
3000 x 900	3	5 - 10
3000 X 1200	5	15 - 25
3600 X 1200	7.5	30 - 40
4500 X 1200	7.5 – 12.5	40 - 50
4800 X 1500	12.5 - 15	55 - 65
5400 X 1500	20	70 - 90
5400 X 1800	20 - 25	80 - 110
6000 X 1500	25 - 30	80 - 110
6000 X 1800	30	120 - 150
5400 X 1800	30	150 - 200
6000 X 1800	40	200 -250

DOUBLE TOGGLE OIL TYPE JAW CRUSHER


SIZE	POWER* (HP)	CAPACITY* (TPH)	MAX. FEED SIZE (mm)
400 x 225 mm	10 - 15	7 - 12	150 - 200
500 x 300 mm	25 - 30	15 - 20	200 - 250
600 x 300 mm	30	20 - 25	200 - 250
600 x 350 mm	30 - 40	28 - 32	250 - 300
750 x 225 mm	40	25 - 30	175 - 200
750 x 375 mm	40 - 50	30 - 40	300 - 325
750 x 500 mm	50	50 - 60	400 - 450
750 x 600 mm	50 - 60	70 - 80	500 - 550
900 x 200 mm	40 - 50	30 - 35	125 - 175
1050 x 200 mm	50 - 60	40 - 45	125 - 175
1200 x 200 mm	60 - 75	50 - 60	125 - 175
900 x 600 mm	75 - 100	80 - 100	500 - 550
900 x 800 mm	100 - 120	120 - 140	700 - 750
1050 x 750 mm	120 - 150	180 - 200	650 - 700
1200 x 900 mm	175 - 215	220 - 250	800 - 850























Presented by: SREW

Why You Should Choose Us



Discover the Difference:

“At SREW, we embrace the spirit of a startup, weaving innovation and efficiency into the fabric of our services. Here’s why choosing us is your key to success”







Presented by: SREW



Thank You

S R ENGG WORKS

S R ENGG WORKS
Address: Opp Ayyappa Temple Road**,** IDA Jeedimetla, Dulapally Road, Medchal-Malkajgiri, Hyderabad, Telangana Pin:500100.
Mob No: +91 7997076361, +91 7075061622 **Email:** srenggworks2016@gmail.com
Website: srenggworks.com

Presented by: SREW