

# Configuration Bindings Core Animation

# **NSPredicate Syntax**

user.name contains[cd] \$value and
user.address contains[cd] \$value

https://nshipster.com/nspredicate/

### **NSScrollView**

> No Relevant Bindings

# **NSClipView**

> No Relevant Bindings

### **NSTableView**

### **Table Content**

Bind To: NSArrayController Controller Key: arrangedObjects

### **Selection Indexes**

Bind To: NSArrayController Controller Key: selectionIndexes

# **Sort Descriptors**

Bind To: NSArrayController Controller Key: sortDescriptors

### **NSTableColumn**

> No Relevant Bindings

# **Any NSView**

# **Various Properties**


Bind To: Table Cell View

Controller Key:

Model Key Path: objectValue.\*

"objectValue" is your model object (i.e. developer.name, or user.address.street)

Table Conte	nt	
▼ Content (DeveloperArrrayController.arrang		
Bind to	DeveloperArrrayController	<b>\$</b>
Controller Ke	<b>э</b> у	
arrangedOb	jects	
Model Key P	ath	
		0
Value Transf	ormer	
		~



# **Collection Operators:**

@sum: Sum up the contents developers.@sum.ticketCount

@count: Count the contents developers.@count

@min: Minimum item developers.@min.ticketCount developers.@max.ticketCount

 $https://developer.apple.com/library/archive/documentation/Cocoa/Conceptual/KeyValueCoding/CollectionOperators.html \#//apple\_ref/doc/uid/20002176$