

The Radial Kernel (RBF)

The Radial Kernel

$$K(a, b) = e^{-\gamma(a - b)^2}$$

projects to infinite dimensional space
works similar to nearest neighbors classifier


we can use the Polynomial Kernel to get the intuition
behind how Radial Kernel works in infinite dimensions

$$K(a, b) = (a \cdot b + r)^d$$

$$\text{set } r = 0 \implies (a \cdot b)^d = a^d \cdot b^d$$

$$\text{set } d = 1 \implies (a) \cdot (b)$$

$$\text{set } d = 2 \implies (a^2) \cdot (b^2)$$



The Radial Kernel (RBF)

The Radial Kernel

$$K(a, b) = e^{-\gamma(a - b)^2}$$

projects to infinite dimensional space
works similar to nearest neighbors classifier

we can use the Polynomial Kernel to get the intuition
behind how Radial Kernel works in infinite dimensions

$$K(a, b) = (a \cdot b + r)^d$$

$$\text{set } r = 0 \implies (a \cdot b)^d = a^d \cdot b^d$$

$$\text{set } d = 1 \implies (a) \cdot (b)$$

$$\text{set } d = 2 \implies (a^2) \cdot (b^2)$$

$$\text{set } d = 3 \implies (a^3) \cdot (b^3)$$

