## **Mozilla MathML Test**

Render this page with

|    | As rendered by TeX  | As rendered by your browser   |
|----|---|---|
| 1  | $x^2y^2$  | $x^2y^2$  |
| 2  | $_2F_3$   | $_2\!F_3$   |
| 3  | $\frac{x+y^2}{k+1}$   | $\frac{x+y^2}{k+1}$   |
| 4  | $x + y^{\frac{2}{k+1}}$   | $x+y^{\frac{2}{k+1}}$   |
| 5  | $\frac{a}{b/2}$   | $\frac{a}{b/2}$   |
| 6  | $a_{0} + \frac{1}{a_{1} + \frac{1}{a_{2} + \frac{1}{a_{3} + \frac{1}{a_{4}}}}}$ | $a_0 + \frac{1}{a_1 + \frac{1}{a_2 + \frac{1}{a_3 + \frac{1}{a_4}}}}$ |
| 7  | $a_0 + \frac{1}{a_1 + \frac{1}{a_2 + \frac{1}{a_3 + \frac{1}{a_4}}}}$           | $a_0 + \frac{1}{a_1 + \frac{1}{a_2 + \frac{1}{a_3 + \frac{1}{a_4}}}}$ |
| 8  | $\binom{n}{k/2}$  | $\binom{n}{k/2}$  |
| 9  | $\binom{p}{2}x^2y^{p-2} - \frac{1}{1-x}\frac{1}{1-x^2}$                         | $\binom{p}{2}x^2y^{p-2} - \frac{1}{1-x}\frac{1}{1-x^2}$               |
| 10 | $\sum_{\substack{0 \le i \le m \\ 0 < j < n}} P(i, j)$                          | $\sum_{\substack{0 \le i \le m \\ 0 < j < n}} P(i, j)$                |
| 11 | $x^{2y}$  | $x^{2y}$  |
| 12 | $\sum_{i=1}^{p} \sum_{j=1}^{q} \sum_{k=1}^{r} a_{ij} b_{jk} c_{ki}$             | $\sum_{i=1}^{p} \sum_{j=1}^{q} \sum_{k=1}^{r} a_{ij} b_{jk} c_{ki}$   |
|    |   |   |

| 13 \<br>14 \<br>15 \<br>16 | $\sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + x^2}}}}}$ $\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2}\right)  \varphi(x + iy) ^2 = 0$   | $\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+\sqrt{1+x}}}}}}$ $\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2}\right)  \varphi(x+iy) ^2 = 0$  |
|----------------------------|---|---|
| 14                         | 1   | $\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2}\right) \left(\omega(x + iy)\right)^2 = 0$  |
| 15                         | $\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2}\right)  \varphi(x+iy) ^2 = 0$  | $\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2}\right) \left(\omega(x + iy)\right)^2 = 0$  |
|                            |   | $\partial x^2 + \partial y^2 / \nabla x^2 + 2y^2 = 0$   |
| 16                         | $2^{2^{2^x}}$   | 2 <sup>22<sup>x</sup></sup>   |
|                            | $\int_{1}^{x} \frac{dt}{t}$   | $\int_{1}^{x} \frac{dt}{t}$   |
| 17                         | $\iint_D dx  dy$  | $\iint_{D}\!\!dxdy$   |
| 18                         | $f(x) = \begin{cases} 1/3 & \text{if } 0 \le x \le 1; \\ 2/3 & \text{if } 3 \le x \le 4; \\ 0 & \text{elsewhere.} \end{cases}$  | $f(x) = \begin{cases} 1/3 & \text{if } 0 \le x \le 1; \\ 2/3 & \text{if } 3 \le x \le 4; \\ 0 & \text{elsewhere.} \end{cases}$  |
| 19                         | $\underbrace{x + \dots + x}^{k \text{ times}}$  | $x + \dots + x$   |
| 20                         | $y_{x^2}$   | $\mathcal{Y}_{\chi^2}$  |
| 21                         | $\sum_{p \text{ prime}} f(p) = \int_{t>1} f(t) d\pi(t)$   | $\sum_{p \text{ prime}} f(p) = \int_{t>1} f(t) d\pi(t)$   |
| 22                         | $\{\underbrace{a,\ldots,a,b,\ldots,b}_{k+l \text{ elements}}\}$   | $\{a, \ldots, a, b, \ldots, b\}$ $k+l \text{ elements}$   |
| 23                         | $ \begin{pmatrix} \begin{pmatrix} a & b \\ c & d \end{pmatrix} & \begin{pmatrix} e & f \\ g & h \end{pmatrix} \\ 0 & \begin{pmatrix} i & j \\ k & l \end{pmatrix} \end{pmatrix} $   | $\begin{pmatrix} a & b \\ c & d \end{pmatrix} \begin{pmatrix} e & f \\ g & h \end{pmatrix}$ $0  \begin{pmatrix} i & j \\ k & l \end{pmatrix}$   |
| 24                         | $\det \begin{vmatrix} c_0 & c_1 & c_2 & \dots & c_n \\ c_1 & c_2 & c_3 & \dots & c_{n+1} \\ c_2 & c_3 & c_4 & \dots & c_{n+2} \\ \vdots & \vdots & \vdots & & \vdots \\ c_n & c_{n+1} & c_{n+2} & \dots & c_{2n} \end{vmatrix} > 0$ | $\det \begin{bmatrix} c_0 & c_1 & c_2 & \dots & c_n \\ c_1 & c_2 & c_3 & \dots & c_{n+1} \\ c_2 & c_3 & c_4 & \dots & c_{n+2} \\ \vdots & \vdots & \vdots & & \vdots \\ c_n & c_{n+1} & c_{n+2} & \dots & c_{2n} \end{bmatrix} > 0$ |
| 25                         | $y_{x_2}$   | $\mathcal{Y}_{x_2}$   |
| 26                         | $x_{92}^{31415} + \pi$  | $x_{92}^{31415} + \pi$  |

| 27 | $x_{y_b^a}^{z_c^d}$   | $x_{y_b^a}^{z_c^d}$  |
|----|---|--|
| 28 | $y_3'''$  | $\mathcal{Y}_3^{''}$   |
| 29 | $\lim_{n \to +\infty} \frac{\sqrt{2\pi n}}{n!} \left(\frac{n}{e}\right)^n = 1$  | $\lim_{n \to +\infty} \frac{\sqrt{2\pi n}}{n!} \left(\frac{n}{e}\right)^n = 1$ |
| 30 | $\det(A) = \sum_{\sigma \in S_n} \epsilon(\sigma) \prod_{i=1}^n a_{i,\sigma_i}$ | $\det(A) = \sum_{\sigma \in S_n} e(\sigma) \prod_{i=1}^n a_{i,\sigma_i}$       |

This test is based on the original version from MDN.