# Ecological Data Exchange Specification (working title)

## **Table of Contents**

1. Metadata	1
2. Preamble.	2
2.1. Abstract	2
2.2. Normative Status	3
2.3. Standard Parts	3
2.4. Namespaces	3
3. Requirements	3
3.1. Domain Model Conformance	3
3.1.1. Plot Description Module Conformance Class Requirements	4
3.1.1.1. Aspect Observation	4
3.1.1.2. Climatic condition Observation	7
3.1.1.3. Landform element Observation	11
3.1.1.4. Landform pattern Observation	15
3.1.1.5. Outcrop lithology Observation.	20
3.1.1.6. Slope Observation	25
3.1.1.7. Slope type Observation	28
3.1.1.8. Surface strew lithology Observation	32
3.1.1.9. Surface strew size Observation	37
3.2. TERN Ontology Conformance	41
4. Editors Notes	41
4.1. Working titles	41
4.2. Placeholders	41
4.2.1. Placeholder text.	41
4.2.2. Placeholder IRIs	41



**Status: Draft** - while the document is in draft, sections of the document may contain placheholders such as TBA and TBD.

## 1. Metadata

IRI https://linked.data.gov.au/def/rlp/spec (TBC)

**Title** Ecological Data Exchange Specification (working title)

Definition	This document lists the normative requirements for data aiming to conform to the TERN Ecosystem Surveillance Ecological Monitoring Protocols. It is to be used as the authoritative, human-readable list of individual requirements from which profile artefacts such as validators are derived from.
Created	2022-03-14
Modified	2022-03-16
Creator	TERN
Publisher	Department of Agriculture, Water and the Environment
License	Creative Commons Attribution 4.0 International (CC BY 4.0)
Further information	This document is part of the Services Agreement for the provision of standardised ecological monitoring protocols and systems for data collection, storage and management.  Procurement Number (PRN): 360 000 5101  Commonwealth of Australia as represented by the Department of Agriculture, Water and the Environment ABN 34 190 894 983 (Department)  The University of Queensland as represented by TERN
	ABN 63 942 912 684 (Service Provider)
Alternate document formats	PDF

## 2. Preamble

## 2.1. Abstract

TERN Ecosystem Surveillance have developed 19 modules to standardise ecological monitoring protocols for data collection. The working title for the monitoring protocols is *TERN Ecosystem Surveillance Ecological Monitoring Protocols*.

TERN Data Services and Analytics is developing a standardised data exchange specification to support the exchange of data collected using TERN Ecosystem Surveillance Ecological Monitoring Protocols. The working title for the data exchange specification is *Ecological Data Exchange Specification*.

The Ecological Data Exchange Specification is a profile of the ecological data model known as the TERN Ontology. Data that is conformant to the Ecological Data Exchange Specification is also conformant to the TERN Ontology.

## 2.2. Normative Status

This specification is normative for the exchange of data collected using TERN Ecosystem Surveillance Ecological Monitoring Protocols.

## 2.3. Standard Parts

This specification document is one of many resources that together form the Ecological Data Exchange Specification Profile.

Other parts of this standard include:

TBA.

## 2.4. Namespaces

Prefix	Namespa Name ce	Description
reg:	http://pu Registry Ontology rl.org/ linked- data/ registry#	Core ontology for Linked Data registry services. Based on ISO 19135 but heavily modified to suit Linked Data representations and applications.
sosa:	http://ww SOSA w.w3.org/ ns/sosa/	Sensor, Observation, Sample, and Actuator (SOSA) is a semantic data model to represent observations and samplings.
tern:	https://w TERN Ontology 3id.org/ tern/ ontologie s/tern/	A profile of SOSA and PROV with minor additions to represent ecological field survey data.
unit:	http://qu QUDT Units dt.org/ vocab/ unit/	A vocabulary of <i>units of measure</i> defined using the QUDT semantic data model.

## 3. Requirements

## 3.1. Domain Model Conformance

Requirements define the rules and constraints which data must conform to in order to be valid.

A *status* is assigned to each requirement. The *status* code list used in this document is defined by the Registry ontology and a subset of the status codes are redefined here:

• submitted - A proposed entry which is not yet approved for use for use. Corresponds to ISO 19135:(redraft) 'submitted'.

- invalid An entry which has been invalidated due to serious flaws, distinct from retrirement. Corresponds to ISO 19135(redraft) 'invalid'.
- **stable** An entry that is seen as having a reasonable measure of stability, may be used to mark the full adoption of a previously 'experimental' entry.

## 3.1.1. Plot Description Module Conformance Class Requirements

Requirements that have been accepted and are **stable** are marked with a green check mark.

For example:

Property	Value
Status	stable ⊘

#### 3.1.1.1. Aspect Observation

#### 3.1.1.1.1. Feature type

Property	Value
Identifier	urn:shapes:plot-description:aspect:feature-type
Label	Feature type
Definition	The value of tern: featureType MUST be landform.
Comment	TERN's ecologists have determined the feature type is <i>landform</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/aspect/shapes.ttl
Examples	Valid: /shapes/plot-description/aspect/valid.ttl
	<pre>Invalid: /shapes/plot-description/aspect/invalid.ttl</pre>

#### 3.1.1.1.2. Simple result

Property	Value
Identifier	urn:shapes:plot-description:aspect:simple-result
Label	Simple result
Definition	The observation's sosa:hasSimpleResult MUST have a value that is the same as the value in the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O

Property	Value
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/aspect/shapes.ttl
Examples	Valid: /shapes/plot-description/aspect/valid.ttl
	<pre>Invalid: /shapes/plot-description/aspect/invalid.ttl</pre>

#### 3.1.1.1.3. Site visit

Property	Value
Identifier	urn:shapes:plot-description:aspect:site-visit
Label	Site visit
Definition	Observations MUST have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/aspect/shapes.ttl
Examples	Valid: /shapes/plot-description/aspect/valid.ttl
	<pre>Invalid: /shapes/plot-description/aspect/invalid.ttl</pre>

#### **3.1.1.4.** Unit of measure

Property	Value
Identifier	urn:shapes:plot-description:aspect:unit-of-measure
Label	Unit of measure
Definition	The result MUST have unit:DEG as the value for tern:unit.
Comment	Result value's unit of measure <i>MUST</i> have the value unit:DEG.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/aspect/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/aspect/valid.ttl
	<pre>Invalid: /shapes/plot-description/aspect/invalid.ttl</pre>

## 3.1.1.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:aspect:used-procedure
Label	Used procedure
Definition	The observation's sosa:usedProcedure MUST have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32 is the IRI for "Plot Description".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/aspect/shapes.ttl
Examples	Valid: /shapes/plot-description/aspect/valid.ttl
	<pre>Invalid: /shapes/plot-description/aspect/invalid.ttl</pre>

#### **3.1.1.1.6. Value range**

Property	Value
Identifier	urn:shapes:plot-description:aspect:value-range
Label	Value range
Definition	The result MUST have a value between 0 exclusive and 360 inclusive.
Comment	Value MUST be between 0 exclusive and 360 inclusive.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/aspect/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/aspect/valid.ttl
	<pre>Invalid: /shapes/plot-description/aspect/invalid.ttl</pre>

## 3.1.1.7. Value type

Property	Value
Identifier	urn:shapes:plot-description:aspect:value-type
Label	Value type
Definition	The result <i>MUST</i> be an instance of tern:Float.
Comment	The value of sosa:hasResult MUST be a tern:Float.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/aspect/shapes.ttl
Examples	Valid: /shapes/plot-description/aspect/valid.ttl
	<pre>Invalid: /shapes/plot-description/aspect/invalid.ttl</pre>

## 3.1.1.2. Climatic condition Observation

## 3.1.1.2.1. Feature type

Property	Value
Identifier	urn:shapes:plot-description:climatic-condition:feature-type
Label	Feature type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a tern:featureType with the value climate.
Comment	TERN's ecologists have determined the feature type is <i>climate</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/climatic-condition/shapes.ttl
Examples	Valid: /shapes/plot-description/climatic-condition/valid.ttl
	<pre>Invalid: /shapes/plot-description/climatic-condition/invalid.ttl</pre>

#### **3.1.1.2.2. Result value**

Property	Value
Identifier	urn:shapes:plot-description:climatic-condition:result-value
Label	Result value
Definition	The value of rdf:value MUST exist in the Climatic condition codes controlled vocabulary.
Comment	The value in sosa:hasResult MUST be a value in sh:in, which is the Climatic condition codes controlled vocabulary.
Status	submitted O
Conformance Classes	TBA
Property	Value
Controlled list items	The result value MUST be from the following list:  Dry  Wet
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/climatic-condition/shapes.ttl
Examples	Valid: /shapes/plot-description/climatic-condition/valid.ttl  Invalid: /shapes/plot-description/climatic-condition/invalid.ttl

## 3.1.1.2.3. Simple result

Property	Value
Identifier	urn:shapes:plot-description:climatic-condition:simple-result
Label	Simple result
Definition	Instances of tern:Observation <i>MUST</i> have a sosa:hasSimpleResult where the value is the same as the rdf:value on the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/climatic-condition/shapes.ttl
Examples	Valid: /shapes/plot-description/climatic-condition/valid.ttl
	<pre>Invalid: /shapes/plot-description/climatic-condition/invalid.ttl</pre>

#### 3.1.1.2.4. Site visit

Property	Value
Identifier	urn:shapes:plot-description:climatic-condition:site-visit
Label	Site visit
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/climatic-condition/shapes.ttl
Examples	Valid: /shapes/plot-description/climatic-condition/valid.ttl
	<pre>Invalid: /shapes/plot-description/climatic-condition/invalid.ttl</pre>

## 3.1.1.2.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:climatic-condition:used-procedure
Label	Used procedure
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:usedProcedure where the value is https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32 is the IRI for "Plot Description".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/climatic-condition/shapes.ttl
Examples	Valid: /shapes/plot-description/climatic-condition/valid.ttl  Invalid: /shapes/plot-description/climatic-condition/invalid.ttl
	Titvatia. / Shapes/ prot-description/ crimatic-condition/ invaria. ttt

#### 3.1.1.2.6. Value type

Property	Value
Identifier	urn:shapes:plot-description:climatic-condition:value-type
Label	Value type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:hasResult where the value node is an instance of tern:IRI.
Comment	The value in sosa:hasResult MUST be a tern:IRI.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/climatic-condition/shapes.ttl
Examples	Valid: /shapes/plot-description/climatic-condition/valid.ttl
	<pre>Invalid: /shapes/plot-description/climatic-condition/invalid.ttl</pre>

#### 3.1.1.2.7. Vocabulary

Property	Value
Identifier	urn:shapes:plot-description:climatic-condition:vocabulary
Label	Vocabulary
Definition	The value of tern:vocabulary <i>MUST</i> match the pattern 2ebfee89-92db-44b3-bb89-06dd92798ae6\$.
Comment	IRI of tern:vocabulary in sosa:hasResult MUST have the value https://linked.data.gov.au/def/test/dawe-cv/2ebfee89-92db-44b3-bb89-06dd92798ae6.  https://linked.data.gov.au/def/test/dawe-cv/2ebfee89-92db-44b3-bb89-06dd92798ae6 is the IRI for "Climatic condition codes".
Status	submitted 🔾
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/climatic-condition/shapes.ttl
Examples	Valid: /shapes/plot-description/climatic-condition/valid.ttl
	Invalid: /shapes/plot-description/climatic-condition/invalid.ttl

## 3.1.1.3. Landform element Observation

#### 3.1.1.3.1. Feature type

Property	Value
Identifier	urn:shapes:plot-description:landform-element:feature-type
Label	Feature type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a tern:featureType with the value landform.
Comment	TERN's ecologists have determined the feature type is <i>landform</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-element/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-element/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-element/invalid.ttl</pre>

#### 3.1.1.3.2. Result value

Property	Value
Identifier	urn:shapes:plot-description:landform-element:result-value
Label	Result value
Definition	The value of rdf:value MUST exist in the landform element codes controlled vocabulary.
Comment	The value in sosa:hasResult MUST be a value in sh:in, which is the landform element codes controlled vocabulary.
Status	submitted O
Conformance Classes	TBA
Property	Value

Property	Value
Controlled list items	The result value MUST be from the following list:
itellis	Alcove
	Backplain
	Bank (stream bank)
	Bar (stream bar)
	Barchan dune
	Beach
	Beach ridge
	Bench
	Berm
	Blow-out
	Breakaway
	Channel bench
	Cirque
	Clay plain
	Cliff
	Cliff-footslope
	Closed depression
	Collapse doline
	Cone (volcanic)
	Crater
	Cut face
	Cut-over surface
	Dam

Property	Value
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-element/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-element/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-element/invalid.ttl</pre>

## 3.1.1.3.3. Simple result

Property	Value
Identifier	urn:shapes:plot-description:landform-element:simple-result
Label	Simple result
Definition	Instances of tern:Observation MUST have a sosa:hasSimpleResult where the value is the same as the rdf:value on the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-element/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-element/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-element/invalid.ttl</pre>

#### 3.1.1.3.4. Site visit

Property	Value
Identifier	urn:shapes:plot-description:landform-element:site-visit
Label	Site visit
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-element/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/landform-element/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-element/invalid.ttl</pre>

## 3.1.1.3.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:landform-element:used-procedure
Label	Used procedure
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:usedProcedure where the value is https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32 is the IRI for "Plot Description".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-element/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-element/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-element/invalid.ttl</pre>

#### 3.1.1.3.6. Value type

Property	Value
Identifier	urn:shapes:plot-description:landform-element:value-type
Label	Value type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:hasResult where the value node is an instance of tern:IRI.
Comment	The value in sosa:hasResult MUST be a tern:IRI.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-element/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/landform-element/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-element/invalid.ttl</pre>

## 3.1.1.3.7. Vocabulary

Property	Value
Identifier	urn:shapes:plot-description:landform-element:vocabulary
Label	Vocabulary
Definition	The value of tern: vocabulary <i>MUST</i> match the pattern c1a58967-cb12-4c2c-a7ca-9cee2589919c\$.
Comment	IRI of tern:vocabulary in sosa:hasResult MUST have the value https://linked.data.gov.au/def/test/dawe-cv/c1a58967-cb12-4c2c-a7ca-9cee2589919c. https://linked.data.gov.au/def/test/dawe-cv/c1a58967-cb12-4c2c-a7ca-9cee2589919c is the IRI for "Landform element codes".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-element/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-element/valid.ttl  Invalid: /shapes/plot-description/landform-element/invalid.ttl

## 3.1.1.4. Landform pattern Observation

## 3.1.1.4.1. Feature type

Property	Value
Identifier	urn:shapes:plot-description:landform-pattern:feature-type
Label	Feature type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a tern:featureType with the value landform.
Comment	TERN's ecologists have determined the feature type is <i>landform</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA

Property	Value
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-pattern/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-pattern/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-pattern/invalid.ttl</pre>

#### **3.1.1.4.2. Result value**

Property	Value
Identifier	urn:shapes:plot-description:landform-pattern:result-value
Label	Result value
Definition	The value of rdf:value MUST exist in the landform pattern codes controlled vocabulary.
Comment	The value in sosa:hasResult MUST be a value in sh:in, which is the landform pattern codes controlled vocabulary.
Status	submitted O
Conformance Classes	TBA
Property	Value

Property	Value
Controlled list items	The result value MUST be from the following list:
items	Aluvial fan
	Aluvial plain
	Anastomotic plain
	Badlands
	Bar Plain
	Beach ridge plain
	Caldera
	Chenier plain
	Coral reef
	Covered plain
	Delta
	Dunefield
	Escarpment
	Floodplain
	Hills
	Karst
	Laclustrine plain
	Lava plain
	Longitudinal dunefield
	Low hills
	Made land
	Marine plain
	Meander plain

Property	Value
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-pattern/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-pattern/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-pattern/invalid.ttl</pre>

## 3.1.1.4.3. Simple result

Property	Value
Identifier	urn:shapes:plot-description:landform-pattern:simple-result
Label	Simple result
Definition	Instances of tern:Observation MUST have a sosa:hasSimpleResult where the value is the same as the rdf:value on the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-pattern/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-pattern/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-pattern/invalid.ttl</pre>

#### 3.1.1.4.4. Site visit

Property	Value
Identifier	urn:shapes:plot-description:landform-pattern:site-visit
Label	Site visit
Definition	Instances of tern:Observation with sosa:observedProperty value TBA <i>MUST</i> have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-pattern/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/landform-pattern/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-pattern/invalid.ttl</pre>

## 3.1.1.4.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:landform-pattern:used-procedure
Label	Used procedure
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:usedProcedure where the value is https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32 is the IRI for "Plot Description".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-pattern/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-pattern/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-pattern/invalid.ttl</pre>

#### 3.1.1.4.6. Value type

Property	Value
Identifier	urn:shapes:plot-description:landform-pattern:value-type
Label	Value type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:hasResult where the value node is an instance of tern:IRI.
Comment	The value in sosa:hasResult MUST be a tern:IRI.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-pattern/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/landform-pattern/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-pattern/invalid.ttl</pre>

## **3.1.1.4.7. Vocabulary**

Property	Value
Identifier	urn:shapes:plot-description:landform-pattern:vocabulary
Label	Vocabulary
Definition	The value of tern:vocabulary <i>MUST</i> match the pattern 19d91a7a-2733-4b84-9d2b-4bda4808c003\$.
Comment	IRI of tern:vocabulary in sosa:hasResult MUST have the value https://linked.data.gov.au/def/test/dawe-cv/19d91a7a-2733-4b84-9d2b-4bda4808c003.  https://linked.data.gov.au/def/test/dawe-cv/19d91a7a-2733-4b84-9d2b-4bda4808c003 is the IRI for "Plot slope codes".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/landform-pattern/shapes.ttl
Examples	Valid: /shapes/plot-description/landform-pattern/valid.ttl
	<pre>Invalid: /shapes/plot-description/landform-pattern/invalid.ttl</pre>

## 3.1.1.5. Outcrop lithology Observation

## 3.1.1.5.1. Feature type

Property	Value
Identifier	urn:shapes:plot-description:outcrop-lithology:feature-type
Label	Feature type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA <i>MUST</i> have a tern:featureType with the value land surface.
Comment	TERN's ecologists have determined the feature type is <i>land surface</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA

Property	Value
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/outcrop-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/outcrop-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/outcrop-lithology/invalid.ttl</pre>

#### **3.1.1.5.2. Result value**

Property	Value
Identifier	urn:shapes:plot-description:outcrop-lithology:result-value
Label	Result value
Definition	The value of rdf:value MUST exist in the soil lithology codes controlled vocabulary.
Comment	The value in sosa:hasResult MUST be a value in sh:in, which is the soil lithology codes controlled vocabulary.
Status	submitted O
Conformance Classes	TBA
Property	Value

Property	Value
Controlled list items	The result value MUST be from the following list:
items	Adamellite
	Agglomerate
	Alcrete (bauxite)
	Amphibolite
	Andesite
	Anhydrite
	Aplite
	Arkose
	Ash (fine)
	Ash (sandy)
	Basalt
	Bombs (volcanic)
	Breccia
	Calcarenite
	Calcareous mudstone
	Calcareous sand
	Calcilutite
	Calcirudite
	Calcrete
	Charcoal
	Chert
	Clay
	Coal

Property	Value
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/outcrop-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/outcrop-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/outcrop-lithology/invalid.ttl</pre>

## 3.1.1.5.3. Simple result

Property	Value
Identifier	urn:shapes:plot-description:outcrop-lithology:simple-result
Label	Simple result
Definition	Instances of tern:Observation MUST have a sosa:hasSimpleResult where the value is the same as the rdf:value on the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/outcrop-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/outcrop-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/outcrop-lithology/invalid.ttl</pre>

#### 3.1.1.5.4. Site visit

Property	Value
Identifier	urn:shapes:plot-description:outcrop-lithology:site-visit
Label	Site visit
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/outcrop-lithology/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/outcrop-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/outcrop-lithology/invalid.ttl</pre>

## 3.1.1.5.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:outcrop-lithology:used-procedure
Label	Used procedure
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:usedProcedure where the value is https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32 is the IRI for "Plot Description".
Status	submitted 🔾
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/outcrop-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/outcrop-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/outcrop-lithology/invalid.ttl</pre>

#### 3.1.1.5.6. Value type

Property	Value
Identifier	urn:shapes:plot-description:outcrop-lithology:value-type
Label	Value type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:hasResult where the value node is an instance of tern:IRI.
Comment	The value in sosa:hasResult MUST be a tern:IRI.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/outcrop-lithology/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/outcrop-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/outcrop-lithology/invalid.ttl</pre>

## 3.1.1.5.7. Vocabulary

Property	Value
Identifier	urn:shapes:plot-description:outcrop-lithology:vocabulary
Label	Vocabulary
Definition	The value of tern: vocabulary <i>MUST</i> match the pattern 1d50eb79-685f-45ea-84b4-627154eddede\$.
Comment	IRI of tern:vocabulary in sosa:hasResult MUST have the value https://linked.data.gov.au/def/test/dawe-cv/1d50eb79-685f-45ea-84b4-627154eddede.  https://linked.data.gov.au/def/test/dawe-cv/1d50eb79-685f-45ea-84b4-627154eddede is the IRI for "Soil lithology codes".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/outcrop-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/outcrop-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/outcrop-lithology/invalid.ttl</pre>

## 3.1.1.6. Slope Observation

## 3.1.1.6.1. Feature type

Property	Value
Identifier	urn:shapes:plot-description:slope:feature-type
Label	Feature type
Definition	The value of tern: featureType MUST be landform.
Comment	TERN's ecologists have determined the feature type is <i>landform</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols

Property	Value
Validators	/shapes/plot-description/slope/shapes.ttl
Examples	Valid: /shapes/plot-description/slope/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope/invalid.ttl</pre>

#### 3.1.1.6.2. Simple result

Property	Value
Identifier	urn:shapes:plot-description:slope:simple-result
Label	Simple result
Definition	The observation's sosa:hasSimpleResult MUST have a value that is the same as the value in the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope/shapes.ttl
Examples	Valid: /shapes/plot-description/slope/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope/invalid.ttl</pre>

#### 3.1.1.6.3. Site visit

Property	Value
Identifier	urn:shapes:plot-description:slope:site-visit
Label	Site visit
Definition	Observations MUST have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope/shapes.ttl
Examples	Valid: /shapes/plot-description/slope/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope/invalid.ttl</pre>

#### **3.1.1.6.4.** Unit of measure

Property	Value
Identifier	urn:shapes:plot-description:slope:unit-of-measure
Label	Unit of measure
Definition	The result MUST have unit:DEG as the value for tern:unit.
Comment	Result value's unit of measure <i>MUST</i> have the value unit:DEG.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope/shapes.ttl
Examples	Valid: /shapes/plot-description/slope/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope/invalid.ttl</pre>

## 3.1.1.6.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:slope:used-procedure
Label	Used procedure
Definition	The observation's sosa:usedProcedure MUST have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32 is the IRI for "Plot Description".
Status	submitted 🔾
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope/shapes.ttl
Examples	Valid: /shapes/plot-description/slope/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope/invalid.ttl</pre>

## 3.1.1.6.6. Value range

Property	Value
Identifier	urn:shapes:plot-description:slope:value-range
Label	Value range
Definition	The result MUST have a value between 0 and 90 inclusively.
Comment	Value MUST be between 0 and 90 inclusive.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope/shapes.ttl
Examples	Valid: /shapes/plot-description/slope/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope/invalid.ttl</pre>

## 3.1.1.6.7. Value type

Property	Value
Identifier	urn:shapes:plot-description:slope:value-type
Label	Value type
Definition	The result <i>MUST</i> be an instance of tern:Float.
Comment	The value of sosa:hasResult MUST be a tern:Float.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope/shapes.ttl
Examples	Valid: /shapes/plot-description/slope/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope/invalid.ttl</pre>

## 3.1.1.7. Slope type Observation

## **3.1.1.7.1. Feature type**

Property	Value
Identifier	urn:shapes:plot-description:slope-type:feature-type
Label	Feature type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA <i>MUST</i> have a tern:featureType with the value landform.

Property	Value
Comment	TERN's ecologists have determined the feature type is <i>landform</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope-type/shapes.ttl
Examples	Valid: /shapes/plot-description/slope-type/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope-type/invalid.ttl</pre>

#### 3.1.1.7.2. Result value

Identifier  Label Result value  Definition The value of rdf:value MUST exist in the Plot slope codes of Comment The value in sosa:hasResult MUST be a value in sh:in, which codes controlled vocabulary.  Status submitted O  Conformance Classes  Property Value  Controlled list items  Cliffed  Gently inclined	-
Definition  The value of rdf:value MUST exist in the Plot slope codes codes comment  The value in sosa:hasResult MUST be a value in sh:in, which codes controlled vocabulary.  Status  Submitted O  Conformance Classes  Property  Value  Controlled list items  Cliffed	-
Comment  The value in sosa:hasResult MUST be a value in sh:in, which codes controlled vocabulary.  Status  Submitted O  Conformance Classes  Property  Value  Controlled list items  Cliffed  Comment  The value in sosa:hasResult MUST be a value in sh:in, which codes controlled vocabulary.  Status  Submitted O  TBA  Cliffed  Cliffed	-
codes controlled vocabulary.  Status  Submitted O  Conformance Classes  Property  Value  Controlled list items  Cliffed  Codes controlled vocabulary.  That items  Cliffed	h is the Plot slope
Conformance Classes  Property  Value  Controlled list items  Cliffed	
Classes  Property Value  Controlled list items  Cliffed  Cliffed	
Controlled list items  Cliffed  Cliffed	
items Cliffed	
Level  Moderately inclined  Precipitous '  'Steep  Very gently inclined  Very steep	
Source TERN Ecosystem Surveillance Ecological Monitoring Protoc	

Property	Value
Validators	/shapes/plot-description/slope-type/shapes.ttl
Examples	Valid: /shapes/plot-description/slope-type/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope-type/invalid.ttl</pre>

## 3.1.1.7.3. Simple result

Property	Value
Identifier	urn:shapes:plot-description:slope-type:simple-result
Label	Simple result
Definition	Instances of tern:Observation MUST have a sosa:hasSimpleResult where the value is the same as the rdf:value on the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope-type/shapes.ttl
Examples	Valid: /shapes/plot-description/slope-type/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope-type/invalid.ttl</pre>

#### 3.1.1.7.4. Site visit

Property	Value
Identifier	urn:shapes:plot-description:slope-type:site-visit
Label	Site visit
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope-type/shapes.ttl
Examples	Valid: /shapes/plot-description/slope-type/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope-type/invalid.ttl</pre>

## 3.1.1.7.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:slope-type:used-procedure
Label	Used procedure
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:usedProcedure where the value is https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32 is the IRI for "Plot Description".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope-type/shapes.ttl
Examples	Valid: /shapes/plot-description/slope-type/valid.ttl  Invalid: /shapes/plot-description/slope-type/invalid.ttl

## 3.1.1.7.6. Value type

Property	Value
Identifier	urn:shapes:plot-description:slope-type:value-type
Label	Value type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:hasResult where the value node is an instance of tern:IRI.
Comment	The value in sosa:hasResult MUST be a tern:IRI.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope-type/shapes.ttl
Examples	Valid: /shapes/plot-description/slope-type/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope-type/invalid.ttl</pre>

#### **3.1.1.**7.**7. Vocabulary**

Property	Value
Identifier	urn:shapes:plot-description:slope-type:vocabulary
Label	Vocabulary
Definition	The value of tern: vocabulary <i>MUST</i> match the pattern d893e669-c530-4bc3-a057-a5799ffcb5db\$.
Comment	IRI of tern:vocabulary in sosa:hasResult MUST have the value https://linked.data.gov.au/def/test/dawe-cv/d893e669-c530-4bc3-a057-a5799ffcb5db.  https://linked.data.gov.au/def/test/dawe-cv/d893e669-c530-4bc3-a057-a5799ffcb5db is the IRI for "Plot slope codes".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/slope-type/shapes.ttl
Examples	Valid: /shapes/plot-description/slope-type/valid.ttl
	<pre>Invalid: /shapes/plot-description/slope-type/invalid.ttl</pre>

## 3.1.1.8. Surface strew lithology Observation

## 3.1.1.8.1. Feature type

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-lithology:feature-type
Label	Feature type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a tern:featureType with the value land surface.
Comment	TERN's ecologists have determined the feature type is <i>land surface</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-lithology/invalid.ttl</pre>

#### 3.1.1.8.2. Result value

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-lithology:result-value
Label	Result value
Definition	The value of rdf:value MUST exist in the soil lithology codes controlled vocabulary.
Comment	The value in sosa:hasResult MUST be a value in sh:in, which is the soil lithology codes controlled vocabulary.
Status	submitted O
Conformance Classes	TBA
Property	Value

Property	Value
Controlled list items	The result value MUST be from the following list:
itellis	Adamellite
	Agglomerate
	Alcrete (bauxite)
	Amphibolite
	Andesite
	Anhydrite
	Aplite
	Arkose
	Ash (fine)
	Ash (sandy)
	Basalt
	Bombs (volcanic)
	Breccia
	Calcarenite
	Calcareous mudstone
	Calcareous sand
	Calcilutite
	Calcirudite
	Calcrete
	Charcoal
	Chert
	Clay
	Coal

Property	Value
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-lithology/invalid.ttl</pre>

## 3.1.1.8.3. Simple result

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-lithology:simple-result
Label	Simple result
Definition	Instances of tern:Observation MUST have a sosa:hasSimpleResult where the value is the same as the rdf:value on the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-lithology/invalid.ttl</pre>

#### 3.1.1.8.4. Site visit

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-lithology:site-visit
Label	Site visit
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-lithology/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/surface-strew-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-lithology/invalid.ttl</pre>

## 3.1.1.8.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-lithology:used-procedure
Label	Used procedure
Definition	Instances of tern:Observation with sosa:observedProperty value TBA <i>MUST</i> have a sosa:usedProcedure where the value is https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32 is the IRI for "Plot Description".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-lithology/invalid.ttl</pre>

#### 3.1.1.8.6. Value type

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-lithology:value-type
Label	Value type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:hasResult where the value node is an instance of tern:IRI.
Comment	The value in sosa:hasResult MUST be a tern:IRI.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-lithology/shapes.ttl

Property	Value
Examples	Valid: /shapes/plot-description/surface-strew-lithology/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-lithology/invalid.ttl</pre>

## 3.1.1.8.7. Vocabulary

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-lithology:vocabulary
Label	Vocabulary
Definition	The value of tern: vocabulary <i>MUST</i> match the pattern 1d50eb79-685f-45ea-84b4-627154eddede\$.
Comment	IRI of tern:vocabulary in sosa:hasResult MUST have the value https://linked.data.gov.au/def/test/dawe-cv/1d50eb79-685f-45ea-84b4-627154eddede.  https://linked.data.gov.au/def/test/dawe-cv/1d50eb79-685f-45ea-84b4-627154eddede is the IRI for "Soil lithology codes".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-lithology/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-lithology/valid.ttl
	Invalid: /shapes/plot-description/surface-strew-lithology/invalid.ttl

## 3.1.1.9. Surface strew size Observation

## 3.1.1.9.1. Feature type

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-size:feature-type
Label	Feature type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a tern:featureType with the value land surface.
Comment	TERN's ecologists have determined the feature type is <i>land surface</i> , defined by the Australian Soil and Land Survey Field Handbook.
Status	submitted O
Conformance Classes	TBA

Property	Value
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-size/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-size/valid.ttl  Invalid: /shapes/plot-description/surface-strew-size/invalid.ttl

#### **3.1.1.9.2. Result value**

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-size:result-value
Label	Result value
Definition	The value of rdf:value MUST exist in the Soil surface strew size codes controlled vocabulary.
Comment	The value in sosa:hasResult MUST be a value in sh:in, which is the Soil surface strew size codes controlled vocabulary.
Status	submitted O
Conformance Classes	TBA
Property	Value
Controlled list items	The result value MUST be from the following list:  Boulder (250mm +)  Cobble (51-250mm)  Not Collected  Pebble (5-50mm)
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-size/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-size/valid.ttl  Invalid: /shapes/plot-description/surface-strew-size/invalid.ttl

#### 3.1.1.9.3. Simple result

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-size:simple-result
Label	Simple result

Property	Value
Definition	Instances of tern:Observation MUST have a sosa:hasSimpleResult where the value is the same as the rdf:value on the value node of sosa:hasResult.
Comment	Value of sosa:hasSimpleResult MUST be the same as the value in sosa:hasResult.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-size/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-size/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-size/invalid.ttl</pre>

#### 3.1.1.9.4. Site visit

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-size:site-visit
Label	Site visit
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a value for tern:hasSiteVisit.
Comment	Observations following the Plot Description protocol are made in the context of a site visit.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-size/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-size/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-size/invalid.ttl</pre>

#### 3.1.1.9.5. Used procedure

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-size:used-procedure
Label	Used procedure
Definition	Instances of tern:Observation with sosa:observedProperty value TBA <i>MUST</i> have a sosa:usedProcedure where the value is https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32.

Property	Value
Comment	IRI of procedure <i>MUST</i> have the value https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-401fa31c0b32. https://linked.data.gov.au/def/test/dawe-cv/1ff9e97c-3bdd-44c9-bdd3-
	401fa31c0b32 is the IRI for "Plot Description".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-size/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-size/valid.ttl  Invalid: /shapes/plot-description/surface-strew-size/invalid.ttl

## 3.1.1.9.6. Value type

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-size:value-type
Label	Value type
Definition	Instances of tern:Observation with sosa:observedProperty value TBA MUST have a sosa:hasResult where the value node is an instance of tern:IRI.
Comment	The value in sosa:hasResult MUST be a tern:IRI.
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-size/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-size/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-size/invalid.ttl</pre>

## 3.1.1.9.7. Vocabulary

Property	Value
Identifier	urn:shapes:plot-description:surface-strew-size:vocabulary
Label	Vocabulary
Definition	The value of tern: vocabulary $MUST$ match the pattern $3b25ce0f-9eb7-4d2d-97ce-143858cfd4d4\$$ .

Property	Value
Comment	IRI of tern:vocabulary in sosa:hasResult MUST have the value https://linked.data.gov.au/def/test/dawe-cv/3b25ce0f-9eb7-4d2d-97ce-143858cfd4d4.
	https://linked.data.gov.au/def/test/dawe-cv/3b25ce0f-9eb7-4d2d-97ce-143858cfd4d4 is the IRI for "Soil surface strew size codes".
Status	submitted O
Conformance Classes	TBA
Source	TERN Ecosystem Surveillance Ecological Monitoring Protocols
Validators	/shapes/plot-description/surface-strew-size/shapes.ttl
Examples	Valid: /shapes/plot-description/surface-strew-size/valid.ttl
	<pre>Invalid: /shapes/plot-description/surface-strew-size/invalid.ttl</pre>

## 3.2. TERN Ontology Conformance

TBD.

## 4. Editors Notes

## 4.1. Working titles

Both this specification and the ecological field collection protocol do not have canonical names yet. The below will be changed and updated once formal names are provided by DAWE.

- Ecological Data Exchange Specification (this document)
- TERN Ecosystem Surveillance Ecological Monitoring Protocols

## 4.2. Placeholders

#### 4.2.1. Placeholder text

Placeholder values TBA, TBD and TBC must be replaced with actual values.

#### 4.2.2. Placeholder IRIs

IRIs of controlled vocabularies are currently placeholders with the namespace <a href="https://linked.data.gov.au/def/test/dawe-cv/">https://linked.data.gov.au/def/test/dawe-cv/</a>. These IRIs must be replaced once the authoritative IRI is known.