```
-- phpMyAdmin SQL Dump
-- version 4.2.9
-- http://www.phpmyadmin.net
-- Host: webdb.uvm.edu
-- Generation Time: Oct 27, 2015 at 08:42 PM
-- Server version: 5.5.45-37.4-log
-- PHP Version: 5.3.3
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
-- Database: `TERNST_advising`
-- Table structure for table `tblAdvisors`
CREATE TABLE IF NOT EXISTS 'tblAdvisors' (
 `pmkNetId` varchar(12) NOT NULL,
 `fldAdvisorFirstName` varchar(40) NOT NULL,
 `fldAdvisorLastName` varchar(50) NOT NULL.
 `fldEmail` varchar(25) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Table structure for table `tblCourses`
CREATE TABLE IF NOT EXISTS 'tblCourses' (
`pmkCourseld` int(11) NOT NULL,
 `fldCourseNumber` int(11) NOT NULL,
 `fldCourseName` varchar(250) NOT NULL,
 `fldDepartment` varchar(5) NOT NULL,
 `fldCredits` tinyint(4) NOT NULL DEFAULT '3'
) ENGINE=InnoDB AUTO INCREMENT=2229 DEFAULT CHARSET=utf8;
-- Table structure for table `tblFourYearPlan`
```

```
CREATE TABLE IF NOT EXISTS 'tblFourYearPlan' (
`pmkPlanId` int(11) NOT NULL,
 `fldDateCreated` date NOT NULL,
 `fldCatalogYear` year(4) NOT NULL,
 `fldMajor` varchar(40) NOT NULL,
 `fldMinor` varchar(40) NOT NULL,
 `fnkStudentNetId` varchar(50) NOT NULL,
 `fnkAdvisorNetId` varchar(50) NOT NULL,
 `fldNumCredits` int(8) NOT NULL
) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=utf8;
-- Table structure for table `tblSemesterPlan`
CREATE TABLE IF NOT EXISTS `tblSemesterPlan` (
 `fnkPlanId` int(8) NOT NULL,
 `fnkYear` year(4) NOT NULL,
 `fnkTerm` varchar(15) NOT NULL,
 `fldDisplayOrder` int(3) NOT NULL,
 `fldNumCredits` int(4) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Table structure for table `tblSemesterPlanCourses`
CREATE TABLE IF NOT EXISTS `tblSemesterPlanCourses` (
 `fnkPlanId` int(8) NOT NULL,
 `fnkYear` year(4) NOT NULL,
 `fnkTerm` varchar(8) NOT NULL,
 `fnkCourseld` int(11) NOT NULL,
 `fldDisplayOrder` int(11) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Table structure for table `tblStudents`
CREATE TABLE IF NOT EXISTS 'tblStudents' (
 pmkNetId` varchar(15) NOT NULL,
 `fldFirstName` varchar(25) NOT NULL,
 `fldLastName` varchar(25) NOT NULL,
```

```
`fldStudentEmail` varchar(50) NOT NULL,
 `fldMajor` varchar(40) NOT NULL,
 `fldMinor` varchar(40) NOT NULL,
 `fldCatalogYear` int(8) NOT NULL,
 `fldTotalCredits` int(3) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Indexes for dumped tables
-- Indexes for table `tblAdvisors`
ALTER TABLE `tblAdvisors`
ADD PRIMARY KEY (`pmkNetId`);
-- Indexes for table `tblCourses`
ALTER TABLE `tblCourses`
ADD PRIMARY KEY ('pmkCourseld');
-- Indexes for table `tblFourYearPlan`
ALTER TABLE `tblFourYearPlan`
ADD PRIMARY KEY ('pmkPlanId');
-- Indexes for table `tblSemesterPlan`
ALTER TABLE `tblSemesterPlan`
ADD PRIMARY KEY (`fldDisplayOrder`);
-- Indexes for table `tblSemesterPlanCourses`
ALTER TABLE `tblSemesterPlanCourses`
ADD PRIMARY KEY (`fnkCourseld`);
-- Indexes for table `tblStudents`
ALTER TABLE `tblStudents`
ADD PRIMARY KEY (`pmkNetId`);
-- AUTO_INCREMENT for dumped tables
```

ALTER TABLE `tblFourYearPlan` MODIFY `pmkPlanId` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=3;