









Title			
Size	Number		Revision
A			
Date:	2/05/2026		Sheet of
File:	C:\Users\...\TOP.SchDoc		Drawn By:

MCU




CAN Transceiver





Title		
Size	Number	Revision
A		
Date:	2/05/2026	Sheet of
File:	C:\Users\..MCU_NUCLEOL432KC.Sch	Drawn By:


VSense FPC input




BQ76952 IC




BMS Power Regulation




ISO-I2C Transceiver



Isolated RESET Signal




Isolated ALERT Interrupt




THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS THE PROPERTY OF ALTium LIMITED AND MAY BE FREELY DISTRIBUTED IN WHOLE. NO RIGHTS ARE RESERVED OR EXPRESS OR IMPLIED WARRANTIES GIVEN.


FPC Connectors



8:1 MUX's



NTC Therm Pull-Ups







Each MUX is 8:1
Current estimated # of thermistor per module: 56
54 on Cells + 2 optional placed wherever


APPROVALS		DATE	PROJECT		Altium	
ENG:	+		PROJECT REVISION:	DOCUMENT REVISION:	DESIGN ITEM:	
DSN:	+		TITLE	*		
CHK:	+		REFERENCE DOCUMENTS			
BOM:			SIZE	CAGE CODE	DWG NO.	REV
ASSY DWG:			B			
FAB DWG:			SCALE:	FILENAME	THERM TOP:SchDoc	SHEET 4 OF 6
PCB DWG:						

Odd Cells

Even Cells



Title		
Size	Number	Revision
A		
Date:	2/05/2026	Sheet of
File:	C:\Users\...\VSENSE_FPC.SchDoc	Drawn By:



Title		
Size	Number	Revision
A		
Date:	2/05/2026	Sheet of
File:	C:\Users\...\POWER.SchDoc	Drawn By: