Assemblages

TerraLID ID

ID and name: AS0 terralid_assemblage_id
Provided by: TerraLID system
Obligation: mandatory
Occurrences: 1
Definition: The ID of the assemblage in the TerraLID database.
Allowed values and other constraints: t.b.d.
Example: t.b.d.

1. Assemblage type

ID and name: AS1 assemblage_type
Provided by: data provider
Obligation: recommended
Occurrences: 0–1
Definition: The type of assemblage. This can be either a finds complex in an archaeological site (e.g. hoard, workshop, mining gallery) or a geological feature (e.g. gossan, alteration zone, fault zone).
Allowed values and other constraints: controlled vocabulary

2. Investigation type

ID and name: AS2 assemblage_investigation
Provided by: data provider
Obligation: recommended
Occurrences: 0–1
Definition: The type of investigation leading to the discovery of the assemblage.
Allowed values and other constraints: controlled vocabulary

3. Investigation unit

ID and name: AS3 assemblage_investigation_unit
Provided by: data provider
Obligation: optional
Occurrences: 0–n
Definition: The unit according to the recording system of the investigation in which the assemblage was found.

with the two subproperties:

3.1 Type

ID and name: AS3.1 assemblage_investigation_unit_type
Provided by: data provider
Obligation: mandatory
Occurrences: 1
Definition: The type of the unit.
Allowed values and other constraints: free text
Example: Trench

3.2 Identifier

ID and name: AS3.2 assemblage_investigation_unit_value
Provided by: data provider
Obligation: mandatory
Occurrences: 1
Definition: The identifier of the unit.
Allowed values and other constraints: free text
Example: 13; A1-B2

4. Stratigraphy

ID and name: AS4 assemblage_stratigraphy
Provided by: data provider
Obligation: recommended
Occurrences: 0–1
Definition: Information about the stratigraphic position of the assemblage within the locality.

with the four subproperties:

4.1 Unit

ID and name: AS4.1 assemblage_stratigraphy_unit
Provided by: data provider
Obligation: mandatory
Occurrences: 1
Definition: The locality or project-specific identifier of the stratigraphic unit from which the assemblage was collected.
Allowed values and other constraints: free text
Example: host rock, pit 13

4.2 Site diagram

ID and name: AS4.2 assemblage_stratigraphy_diagram
Provided by: data provider
Obligation: optional
Occurrences: 0–1
Definition: Image or drawing of site that makes exact location of assemblage clear.
Allowed values and other constraints: Image file (File size must be smaller than 2 MB)

4.3 Context

ID and name: AS4.3 assemblage_stratigraphy_context
Provided by: data provider
Obligation: mandatory
Occurrences: 1
Definition: Information about whether the material was disturbed during deposition or in a later event.
Allowed values and other constraints: controlled vocabulary

4.4 Description

ID and name: AS4.4 assemblage_stratigraphy_description
Provided by: data provider
Obligation: optional
Occurrences: 0–1
Definition: Additional information about the stratigraphic context not covered elsewhere.
Allowed values and other constraints: free text
Example: Traces of extensive rodent activity indicate mixing with material from overlying stratigraphic units.

5. Assemblage depth

ID and name: AS5 assemblage_depth
Provided by: data provider
Obligation: recommended
Occurrences: 0–1
Definition: The relative depth of the assemblage.

with the three subproperties:

5.1 Reference point

ID and name: AS5.1 assemblage_depth_reference
Provided by: data provider
Obligation: mandatory
Occurrences: 0–1
Definition: The reference point for the depth measurement of the assemblage.
Allowed values and other constraints: free text
Example: Top of infilling

5.2 Value

ID and name: AS5.2 assemblage_depth_value
Provided by: data provider
Obligation: mandatory
Occurrences: 1
Definition: The depth value of the assemblage measured from the reference point.
Allowed values and other constraints: decimal number
Example: 5.6

5.3 Unit

ID and name: AS5.3 assemblage_depth_unit
Provided by: data provider
Obligation: mandatory
Occurrences: 1
Definition: SI unit of the depth value of the assemblage.
Allowed values and other constraints: controlled vocabulary

6. Relations

ID and name: AS6 assemblage_relation
Provided by: data provider
Obligation: mandatory
Occurrences: 1–n
Definition: Information about related entities, including the object(s) belonging to the assemblage, and other research output such as publications providing relevant information about the assemblage. This includes any literature from which information about the assemblage was extracted.

with the five subproperties:

6.1 Persistent Identifier

ID and name: B5.1 relation_pid
Provided by: data provider
Obligation: recommended
Occurrences: 0–n
Definition: The persistent identifier or TerraLID ID associated with a resource or related research output. Mandatory if referring to another entity in the TerraLID database; in this case, the TerraLID ID must be used and `B5.1.2 Type` is "TerraLID". Within a submission, the identifiers of the submitted records may be used; the TerraLID system replaces them with the assigned TerraLID IDs.

with the two subproperties:

6.1.1 VALUE

ID and name: B5.1.1 relation_pid_value
Provided by: data provider
Obligation: mandatory
Occurrences: 1
Definition: Value of the persistent identifier or TerraLID ID. **Allowed values and other constraints:** valid persistent identifier according to the options listed in `B5.1.2 Type`, or a TerraLID ID if `B5.1.2 Type` = "TerraLID". **Example:** 10.60510/ICDP5054ESYI201

6.1.2 TYPE

ID and name: B5.1.2 relation_pid_type
Provided by: data provider
Obligation: mandatory
Occurrences: 1
Definition: The type of the identifier.
Allowed values and other constraints: controlled vocabulary (identifier). Use "TerraLID" for entities in the TerraLID database.

6.2 Full reference

ID and name: B5.2 relation_text
Provided by: data provider, API (DOI)
Obligation: recommended
Occurrences: 0–1
Definition: The full reference of a publication.
Allowed values and other constraints: free text
Example: Palinkaš, L. A., 1985, Lead isotope patterns in galenas from some selected ore deposits in Croatia and NW Bosnia, Geološki Vjesnik, 38, 175–89.

6.3 Kind of relation

ID and name: B5.3 relation_kind
Provided by: data provider
Obligation: mandatory
Occurrences: 1–n
Definition: Relationship between the item and the related resource, research output, or TerraLID entity (e.g., IsPartOf for a sample taken from an object). **Allowed values and other constraints:** controlled vocabulary

6.4 Type of resource

ID and name: B5.4 relation_resource
Provided by: data provider
Obligation: mandatory
Occurrences: 1–n
Definition: Type of resource or research output. Mandatory unless `B5.1.2 Type` = "TerraLID", as the type of a TerraLID entity follows from its TerraLID ID. **Allowed values and other constraints:** controlled vocabulary

6.5 Additional details

ID and name: B5.5 relation_detail
Provided by: data provider
Obligation: optional
Occurrences: 0–n
Definition: Additional information about the relation, e.g., if the related work addresses a specific aspect of the item (e.g., the geological setting).
Allowed values and other constraints: free text
Example: Information about the dating of the site.