

# boring-gate

## Overview

## Version information

Version : 2022-11-19T21:32:10Z

## URI scheme

Host : jd2r369gmf.execute-api.ap-southeast-1.amazonaws.com

BasePath : /dev

Schemes : HTTPS

## Paths

## POST /account

### Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> Access-Control-Allow-Origin (string)	Empty

### Produces

- application/json

## OPTIONS /account

### Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> Access-Control-Allow-Origin (string) Access-Control-Allow-Methods (string) Access-Control-Allow-Headers (string)	Empty

## Consumes

- `application/json`

## Produces

- `application/json`

# OPTIONS /account/{id+}

## Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	string

## Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> <code>Access-Control-Allow-Origin</code> (string) <code>Access-Control-Allow-Methods</code> (string) <code>Access-Control-Allow-Headers</code> (string)	Empty

## Consumes

- `application/json`

## Produces

- `application/json`

# GET /health

## Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> <code>Access-Control-Allow-Origin</code> (string)	Empty

## Produces

- `application/json`

## OPTIONS /health

### Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> <code>Access-Control-Allow-Origin</code> (string) <code>Access-Control-Allow-Methods</code> (string) <code>Access-Control-Allow-Headers</code> (string)	Empty

## Consumes

- `application/json`

## Produces

- `application/json`

## POST /nft

### Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> <code>Access-Control-Allow-Origin</code> (string)	Empty

## Produces

- `application/json`

## GET /nft

### Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> <i>Access-Control-Allow-Origin</i> (string)	Empty

## Produces

- *application/json*

## OPTIONS /nft

### Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> <i>Access-Control-Allow-Origin</i> (string) <i>Access-Control-Allow-Methods</i> (string) <i>Access-Control-Allow-Headers</i> (string)	Empty

## Consumes

- *application/json*

## Produces

- *application/json*

## OPTIONS /nft/{id+}

### Parameters

Type	Name	Schema
Path	<b>id</b> <i>required</i>	string

### Responses

HTTP Code	Description	Schema
200	200 response <b>Headers :</b> Access-Control-Allow-Origin (string) Access-Control-Allow-Methods (string) Access-Control-Allow-Headers (string)	Empty

## Consumes

- application/json

## Produces

- application/json

# Definitions

## Empty Schema

Type : object