Dash Components

Objectives

After completing the lab you will be able to:

- Create a dash application layout
- · Add HTML H1, P, and Div components
- · Add core graph component
- · Add multiple charts

Estimated time needed: 30 minutes

Dataset Used

Airline Reporting Carrier On-Time Performance dataset from Data Asset eXchange

About Skills Network Cloud IDE

This Skills Network Labs Cloud IDE (Integrated Development Environment) provides a hands-on environment in your web browser for completing course and project related labs. It utilizes Theia, an open-source IDE platform, that can be run on desktop or on the cloud.

So far in the course you have been using Jupyter notebooks to run your python code. This IDE provides an alternative for editing and running your Python code. In this lab you will be using this alternative Python runtime to create and launch your Dash applications.

Important Notice about this lab environment

Please be aware that sessions for this lab environment are not persisted. When you launch the Cloud IDE, you are presented with a 'dedicated computer on the cloud' exclusively for you. This is available to you as long as you are actively working on the labs.

Once you close your session or it is timed out due to inactivity, you are logged off, and this 'dedicated computer on the cloud' is deleted along with any files you may have created, dowloaded or installed. The next time you launch this lab, a new environment is created for you.

If you finish only part of the lab and return later, you may have to start from the beginning. So, it is a good idea to plan to your time accordingly and finish your labs in a single session.

Let's start creating dash application

Goal

Create a dashboard that displays the percentage of flights running under specific distance group. Distance group is the distance intervals, every 250 miles, for flight segment. If the flight covers to 500 miles, it will be under distance group 2 (250 miles + 250 miles).

Expected Output

Below is the expected result from the lab. Our dashboard application consists of three components:


- Title of the application
- Description of the application
- Chart conveying the proportion of distance group by month

Airline Dashboard



Proportion of distance group (250 mile distance interval group) by fl

Distance group proportion by flights



To do:

- 1. Import required libraries and read the dataset
- 2. Create an application layout
- 3. Add title to the dashboard using HTML H1 component
- 4. Add a paragraph about the chart using HTML P component
- 5. Add the pie chart above using core graph component
- 6. Run the app

Get the tool ready

- Install python packages required to run the application. Copy and paste the below command to the terminal.
- 1. 1
- 1. python3 -m pip install packaging

Copied!

- 1. 1
- 1. python3 -m pip install pandas dash

Copied!

```
theia@theiadocker-malikas:/home/projects/
python3 -m pip install pandas dash

Collecting pandas
Downloading https://files.pythonhosted.org/packages/c3/e2/00cacecafbab071c787019f00ad84ca3185952f6bb9bca9550ed83870d4d/pandas-1.1.5-cp36-cp36m-manylinux1_x8
hl (9.5MB)
100%

| 9.5MB 163kB/s

collecting dash
Downloading https://files.pythonhosted.org/packages/cc/42/e1692b2d34e4135569db680efe3438e809a6b3f0ae607ad41aeff7741672/dash-2.6.1-py3-none-any.whl (9.9MB)
100%
| 9.9MB 159kB/s

collecting pytz>=2017.2 (from pandas)

Cache entry deserialization failed, entry ignored
Downloading https://files.pythonhosted.org/packages/d5/50/54451e88e3da4616286029a3a17fc377de817f66a0f50e1faaee90161724/pytz-2022.2.1-py2.py3-none-any.whl (5
100%
| 501kB 3.2MB/s


collecting python-dateutil>=2.7.3 (from pandas)

Cache entry deserialization failed, entry ignored
```


- 1. 1
- pip3 install httpx==0.20 dash plotly

```
theia@theiadocker-malikas: /home/project x
theia@theiadocker-malikas:/home/project$ pip3 install httpx==0.20 dash plotly
/usr/lib/python3/dist-packages/secretsto<mark>rage/uncrypto.py:15: cryptograpnyvepre</mark>cationWarning: int_from
_bytes is deprecated, use int.from_bytes instead
from cryptography.utils import int from_bytes
/usr/lib/python3/dist-packages/secretstorage/util.py:19: CryptographyDeprecationWarning: int_from_byt
es is deprecated, use int.from_bytes instead
  from cryptography.utils import int_from_bytes
Defaulting to user installation because normal site-packages is not writeable
Collecting httpx==0.20
  Downloading httpx-0.20.0-py3-none-any.whl (82 kB)
                                         | 82 kB 779 kB/s
Collecting dash
  Downloading dash-2.6.1-py3-none-any.whl (9.9 MB)
                                         9.9 MB 40.7 MB/s
Collecting plotly
  Downloading plotly-5.10.0-py2.py3-none-any.whl (15.2 MB)
                                         | 15.2 MB 39.3 MB/s
Requirement already satisfied: sniffio in /home/theia/.local/lib/python3.6/site-packages (from httpx=
=0.20) (1.2.0)
Requirement already satisfied: httpcore<0.14.0,>=0.13.3 in /home/theia/.local/lib/python3.6/site-pack
ages (from httpx==0.20) (0.13.7)
Requirement already satisfied: async-generator in /home/theia/.local/lib/python3.6/site-packages (fro
m httpx==0.20) (1.10)
Requirement already satisfied: certifi in /home/theia/.local/lib/python3.6/site-packages (from httpx=
=0.20) (2020.12.5)
Requirement already satisfied: rfc3986[idna2008]<2,>=1.3 in /home/theia/.local/lib/python3.6/site-pac
kages (from httpx==0.20) (1.5.0)
Requirement already satisfied: charset-normalizer in /home/theia/.local/lib/python3.6/site-packages (
from httpx==0.20) (2.0.12)
Collecting dash-html-components==2.0.0
  Downloading dash_html_components-2.0.0-py3-none-any.whl (4.1 kB)
Collecting dash-table==5.0.0
  Downloading dash_table-5.0.0-py3-none-any.whl (3.9 kB)
```


• Create a new python script, by clicking on the menu bar and selecting File->New File, as in the image below.




• Provide the file name as dash_basics.py



• Open a new terminal, by clicking on the menu bar and selecting Terminal->New Terminal, as in the image below.



• Now, you have script and terminal ready to start the lab.



TASK 1 - Data Preparation

Let's start with

- Importing necessary libraries
- Reading and sampling 500 random data points
- Get the chart ready

Copy the below code to the dash_basics.py script and review the code.

- 2. 2 3. 3 4. 4 5. 5 6. 6 7. 7

- 9.9
- 10. 10 11. 11 12. 12 13. 13
- 15. 15
- 16. 16 17. 17 18. 18

- 1. # Import required packages
- import pandas as pd
 import plotly.express as px

```
4. import dash
  5. import dash html components as html
   6. import dash_core_components as dcc
   8. # Read the airline data into pandas dataframe
  9. airline_data = pd.read_csv('https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-DV0101EN-SkillsNetwork/Data
10. encoding = "ISO-8859-1",
11. dtype={'Div1Airport': str, 'Div1TailNum': str,
12. 'Div2Airport': str, 'Div2TailNum': str})
 10.
 11.
 12.
 14. # Randomly sample 500 data points. Setting the random state to be 42 so that we get same result.
 15. data = airline_data.sample(n=500, random_state=42)
 17. # Pie Chart Creation
 18. fig = px.pie(data, values='Flights', names='DistanceGroup', title='Distance group proportion by flights')
Copied!
```

TASK 2 - Create dash application and get the layout skeleton

Next, we create a skeleton for our dash application. Our dashboard application has three components as seen before:

- Title of the application
- Description of the application
- Chart conveying the proportion of distance group by month

Mapping to the respective Dash HTML tags:

- Title added using html.H1() tag
- Description added using html.P() tag
- Chart added using dcc.Graph() tag

Copy the below code to the dash_basics.py script and review the structure.

NOTE: Copy below the current code

```
2. 2
  3. 3
 10. 10
 11. 11
 12. 12
 15. 15
 16. 16
  1. # Create a dash application
  2. app = dash.Dash(__name__)
  4. # Get the layout of the application and adjust it.
  5. # Create an outer division using html.Div and add title to the dashboard using html.H1 component
  6. # Add description about the graph using HTML P (paragraph) component
  7. # Finally, add graph component.
  8. app.layout = html.Div(children=[html.H1(),
  9.
                                      html.P()
 10.
                                      dcc.Graph(),
 11.
                         ])
 12.
 14. # Run the application
 15. if __name__ == '__main_
         app.run_server()
Copied!
```

TASK 3 - Add the application title

Update the html.H1() tag to hold the application title.

- Application title is Airline Dashboard
- Use style parameter provided below to make the title center aligned, with color code #503D36, and font-size as 40
- 1. 'Airline Dashboard', style={'textAlign': 'center', 'color': '#503D36', 'font-size': 40}

Copied!

After updating the html.H1() with the application title, the app.layout will look like:

```
dash_basics.py ×
          # Create a dash application
    20
          app = dash.Dash(__name__)
    21
    22
          # Get the layout of the application and adjust it.
    23
          # Create an outer division using html.Div and add title to
    24
          # Add description about the graph using HTML P (paragraph)
    25
          # Finally, add graph component
    26
          app.layout = html.Div(children=[html.H1('Airline Dashboard
    27
                                                     style={'textAlign
    28
                                                             'color':
    29
                                                              'font-size
    30
    31
                                            html.P(),
                                            dcc.Graph(),
    32
    33
                               1)
    34
    35
```

TASK 4 - Add the application description

Update the html.P() tag to hold the description of the application.

- Description is Proportion of distance group (250 mile distance interval group) by flights.
- Use style parameter to make the description center aligned and with color #F57241.

1. 1

1. ('Proportion of distance group (250 mile distance interval group) by flights.', style={'textAlign':'center', 'color': '#F57241'}),

Copied!

After updating the html.Hl() with the application title, the applayout will look like:

```
File
     Edit
          Selection
                     View
                           Go
                                Run
                                      Terminal
                                               Help
dash_basics.py ●
          # create a dash application
    ۷۷
          app = dash.Dash(__name__)
    21
    22
    23
          # Get the layout of the application and adjust it.
    24
          # Create an outer division using html.Div and add title to
          # Add description about the graph using HTML P (paragraph)
    25
          # Finally, add graph component.
    26
          app.layout = html.Div(children=[html.H1('Airline Dashboard
    27
                                                      style={'textAlign
    28
                                                              'color': '#
    29
                                                              'font-size
    30
                                            html.P('Proportion of dista
    31
                                                     style={'textAlign':
    32
    33
                                            dcc.Graph(),
    34
                               1)
    35
    36
```

TASK 5 - Update the graph

Update figure parameter of dcc.Graph() component to add the pie chart. We have created pie chart and assigned it to fig. Let's use that to update the figure parameter.


1. (figure=fig)

Copied!

After updating the dcc.Graph() with the application title, the app.layout will look like:

```
File
                                      Terminal
     Edit
          Selection
                     View
                           Go
                                Run
                                                Help
dash basics.py ×
          # create a dash application
    שע
          app = dash.Dash(__name__)
    21
    22
    23
          # Get the layout of the application and adjust it.
          # Create an outer division using html.Div and add title to
    24
          # Add description about the graph using HTML P (paragraph)
    25
          # Finally, add graph component.
    26
          app.layout = html.Div(children=[html.H1('Airline Dashboard
    27
                                                      style={'textAlign
    28
                                                              'color': '
    29
                                                               'font-size
    30
                                             html.P('Proportion of dista
    31
                                                     style={'textAlian'
    32
                                             dcc.Graph(figure=fig),
    33
    34
                                1)
    35
    36
```

Before running the application, save the file by clicking on File -> Save from the menu bar.



You can Refer to the entire python code here

```
6.6
  7. 7
 10. 10
 11. 11
 12. 12
 13. 13
 17. 17
 18. 18
19. 19
 20. 20
 23. 23
 24. 24
25. 25
 26. 26
 29. 29
 30. 30
31. 31
32. 32
 33. 33
 35. 35
 36. 36
  2. # Import required packages
  3. import pandas as pd
  4. import plotly.express as px
  5. import dash
  6. import dash_html_components as html
  7. import dash_core_components as dcc
  9. # Read the airline data into pandas dataframe
 10. airline_data = pd.read_csv('https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-DV0101EN-SkillsNetwork/Data
11. encoding = "ISO-8859-1",
12. dtype={'Div1Airport': str, 'Div1TailNum': str,
13. 'Div2Airport': str, 'Div2TailNum': str})
 15. # Randomly sample 500 data points. Setting the random state to be 42 so that we get same result.
 16. data = airline_data.sample(n=500, random_state=42)
 17.
 18. # Pie Chart Creation
 19. fig = px.pie(data, values='Flights', names='DistanceGroup', title='Distance group proportion by flights')
 21. # Create a dash application
 22. app = dash.Dash(__name__)
 24. # Get the layout of the application and adjust it.
 25. # Create an outer division using html.Div and add title to the dashboard using html.H1 component
 26. # Add description about the graph using HTML P (paragraph) component
 27. # Finally, add graph component.
 28. app.layout = html.Div(children=[html.H1('Airline Dashboard', style={'textAlign': 'center', 'color': '#503D36', 'font-size': 40}),
 29.
                                          html.P('Proportion of distance group (250 mile distance interval group) by flights.', style={'textAlign':'center', 'c
 30.
                                          dcc.Graph(figure=fig),
 31.
 32.
                            ])
 34. # Run the application
 35. if __name__ == '__main_
36. app.run_server()
Copied!
```

TASK 6 - Run the application

• Run the python file using the following command in the terminal


1. 1
 1. python3 dash_basics.py

Copied!

• Observe the port number shown in the terminal.



• Click on the Launch Application option from the side menu bar.Provide the port number and click OK




The app will open in a new browser tab like below:



Airline Dashboar

Proportion of distance group (250 mile distance interval gro

Distance group proportion by flights



Exercise: Practice Tasks

You will practice some tasks to update the dashboard.

1. Change the title to the dashboard from "Airline Dashboard" to "Airline On-time Performance Dashboard" using HTML H1 component and font-size as 50.

▼ Answer

html.H1('Airline On-time Performance Dashboard', style={'textAlign': 'center', 'color': '#503D36', 'font-size': 50}),

2. Save the above changes and relaunch the dashboard application to see the updated dashboard title.

▼ Answer

Click on file -> save file. Then go to terminal and Run the command python3 dash_basics.py to open the updated file again and relaunch the application by entering the port number. The updated dashboard title will be seen.

3. Write a command to stop the running app in the terminal

▼ Answer

Press ctrl+c inside the terminal to stop the dash application.

Author

Saishruthi Swaminathan

Changelog

Date	Version	Changed by	Change Description
05-07-2021	1.1	Saishruthi	Initial version created
24-08-2022	1.2	Pratiksha	Updated instructions
29-08-2022	1.3	Pratiksha Verma	Updated Screenshot

© IBM Corporation 2020. All rights reserved.