

****YoBoss — Brand Design Tokens****

Brand direction

YoBoss uses a **warm muted pastel** visual system built on creamy neutrals. The goal is to feel:

- friendly
- calm
- modern
- slightly playful
- more vivid than a typical productivity SaaS, but never loud

The visual balance should be:

- **70% neutrals**
 - **20% soft pastel support colors**
 - **10% brand emphasis**
-

Core principles

1. Creamy neutrals first

Large surfaces should rely on warm whites and soft beige-grays. This creates the calm base that lets accent colors feel elegant.

2. Colorful, but softened

Pink, yellow, blue, and green should feel milkier and more muted than standard UI colors. Avoid high-saturation primary colors.

3. Blue is the action color

The primary interactive color should remain the soft brand blue. Character colors support the system, but should not replace the main CTA color.

4. Illustration colors should influence UI, not dominate it

The pastel character palette can appear in tags, badges, icons, section highlights, charts, and empty states. It should not take over full-page backgrounds.

CSS token source of truth

```
:root {  
  /* Base neutrals */  
  --bg-page: #F6F3EE;  
  --bg-card: #FFFDF9;  
  --bg-soft: #F1ECE4;  
  --bg-soft-2: #EAE4DA;  
  --bg-dark: #2B2B2B;  
  --bg-dark-soft: #3A3937;  
  
  /* Text */  
  --text-primary: #2B2B2B;  
  --text-secondary: #6F6A64;  
  --text-muted: #9B948B;  
  --text-on-dark: #FFFDF9;  
  --text-on-dark-secondary: #D7D0C7;  
  
  /* Borders */  
  --border-light: #E7DED2;  
  --border-default: #DDD3C7;  
  --border-strong: #CFC3B5;  
  
  /* Brand */  
  --accent-primary: #7FAEE6;  
  --accent-primary-hover: #6A9DDA;  
  --accent-primary-soft: #EAF3FD;  
  --accent-primary-strong: #5E8FCE;  
  
  /* Character palette */  
  --pink-soft: #F4C7C3;  
  --pink-base: #E9A7A0;  
  --pink-deep: #D98D86;  
  
  --yellow-soft: #EED9A5;  
  --yellow-base: #DDBE73;  
  --yellow-deep: #C9A95F;  
  
  --blue-soft: #BDD8F2;  
  --blue-base: #8CB8E8;  
  --blue-deep: #6E9FD4;  
  
  --green-soft: #C7E6C8;  
  --green-base: #8DCB96;  
  --green-deep: #6EAF79;
```

```
/* Status */
--success: #7FB38A;
--success-soft: #EAF5EC;

--warning: #D4B06A;
--warning-soft: #F8F1E3;

--error: #D5847A;
--error-soft: #F9EAE7;

--info: #8BB7E8;
--info-soft: #EAF3FD;
}
```

Semantic token mapping

Use semantic tokens in components so the design system stays flexible.

```
:root {
  --color-page: var(--bg-page);
  --color-surface: var(--bg-card);
  --color-surface-subtle: var(--bg-soft);
  --color-surface-subtle-2: var(--bg-soft-2);
  --color-surface-inverse: var(--bg-dark);

  --color-text: var(--text-primary);
  --color-text-secondary: var(--text-secondary);
  --color-text-muted: var(--text-muted);
  --color-text-inverse: var(--text-on-dark);

  --color-border: var(--border-light);
  --color-border-strong: var(--border-default);

  --color-brand: var(--accent-primary);
  --color-brand-hover: var(--accent-primary-hover);
  --color-brand-soft: var(--accent-primary-soft);
  --color-brand-strong: var(--accent-primary-strong);

  --color-success: var(--success);
  --color-success-soft: var(--success-soft);
  --color-warning: var(--warning);
  --color-warning-soft: var(--warning-soft);
  --color-danger: var(--error);
}
```

```
--color-danger-soft: var(--error-soft);
--color-info: var(--info);
--color-info-soft: var(--info-soft);
}
```

Typography tokens

```
:root {
  --font-family-base: "Inter", sans-serif;

  --font-size-xs: 12px;
  --font-size-sm: 14px;
  --font-size-md: 16px;
  --font-size-lg: 18px;
  --font-size-xl: 20px;
  --font-size-2xl: 24px;
  --font-size-3xl: 32px;
  --font-size-4xl: 40px;

  --line-height-tight: 1.15;
  --line-height-base: 1.5;
  --line-height-relaxed: 1.7;

  --font-weight-medium: 500;
  --font-weight-semibold: 600;
  --font-weight-bold: 700;
}
```

Typography usage

- Page titles: 32–40px, semibold, --text-primary
- Section titles: 20–24px, semibold, --text-primary
- Card titles: 16–18px, semibold, --text-primary
- Body: 14–16px, regular, --text-secondary
- Labels / meta text: 12px, medium, --text-muted

Radius and shadow tokens

```
:root {
  --radius-sm: 8px;
  --radius-md: 12px;
  --radius-lg: 16px;
  --radius-xl: 20px;
  --radius-pill: 999px;

  --shadow-soft: 0 8px 24px rgba(43, 43, 43, 0.05);
  --shadow-card: 0 4px 16px rgba(43, 43, 43, 0.04);
  --shadow-hover: 0 10px 28px rgba(43, 43, 43, 0.08);
}
```

Shadow usage

- Default cards: --shadow-card
 - Elevated modules and modals: --shadow-soft
 - Hover lift: --shadow-hover
 - Avoid dramatic shadows or glossy neumorphism effects
-

Spacing tokens

```
:root {
  --space-1: 4px;
  --space-2: 8px;
  --space-3: 12px;
  --space-4: 16px;
  --space-5: 20px;
  --space-6: 24px;
  --space-8: 32px;
  --space-10: 40px;
  --space-12: 48px;
  --space-16: 64px;
}
```

Spacing usage

- Tight inline gaps: 8px
- Standard content spacing: 16px
- Card padding: 20–24px
- Section spacing: 32–48px

- Page top/bottom spacing: 48–64px
-

Component tokens

Page background

- Background: `--color-page`
- Default text: `--color-text`

Cards

```
.card {  
  background: var(--color-surface);  
  border: 1px solid var(--color-border);  
  border-radius: var(--radius-lg);  
  box-shadow: var(--shadow-card);  
}
```

Use `--color-surface-subtle` only for secondary blocks inside cards, not for every card.

Primary button

```
.button-primary {  
  background: var(--color-brand);  
  color: var(--color-text-inverse);  
  border-radius: var(--radius-pill);  
}  
  
.button-primary:hover {  
  background: var(--color-brand-hover);  
}
```

Secondary button

```
.button-secondary {  
  background: var(--color-surface);  
  color: var(--color-text);  
  border: 1px solid var(--color-border-strong);  
  border-radius: var(--radius-pill);  
}
```

```
.button-secondary:hover {  
  background: var(--color-surface-subtle);  
}
```

Tertiary button / ghost button

```
.button-ghost {  
  background: transparent;  
  color: var(--color-text-secondary);  
}  
  
.button-ghost:hover {  
  background: var(--color-surface-subtle);  
  color: var(--color-text);  
}
```

Input fields

```
.input {  
  background: var(--color-surface);  
  border: 1px solid var(--color-border);  
  color: var(--color-text);  
  border-radius: var(--radius-md);  
}  
  
.input::placeholder {  
  color: var(--color-text-muted);  
}  
  
.input:focus {  
  border-color: var(--color-brand);  
  box-shadow: 0 0 0 4px var(--color-brand-soft);  
  outline: none;  
}
```

Pills / chips

Default chip:

```
.chip {  
  background: var(--color-surface);  
  border: 1px solid var(--color-border);  
  color: var(--color-text-secondary);  
}
```

```
border-radius: var(--radius-pill);
}
```

Active chip:

```
.chip-active {
  background: var(--color-brand-soft);
  color: var(--color-brand-strong);
  border: 1px solid rgba(127, 174, 230, 0.35);
}
```

Tags by character color

Planner tag:

```
.tag-planner {
  background: var(--yellow-soft);
  color: #7B6640;
}
```

Coach tag:

```
.tag-coach {
  background: var(--pink-soft);
  color: #8A5F5A;
}
```

Analyst tag:

```
.tag-analyst {
  background: var(--blue-soft);
  color: #4F6E92;
}
```

Builder tag:

```
.tag-builder {
  background: var(--green-soft);
  color: #55775E;
}
```

Dividers


```
.divider {  
  border-color: var(--color-border);  
}
```

Use light dividers. Avoid strong gray rules.

Status patterns

Success

- Text: `--color-success`
- Background: `--color-success-soft`
- Use for completion, synced, done, approved

Warning

- Text: `--color-warning`
- Background: `--color-warning-soft`
- Use for reminders, pending review, timing alerts

Error

- Text: `--color-danger`
- Background: `--color-danger-soft`
- Use for destructive actions, failures, blocked states

Info

- Text: `--color-info`
 - Background: `--color-info-soft`
 - Use for tips, system notices, coach suggestions
-

Data visualization colors

Recommended chart order:

1. `--accent-primary`
2. `--green-base`

3. --yellow-base
4. --pink-base
5. --blue-soft

Chart rules

- Use soft neutrals for grid lines
- Avoid black axes
- Avoid saturated red/green combinations unless necessary
- Keep labels in --text-secondary

Example:

```
:root {  
  --chart-1: var(--accent-primary);  
  --chart-2: var(--green-base);  
  --chart-3: var(--yellow-base);  
  --chart-4: var(--pink-base);  
  --chart-5: var(--blue-soft);  
  --chart-grid: var(--border-light);  
  --chart-label: var(--text-secondary);  
}
```

Illustration system guidance

Illustration colors should remain slightly softer than UI colors.

Illustration palette roles

- Pink: friendly guide / creative planner
- Yellow: organizer / builder / idea spark
- Blue: analyst / reviewer / support assistant
- Green: operator / listener / execution helper

Illustration rules

- Use soft outlines, not harsh strokes
- Keep highlights creamy and slightly warm
- Prefer gentle gradients over flat, loud fills
- Backgrounds should stay transparent or warm off-white

Accessibility guidance

Because the palette is intentionally soft, contrast needs careful handling.

Do

- Use `--text-primary` on all body and heading surfaces
- Use `--text-secondary` only for supporting text
- Keep buttons and interactive controls high enough contrast
- Add shape, icon, or weight changes, not just color, for state differences

Avoid

- Light pastel text on white
- Small muted text on colored backgrounds
- Using only pink/green/yellow to encode meaning

Recommended UI recipes

Dashboard card

- Background: `--bg-card`
- Border: `--border-light`
- Title: `--text-primary`
- Description: `--text-secondary`
- Metric accent: `--accent-primary`

Inbox item

- Background unread: `--accent-soft`
- Background read: `--bg-card`
- Border: `--border-light`
- Badge: `--accent-primary`

To-do list item

- Checkbox active: `--success`
- Checkbox idle border: `--border-default`
- Task title: `--text-primary`

- Meta text: --text-secondary
- Hover background: --bg-soft

Team card

- Background: --bg-card
 - Role tag: use character support colors
 - Progress bar track: --bg-soft
 - Progress bar fill: --accent-primary
-

Anti-patterns

Do not use:

- large areas of saturated neon colors
 - harsh black borders
 - cool pure gray backgrounds
 - fully white-on-white interfaces without beige warmth
 - strong glassmorphism everywhere
 - oversaturated CTA blues
 - bright red danger buttons unless necessary
-

Example Tailwind mapping

```
colors: {  
  page: "#F6F3EE",  
  card: "#FFFDF9",  
  soft: "#F1ECE4",  
  soft2: "#EAE4DA",  
  dark: "#2B2B2B",  
  primaryText: "#2B2B2B",  
  secondaryText: "#6F6A64",  
  mutedText: "#9B948B",  
  borderLight: "#E7DED2",  
  borderDefault: "#DDD3C7",  
  accent: "#7FAEE6",  
  accentHover: "#6A9DDA",  
  accentSoft: "#EAF3FD",  
  pinkSoft: "#F4C7C3",
```

```
yellowSoft: "#EED9A5",  
blueSoft: "#BDD8F2",  
greenSoft: "#C7E6C8",  
success: "#7FB38A",  
warning: "#D4B06A",  
error: "#D5847A"  
}
```

Final brand summary

YoBoss should feel like:

A calm, warm productivity system with soft pastel intelligence.

Not corporate.

Not childish.

Not minimalist to the point of sterility.

Friendly, fresh, and composed.