NON-WSQ COURSE • C1382

Version v6.0 · 28 October 2026

Claude AI Masterclass

Threads Edition

Projects, threads, artefacts, connectors, skills and content — for marketing teams

Tertiary Infotech Academy Pte Ltd
UEN: 201200696W

www.tertiarycourses.com.sg | enquiry@tertiaryinfotech.com | +65 6100 0613

© Tertiary Infotech Academy Pte Ltd

COURSE ADMINISTRATION

Welcome

1. Introductions
2. Ground rules
3. Course outline
4. How today runs

© Tertiary Infotech Academy Pte Ltd

ICE-BREAKER

Let's Know Each Other

Take a minute to introduce yourself to the class.

1. **Your name and role**
   Which team you sit in and what you are responsible for.

2. **Your marketing work**
   One piece of content or report you produce again and again.

3. **Your channels**
   Which social platforms and tools your team actually uses.

4. **Your goal today**
   What you would most like Claude to take off your plate.

© Tertiary Infotech Academy Pte Ltd

About the Trainer

TN


[Trainer Name]

[Title / Role]

- ✓ Qualifications: _____
- ✓ Expertise: _____
- ✓ Experience: _____
- ✓ Contact / Profile: _____

© Tertiary Infotech Academy Pte Ltd

About the Trainer



- ✓ PhD-qualified trainer specialising in AI, software engineering and developer tooling.
- ✓ Hands-on experience building agentic AI applications and automations with Claude.
- ✓ Trains professionals across Singapore on practical, project-based AI skills.
- ✓ Certifications: Claude Certified Associate (Foundations), PMP, AWS, Microsoft, CompTIA, CKA, CKAD.
- • linkedin.com/in/angchewhoe
- • github.com/alfredang

© Tertiary Infotech Academy Pte Ltd

HOUSEKEEPING

Ground Rules

Phones on silent
Step out quietly if you need to take a call.

Ask as you go
No question is too small — others usually have the same one.

Learn by doing
Every block of theory is followed by a lab you build yourself.

Use the mock data
Never bring real customer or personal data into a training exercise.

Check before you publish
Approve every post and email against the source facts.

Mutual respect
One conversation at a time; agree to disagree.

© Tertiary Infotech Academy Pte Ltd

ROADMAP

Course Outline

1

Claude Projects and Market Research

- The Claude family and setup
- Projects: goal, instructions, context, memory
- Lead agent and parallel threads
- Market research and Live Artefacts

2

Connectors, Skills and Plugins

- Tools: built in, and added by connectors
- Drive and Gmail, tool calls and the context window
- Data analysis, Slides, Docs and built-in skills
- Agent Skills, plugins and mods

3

Content Production and Scheduled Work

- One thread per channel
- Social post specs and brand checks
- Script, storyboard, render: the video pipeline
- Scheduled tasks, memory and usage

© Tertiary Infotech Academy Pte Ltd

WHAT YOU'LL ACHIEVE

Learning Outcomes

1. **Set up the Project**
   Set up a Claude Project with a goal, instructions, context and memory, and explain how its lead agent splits work into parallel threads.

2. **Research in threads**
   Run multi-subject market research as parallel threads and consolidate it into one verified research brief.

3. **Build a Live Artefact**
   Build, refine, save and download a Live Artefact dashboard from supplied research data.

4. **Tools: Drive and Gmail**
   Connect Google Drive and Gmail and use their tools to reconcile, search, save and draft, sending only what you approve.

5. **Analysis, Slides and Docs**
   Analyse survey data with Claude's code tool and Excel, and produce a launch deck and campaign brief with Slides and Docs using built-in skills.

6. **Skills and plugins**
   Capture a brand voice as an Agent Skill with /skill-creator, use and update it on workplace messages, and install and use a marketing plugin.

7. **Social posts in threads**
   Create a two-week, multi-platform set of social media posts in parallel threads using the brand-voice skill.

8. **Make a launch video**
   Produce a short vertical launch video from a script, storyboard and supplied brand assets.

9. **Schedule and review**
   Schedule recurring project tasks, maintain project memory and review thread usage, keeping a human approval step.

© Tertiary Infotech Academy Pte Ltd

SCHEDULE

Lesson Plan — One Day

9:00am – 6:00pm, with a one-hour lunch and two tea breaks.

Morning

- 9:00 Welcome
- 9:15 Topic 1 — Claude Projects and Market Research
- 9:45 Hands-on: Lab 1
- 10:10 Tea break
- 10:25 Hands-on: Lab 2
- 11:00 Topic 1 — Live Artefacts
- 11:10 Hands-on: Lab 3
- 11:50 Topic 2 — Tools and Connectors

Afternoon

- 12:30 Lunch break
- 13:30 Hands-on: Lab 4
- 14:05 Topic 2 — Data Analysis, Slides, Docs and Agent Skills
- 14:20 Hands-on: Lab 5
- 14:55 Hands-on: Lab 6
- 15:30 Tea break
- 15:45 Topic 2 — Plugins and mods
- 15:55 Hands-on: Lab 7
- 16:20 Topic 3 — Content Production and Scheduled Work
- 16:30 Hands-on: Lab 8
- 17:05 Hands-on: Lab 9
- 17:30 Hands-on: Lab 10
- 17:50 Recap

© Tertiary Infotech Academy Pte Ltd

LEARNING APPROACH

How You'll Learn

1

Watch

The trainer demonstrates the technique live.

2

Build

You build it yourself in the hands-on lab.

3

Check

Verify your output against the lab's check step.

4

Discuss

We troubleshoot together as a class.

5

Reuse

Take the artefact and the prompt back to your own work.

Ten labs, one continuous scenario — each lab builds on the one before it.

© Tertiary Infotech Academy Pte Ltd

BEFORE WE START

Your Course Materials

Open the prompts page now — you will paste from it in every lab.

1

Copy-ready prompts

https://tertiarycourses.github.io/C1382-Claude-AI-Masterclass/prompts/threads/ — every lab's prompt with a copy button. Keep it open in a browser tab all day.

2

Lab files and data

https://github.com/tertiarycourses/C1382-Claude-AI-Masterclass — each lab folder holds its prompt PDF and, where needed, a data folder of mock files.

3

Your Learner Guide

The full step-by-step for every lab, the reason for each step, and the check to run at the end.

© Tertiary Infotech Academy Pte Ltd

THE SCENARIO

The Lumo Cold Kopi launch

It is late October 2026. Lumo Kopi Co. launches Lumo Cold Kopi, its first ready-to-drink canned kopi, in Singapore on 1 December — six weeks away — and in Kuala Lumpur in January. The marketing team is small, the budget is S$60,000, and nothing has been produced yet: no research, no deck, no posts, no video.

© Tertiary Infotech Academy Pte Ltd

THE SCENARIO

One Brand, Ten Labs, One Project

Your role

You are the Lumo marketing team. Instead of juggling a dozen separate chats, you run the whole launch from one Claude Project. Its lead agent plans each job, starts parallel threads for the pieces, and brings the results back for you to check and approve.

Your mission

By the end of the day the project holds everything the launch needs — verified market research, a dashboard, a deck and brief, a brand-voice skill, two weeks of social posts, a launch video — and scheduled tasks that keep it moving while you are away.

Synthetic data only

All brands, figures, survey answers and documents in this course are synthetic and used for training only.

© Tertiary Infotech Academy Pte Ltd

TOPIC 01

Claude Projects and Market Research

1. The Claude family and setup
2. Projects: goal, instructions, context, memory
3. Lead agent and parallel threads
4. Market research and Live Artefacts

© Tertiary Infotech Academy Pte Ltd

The Claude Product Family

Anthropic offers several Claude products — here's how they differ so you know which is which.

C

Claude (Chat + Cowork)

Chat + Cowork in one app — web, desktop & mobile.

Co

Claude Code

The agentic tool for building — terminal, IDE & web.

D

Claude Design

Polished UI, prototypes & front-end designs.

M

Claude for Microsoft

Claude inside Excel, PowerPoint, Word & Outlook.

Ch

Claude for Chrome

Browser agent that clicks & fills forms in Chrome.

S

Claude for Science

Speeds up research workflows for scientists and labs.

TIP All are powered by the same Claude models — they differ in where they run and who they're for. Projects span Claude and Claude Code.

© Tertiary Infotech Academy Pte Ltd

Claude (Chat + Cowork) and Claude Code

C

Claude (Chat + Cowork)

"Thinking and work partner — this course"

Best for

- Chat: ask, draft, analyse and research with web search
- Cowork: plans and runs multi-step tasks on your files
- Projects, connectors and skills: Drive, Gmail, Calendar
- For everyone — web, desktop and mobile apps

Co

Claude Code

"Build partner"


Best for

- Builds software, sites and automations
- Runs in the terminal, VS Code, desktop app and web
- Edits files, runs commands and calls MCP tools
- Extended with CLAUDE.md, skills, sub agents and hooks

Chat and Cowork are now one app: Claude. A marketing team works there — and a Project ties the work together around one goal.

© Tertiary Infotech Academy Pte Ltd

A Brief History of AI, 2023–2026



From wording one prompt → curating context → engineering the harness → AI agents that work around the clock.

© Tertiary Infotech Academy Pte Ltd

What Cowork Mode Adds

Five things a chat window cannot do.

1. **Access local files**
   Read, write and reorganise the folders on your computer.

2. **Write & run code**
   It writes the code a task needs — a chart, a video — and runs it for you.

3. **Connect to tools**
   Reach Google Drive, Gmail and Calendar through connectors.

4. **Skills & plugins**
   Reusable instructions it loads on demand, shareable with your team.

5. **Agent loop**
   Plan, act, check, correct — it keeps working until the task is done.

Together these are why Claude finishes a task instead of describing how to do it.

© Tertiary Infotech Academy Pte Ltd

Claude Plans and Pricing

Free lets you try Claude; Cowork, scheduled tasks and full Projects need Pro or Max.

F

Free

$0. Chat, Slides, Docs, connectors and skills, up to five projects. Sonnet and Haiku.

P

Pro

$17/mo billed annually · $20 monthly. Cowork, scheduled tasks, the new Projects (beta), Opus.

M

Max

From $100/mo — 5× or 20× Pro's usage, priority at busy times, $100–$200/mo API credits.

T

Team · Enterprise


Team $20/seat annual ($25 monthly), premium seats $100. Enterprise $20/seat + usage.

Parallel threads multiply usage: four threads cost roughly four times one chat. Watch Project settings → Usage.

TIP Usage resets every five hours, with weekly limits on paid plans. US$ prices as of 27 October 2026 — verify at claude.com/pricing.

© Tertiary Infotech Academy Pte Ltd

Check Your Plan and Usage



1. **Usage**
   How much of your five-hour and weekly limits you have used.

2. **View all plans**
   Compare Free, Pro, Max, Team and Enterprise, and upgrade.

3. **Settings**
   Your profile, connectors and capabilities. Shortcut: Ctrl + comma.

Click your name at the bottom of the sidebar — the plan shows beside it (here, Max).

© Tertiary Infotech Academy Pte Ltd

Claude Models: Haiku, Sonnet, Opus and Fable


Four families, smallest to most capable; all read up to 1M tokens. API prices are US$ per million tokens, input · output.

Model	What it is	Use it for	API price	On plans
Haiku 5.5	Fastest, most cost-efficient	Quick, high-volume jobs: tagging, short replies	$0.10 / $0.50	All plans
Sonnet 5.5	High performance for coding and agents	Everyday drafting, research and analysis	$2 / $10	All plans
Opus 5.5	Daily driver for agentic and enterprise work	Multi-step projects, parallel work, careful reviews	$4 / $20	Pro and above
Fable 5.1	Most capable, for long-running agents	The hardest, longest jobs	$10 / $50	Max; Pro via usage credits

Pick the model from the model menu. Bigger models think harder and use more of your plan — save Fable for the jobs that need it.

© Tertiary Infotech Academy Pte Ltd

Pick a Model in the App




1. **Fable 5.1**
   For your toughest challenges — uses the most of your plan.
2. **Opus 5.5**
   Complex work and everyday tasks.
3. **Sonnet 5.5**
   Efficient for most jobs — a sensible default.
4. **Haiku 5.5**
   Fastest, for quick answers.

The model menu sits under the message box of every new session.

© Tertiary Infotech Academy Pte Ltd

Effort: How Hard Claude Thinks



1 **Low · Medium**

Quick, everyday work. Medium is the recommended default.

2 **High · Extra**

Harder problems: more thorough, but slower and uses your limits faster.

3 **Max**

Five times or more the usage — save it for the hardest job.

Model menu → Effort. Medium is recommended for most work.

© Tertiary Infotech Academy Pte Ltd

Set Up Claude

Projects, Cowork mode and Live Artefacts run in the Claude desktop app on a paid plan.

1 **Install the desktop app**
Download Claude for Mac or Windows from claude.ai/download — Projects, Cowork and Live Artefacts all run there.

2 **Sign in on a paid plan**
Use the account that has your Pro or Max subscription — the new Projects are in beta on those plans.

3 **Find Projects**
Open Projects from the sidebar. If you cannot see it yet, the beta has not reached your account — use Cowork mode instead.


4 **Download the lab files**
Get the course labs from the GitHub repository; each lab has a prompt PDF and a data folder.

5 **Enable what it needs**
Turn on only the connectors a lab needs, from the + menu.

6 **Keep the app open**
Local work stops when the app closes. Cloud environments keep going — covered in Topic 3.

© Tertiary Infotech Academy Pte Ltd

Permission Mode: Manual or Auto



1. **Manual**
   Claude asks before it uses a new tool or opens a new site.

2. **Auto**
   Claude runs on its own and pauses to ask only if something looks unsafe.

3. **Which to use**
   Manual while you learn a new connector; Auto once you trust the job.

The menu beside the model sets how freely Claude acts in a session.

© Tertiary Infotech Academy Pte Ltd

The New Claude Projects

You stop managing chats and start briefing a team.

Before — one chat per job

- A chat for copy, one for visuals, one for competitors.
- Re-explain the brand in every new chat.
- Copy and paste results between chats yourself.
- Nothing happens while your laptop is closed.
- You are the project manager.

Now — a Project with a lead agent

- You state the goal once, to the lead agent.
- It splits the work and starts parallel threads.
- Each thread reports back; the lead merges the results.
- Goal, memory and context persist across every thread.
- It only comes back to you when it needs a decision.

© Tertiary Infotech Academy Pte Ltd

Project vs Session

The project keeps the setup; a session does one piece of work inside it.

A session — one piece of work


- One conversation with Claude: a chat, or a thread the lead agent starts.
- Has its own context window, which fills up as you work.
- Ends when the job is done; the next session starts blank.
- Remembers only what was said inside it.
- Lumo: “Draft the Instagram launch post.”

A project — the whole goal

- A lasting workspace that holds many sessions.
- Its goal, instructions, context and memory load into every session.
- Stays until you delete it — for weeks or months.
- What one session learns, the next can use, through memory.
- Lumo: “Lumo Cold Kopi Launch.”

© Tertiary Infotech Academy Pte Ltd


Project, Session, Thread and Agent



Each thread has its own agent and context window. The lead agent merges what they return into one answer for you.

© Tertiary Infotech Academy Pte Ltd

A Project Is a Team



You talk to the lead agent. It decides how many threads a job needs, gives each a focused brief, and brings one merged answer back to you.

© Tertiary Infotech Academy Pte Ltd

A Project Answers Four Questions

Set these up once and every session in the project starts from them.

1

Instructions → HOW

How Claude must work: brand voice, prices in S$, ask before sending — rules every session follows.

2

Context → WHAT

What Claude needs to know: brand guidelines, product sheet, launch brief — read, never edited.

3

Folder → WHERE

Where Claude works and saves: the project files on your computer, or a cloud environment.

4


Scheduled → WHEN

When work runs without you: Monday 9am the week's post drafts, Friday the weekly report.

The goal says WHY; memory keeps what each session learns for the next.

© Tertiary Infotech Academy Pte Ltd

The Project Page in the App



1 Instructions · Context
HOW and WHAT — click Add to write the rules or attach reference files.

2 Add folder
WHERE — under the message box, pick the folder Claude reads from and saves to.


3 Memory · Scheduled
What Claude has learned about the project, and WHEN tasks run on their own.

4 New session
Type in the box to start a session; earlier sessions are listed beneath it.

A project from the class: the goal under its name, the project's panels on the right.

© Tertiary Infotech Academy Pte Ltd

The + Menu: What a Session Can Use



1 **Files and folders**
Upload a file, or add a folder, for this session.

2 **Skills · Connectors · Plugins**
Choose what the session may use — the brand-voice skill, Gmail, a plugin.

3 **Record a skill**
Capture a routine you show Claude as a new skill.

4 **Research · Memory**
Deeper web research; the tick shows the session uses project memory.

Click + in the message box to bring files and tools into the session.

© Tertiary Infotech Academy Pte Ltd

When to Use a Project

1

A long-running goal

Work keeps arriving for weeks — a product launch, a channel, an app.

2

A job that splits

One big job breaks into pieces that can run at once — assets, ads, competitors, email.

3

Lots of research

Many subjects to look into — one thread per competitor, market or segment.

4

Regular check-ins

You want to review each workstream's progress, not one long chat.

A one-off question that is done in one reply? Use an ordinary chat.

© Tertiary Infotech Academy Pte Ltd

Anatomy of a Project

Six parts — the first four you set up in Lab 1, the last two run the work.

1 **Goal**
What the project must achieve. The lead agent steers every decision toward it.

2 **Instructions**
Standing rules you write: brand voice, currency, never publish without approval.

3 **Context**
What Claude reads: files, folders, a Google Drive folder or a GitHub repository.

4 **Memory**
What the project learns and keeps between threads. Open the memory files to edit them.

5 **Threads**
The parallel workers the lead agent starts for each piece of a job.

6 **Scheduled**
Tasks that run on a timetable inside the project — the daily post, the weekly report.

© Tertiary Infotech Academy Pte Ltd

Creating a Project, Field by Field

New project opens the Create a project dialog.

1 **Name**
What you are working on — Lumo Cold Kopi Launch. This is how you find it in the sidebar.

2 **Goal**
What the project must achieve, in two or three sentences. You can type it or dictate it.

3 **Context**
Add the brand kit files now, or a folder or Drive folder. You can skip and add them later.

4 **Create project**
The lead agent opens, reads the goal and context, and is ready for its first job.

New project is at the top right of the Projects page. Instructions and memory are edited afterwards, in Project settings.

© Tertiary Infotech Academy Pte Ltd

Project Settings

1. **General**
   The project name, the goal, and the models and effort for the lead agent and the threads.
2. **Memory**
   The project instructions and the memory files the project has written — open one to edit it.
3. **Environment**
   Local, or a cloud environment so threads keep working with your laptop closed.
4. **Usage**
   Input and output tokens, for the lead agent and for each thread separately.
5. **Debug access**
   Let another project read this one's conversations, read-only, to help diagnose a problem.

Open Project settings from the gear icon at the top right of the project.

© Tertiary Infotech Academy Pte Ltd

Models and Effort

The lead agent and the threads each have their own model and effort.

Role	Typical default	Effort	Change it when
Lead agent	Opus 5.5	Low	It misreads your requests — raise to Medium.
Threads	Opus 5.5	Medium	Research is shallow — raise; drafts are simple — lower.
Effort	—	Low · Medium · High	Higher effort thinks harder and uses more of your limit.

Defaults vary by account and change over time — read yours in Project settings → General → Models.

© Tertiary Infotech Academy Pte Ltd

Instructions vs Context

Quick test: a sentence that starts Always, Never or Write in… is an instruction. A document is context.

Instructions — how to behave

- Short standing rules you write yourself.
- Followed by every session in the project.
- If an output breaks a rule, fix the instruction here.
- Keep them short: they are loaded into every session.
- Lumo: “Prices in S$. No health claims. Ask before sending.”

Context — what to know

- Reference material Claude reads but never edits.
- Files, a folder, a Google Drive folder or a GitHub repository.
- If a fact in an output is wrong, fix or replace the file.
- Add it once; you never re-attach it again.
- Lumo: brand guidelines, product sheet, launch brief.

© Tertiary Infotech Academy Pte Ltd

Instructions, Context or Memory?

When the output is wrong, this tells you which one to edit.

	Instructions	Context	Memory
Who writes it	You	You add it	The project, as it works
What it holds	Rules and style	Files and folders to read	Facts and decisions learned
Lumo example	Prices in S$; no health claims	Brand guidelines, launch brief	Launch date moved; IG performs best
Edit it in	Settings → Memory	Context panel	Settings → Memory → memory files
When output is wrong	Tighten the rule	Add the missing file	Correct or delete the fact

© Tertiary Infotech Academy Pte Ltd

Where Each Part Lives in Claude

Every part of a project, where you click to find it, and the Lumo example.

Part	Where you find it in Claude	What it does	Lumo example
Project	Projects in the sidebar → the project	Stays set up for weeks	Lumo Cold Kopi Launch
Session	A new conversation inside the project	Starts fresh; the setup still applies	Draft the Instagram post
Lead agent	The project conversation you talk to	Splits the job, merges the results	Four research threads, one brief
Instructions	Project settings → Memory → instructions	How every session must behave	Prices in S$; no health claims
Context	Added in Create project, or later	What Claude reads, never edits	Brand guidelines, product sheet
Memory	Project settings → Memory → memory files	Decisions kept between sessions	Launch price confirmed at S$3.90
Scheduled	Scheduled, inside the project	Work that runs on a timetable	Monday 9am: the week's posts

© Tertiary Infotech Academy Pte Ltd

Why a Project?

A dedicated place for ongoing work, where context builds over time.

Working in one-off chats

- You re-attach the brand kit every session.
- Rules are restated from memory each time.
- Research, posts and artefacts are scattered.
- A colleague has to be told how you set it up.
- Work stops when you stop typing.

Working in a Claude Project

- Context is added once and read by every thread.
- Instructions apply to every job in the project.
- Artefacts, skills and outputs live together.
- A colleague opens the project and is ready.
- Scheduled tasks run while you are away.

© Tertiary Infotech Academy Pte Ltd

Key Concepts — Claude Projects and Market Research

1

Claude Project

A home for a long-running goal. Context, memory and work build up over time instead of resetting each chat.

2

Lead agent

The project's coordinator. You tell it the goal; it plans, splits the work and reports back.

3

Threads

Parallel workers the lead agent starts — one per subject — each with its own focused context.

4

Goal

One clear statement of what the project must achieve. Every decision the lead agent makes points at it.

5

Instructions vs memory

Instructions are the rules you write. Memory is what the project learns and keeps — and you can edit it.

6

Live Artefacts

Interactive tools — dashboards, trackers — that persist in your workspace instead of scrolling away in chat.

© Tertiary Infotech Academy Pte Ltd

Set Up the Lumo Launch Project

LAB 01

Objective: **Create a Claude Project with a goal, instructions, context and memory**

Lumo Kopi Co. launches Lumo Cold Kopi in six weeks, and the marketing work will keep coming until launch day — exactly what a Claude Project is for. You create the Lumo Cold Kopi Launch project, give it a goal, add the brand kit as context, write its standing instructions, and check that its lead agent understood all three. Every later lab runs inside this project.

YOU'LL BUILD

The Lumo Cold Kopi Launch project, with a goal, instructions, three context files and a first memory entry.

Tools: Claude desktop app, Claude Projects

© Tertiary Infotech Academy Pte Ltd

Lab 01 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Set up: paste Block 2 into Project settings → Memory — S$ prices, brand guidelines, no health claims, approval first.

2

Context → WHAT

Set up: add the brand kit — guidelines, product sheet and launch brief.

3

Folder → WHERE

Outputs are saved in the project. Local by default; Topic 3 adds a cloud environment.

4

Scheduled → WHEN

Not yet — Lab 8 adds the first scheduled task.

© Tertiary Infotech Academy Pte Ltd

Block 1 — GOAL

PROMPT — copy into Claude

Launch Lumo Cold Kopi in Singapore on 1 December 2026. Produce the market research, a launch deck, a campaign brief, two weeks of social media posts and a 15-second launch video, within a S$60,000 budget, so that 25-34 year-olds on Instagram and TikTok know the product exists by launch day.

NOTE Name: Lumo Cold Kopi Launch. Add the three brand-kit files as Context.

© Tertiary Infotech Academy Pte Ltd

Block 2 — INSTRUCTIONS

PROMPT — copy into Claude

You are the marketing team for Lumo Kopi Co.
- Prices are in Singapore dollars: S$3.90 per can, S$42.00 per 12-pack. Always two decimals.
- Follow lumo-brand-guidelines.md for anything customer-facing.
- Never describe the product as healthy. You may say 5 g sugar.
- Never send an email or publish a post without my approval.
- When a job has several independent subjects, give each one its own thread and merge the results for me.
- Flag any figure that two sources disagree on. Do not pick one.

NOTE Save the instructions before you send Block 3.

© Tertiary Infotech Academy Pte Ltd

Block 3 — FIRST MESSAGE

PROMPT — copy into Claude

Before we start work, check your setup:
1. Restate the project goal in one line.
2. List the context files you can read and what each is for.
3. List the three instructions you think matter most.
4. From the product sheet, give me the price per can, the sugar per can and the launch date.

Then remember this for the project: our primary audience is 25-34 year-olds in Singapore, and our secondary market is Kuala Lumpur, launching 15 January 2027.

NOTE Check the four answers, then find the new entry in the memory files.

© Tertiary Infotech Academy Pte Ltd

Set Up the Lumo Launch Project

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. Download the course labs and open the Lab 01 data/brand-kit folder.
2. In the Claude desktop app, open Projects from the sidebar and click New project.
3. Name the project Lumo Cold Kopi Launch and paste Block 1 into the Goal field.
4. Under Context, add the three brand-kit files, then click Create project.
5. Click the gear icon to open Project settings, choose Memory, and paste Block 2 into Project instructions. Save.
6. While you are in settings, open General and look at Models.
7. Back in the project, send Block 3 to the lead agent.
8. Check the answers: S$3.90 per can, 5 g sugar, launch 1 December 2026.
9. Open Project settings → Memory and find the memory entry about the audience and Kuala Lumpur.

© Tertiary Infotech Academy Pte Ltd

Set Up the Lumo Launch Project

✓ Check your work

The Lumo Cold Kopi Launch project exists with the goal from Block 1, the three brand-kit files under Context and the Block 2 instructions saved. The lead agent restated the goal, listed all three context files, and quoted S$3.90 per can, 5 g sugar and a 1 December 2026 launch. A memory file now records the 25-34 audience and the 15 January 2027 Kuala Lumpur launch.

© Tertiary Infotech Academy Pte Ltd

Market Research in Four Threads

Four subjects, none depending on another — so they can run at once.

1. **Competitors**
   Six cold-brew brands: price, pack, positioning, and the gap Lumo can own.

2. **Customer survey**
   400 respondents: who is likely to buy, why, and where they discover drinks.

3. **Pricing**
   Where S$3.90 sits against the market, and what the survey says people will pay.

4. **Social trends**
   Which content themes earn the most engagement in the category right now.

Each thread gets one subject and its own data file. The lead agent merges the four findings into one research brief — and flags where they disagree.

© Tertiary Infotech Academy Pte Ltd

Run Market Research in Parallel Threads

LAB 02

Objective: **Hand a multi-subject research job to the lead agent and verify the merged brief**

Before anyone writes a post, the team needs to know the market. Four subjects need research — competitors, the customer survey, pricing and social trends — and none depends on another. You give the whole job to the lead agent in one message. It starts one thread per subject, each with its own data file, then merges the four findings into one research brief, which you check against the data.

YOU'LL BUILD

A research brief (lumo-research-brief.docx) merged from four parallel threads, saved in the project.

Tools: Claude Projects, lead agent and threads, web search

© Tertiary Infotech Academy Pte Ltd

Lab 02 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Uses: one thread per subject, and flag any figure two sources disagree on.

2

Context → WHAT

Uses: the launch brief, so every thread knows the product, price and audience.

3

Folder → WHERE

Adds: attach the three CSVs; lumo-research-brief.docx is saved in the project.

4

Scheduled → WHEN

Not used — the four threads run now, in parallel.

© Tertiary Infotech Academy Pte Ltd

Research the market in four threads

PROMPT — copy into Claude

Research the market for the Lumo Cold Kopi launch. The data is in the three files I have attached. Split this into four threads, one per subject, and run them in parallel:

Thread 1 - COMPETITORS (lumo-competitors.csv): price per can, pack, positioning and channel for each brand. Where is the gap Lumo can own?
Thread 2 - CUSTOMERS (lumo-consumer-survey-2026.csv): share likely to buy (intent 4 or 5), split by age band and city; top purchase drivers; top discovery channels.
Thread 3 - PRICING: where S$3.90 sits against the competitor median, and the share of respondents willing to pay S$3.50 or more.
Thread 4 - SOCIAL TRENDS (lumo-social-trends.csv): the three content themes with the highest engagement, with one post idea each.

When all four threads are done, merge them into one research brief, lumo-research-brief.docx: a one-paragraph summary, one section per thread with the key numbers, and three recommendations for the launch. Show your working for every percentage. Tell me which thread produced each section, and flag anything the threads disagree on.

NOTE Attach the three CSV files from the Lab 02 data folder, or add them to the project's Context first.

© Tertiary Infotech Academy Pte Ltd

Run Market Research in Parallel Threads

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. Open the Lab 02 data folder and glance at the three CSV files.
2. In the Lumo Cold Kopi Launch project, attach the three files and send the lab prompt.
3. Watch the lead agent announce the threads it starts.
4. Open one thread while it works and read its brief.
5. When the merged brief arrives, check the survey numbers.
6. Check the channel and driver findings.
7. Check the pricing section.
8. Check the trends section and the recommendations.
9. Open lumo-research-brief.docx and confirm each section names its thread.

© Tertiary Infotech Academy Pte Ltd

Run Market Research in Parallel Threads

✓ Check your work

lumo-research-brief.docx has a summary, four thread sections and three recommendations. It reports 400 respondents, 248 likely to buy (62%), 112 of 152 aged 25-34 (74%), Instagram as the top discovery channel at 34%, Taste as the top driver at 31%, a competitor median of S$4.30 with Lumo's S$3.90 below it, 228 respondents (57%) willing to pay S$3.50 or more, and Taste tests and first-sip reactions as the top content theme.

© Tertiary Infotech Academy Pte Ltd

Why a Live Artefact?

The difference between an answer you read and a tool you keep.

A normal chat answer

- A static snapshot in the conversation.
- Scrolls away as the chat grows.
- Figures are frozen at the moment they were written.
- You copy and paste to reuse anything.
- Nothing to click, filter or explore.

A Live Artefact

- An interactive tool with its own place in the workspace.
- Reopenable — it stays available after the chat ends.
- Can refresh from connected data when reopened.
- Keeps what you typed into it between sessions.
- Clickable: filter, sort and drill into the numbers.

© Tertiary Infotech Academy Pte Ltd

Building a Live Artefact

1

Describe

Tell Claude the tool you want — a dashboard, tracker or planner — and what data it shows.

2

Generate

Claude writes the code and renders it in the preview pane beside the chat.

3

Refine

Ask for changes in plain English until the layout and figures are right.

4

Save

Save it so it persists as a reusable tool, not a lost chat message.

5

Download

Export a copy to file, attach or hand on to someone without Claude.

You describe the outcome in plain English — Claude writes and runs the code.

© Tertiary Infotech Academy Pte Ltd

What an Artefact Can and Cannot Do

Artefacts run in a sandbox, so anything needing the internet has to come in another way.

An artefact CAN

- Run interactive code — inputs, filters, charts.
- Use data you gave it, or that Claude looked up while building.
- Keep what you type into it between sessions.
- Be saved, reopened and shared.
- Be downloaded as a file you own.

An artefact CANNOT

- Call an external API or website — the sandbox blocks it.
- Load a script, font or image from another site.
- Reach your local files or network.
- Refresh third-party data on its own.
- So: bake the data in, or download the HTML and run it yourself.

© Tertiary Infotech Academy Pte Ltd

Build the Market Insights Live Artefact

LAB 03

Objective: **Turn research data into an interactive Live Artefact dashboard and save it**

The research brief is a document; the launch team wants something they can explore. You turn the survey and competitor data into a Live Artefact — KPI tiles, a channel chart, a price ladder and a city filter — refine it in plain English, save it and download a copy. The launch deck in Lab 5 quotes this dashboard's numbers.

YOU'LL BUILD

A saved Market Insights Live Artefact, plus a downloaded HTML copy.

Tools: Claude Projects, Live Artefacts

© Tertiary Infotech Academy Pte Ltd

Lab 03 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Uses: S$ prices with two decimals on every tile and chart.

2

Context → WHAT

Uses: the product sheet, for Lumo's own price beside the competitors.

3

Folder → WHERE

Uses: the survey and competitor CSVs; the HTML copy downloads to your computer.

4

Scheduled → WHEN

Not used — runs when you send the prompt.

© Tertiary Infotech Academy Pte Ltd

Build the Market Insights dashboard

PROMPT — copy into Claude

Using lumo-consumer-survey-2026.csv and lumo-competitors.csv, build a Live Artefact: an interactive Market Insights dashboard for the Lumo Cold Kopi launch.

Include:
- KPI tiles: respondents, % likely to buy (intent 4 or 5), top discovery channel, competitor median price.
- A bar chart of discovery channels.
- A bar chart of purchase drivers.
- A price ladder: the six competitors and Lumo at S$3.90, cheapest to dearest, with Lumo highlighted.
- A filter for city: All, Singapore, Kuala Lumpur. The KPI tiles and both survey charts must follow the filter.

Bake the data into the artefact - do not fetch anything. Use the Lumo brand colours from the brand guidelines. Title it "Lumo Cold Kopi - Market Insights".

NOTE Artefacts run in a sandbox and cannot call the internet, which is why the prompt says to bake the data in.

© Tertiary Infotech Academy Pte Ltd

Build the Market Insights Live Artefact

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. In the project, send the lab prompt with the two CSV files attached or in Context.
2. Check the KPI tiles with the filter on All.
3. Switch the filter to Singapore, then Kuala Lumpur.
4. Check the price ladder.
5. Ask for one refinement, for example: Put the price ladder beside the channel chart.
6. Save the artefact, then download a copy as HTML.

© Tertiary Infotech Academy Pte Ltd


Build the Market Insights Live Artefact

✓ Check your work

The Market Insights artefact shows 400 respondents, 62% likely to buy, Instagram as the top channel and a S$4.30 competitor median. The city filter changes the respondent count to 240 (Singapore) and 160 (Kuala Lumpur) and both survey charts follow it. The price ladder runs from S$3.20 to S$5.60 with Lumo highlighted at S$3.90. The artefact is saved and an HTML copy is downloaded.

© Tertiary Infotech Academy Pte Ltd

From the Class: Lumo Social Trends



A Live Artefact built in class from the social trends research.

1 **Filters**

Rank by engagement, views or posts; filter by platform and trend.

2 **Themes ranked**

Taste tests and first-sip reactions lead at 7.4%, and are rising.

3 **Pick a bar**


The right-hand card shows that theme's numbers and a draft post idea.

4 **Spot the gap**

The summary cards show '—'. Ask Claude to fix them — always check the numbers.

© Tertiary Infotech Academy Pte Ltd

From the Class: Who Is Likely to Buy?



1 **Filters**

City and age band; Jump to opens the primary and secondary audiences.

2 **Headline**

60.0% of 160 KL respondents are likely to buy — 2 points below the overall average.

3 **Price tolerance**

A third of likely buyers would pay S$3.90 or more.


4 **Explore**

Click any city and age cell to open that segment; small samples are flagged.

A Live Artefact on the consumer survey, filtered here to Kuala Lumpur.

© Tertiary Infotech Academy Pte Ltd

From the Class: Lumo Pricing Explorer



1 **Price slider**

Drag it, or pick S$3.50 (12-pack) or S$3.90 (single can).

2 **Against competitors**

Lumo's S$3.90 can is 9.3% below the S$4.30 competitor median.


3 **The chart**

Listed and pack prices per can, with both medians as dashed lines.

Drag the price and every card recalculates who would still buy.

© Tertiary Infotech Academy Pte Ltd

All Your Artefacts in One Place



1 **Artifacts**
Open, search, sort and filter all your artefacts.

2 **Lock or globe**
A lock means private; a globe means shared by link.

3 **Pinned**
The Lumo project and its sessions stay pinned in the sidebar.

Artifacts in the sidebar lists everything you have built, across every project.

© Tertiary Infotech Academy Pte Ltd

Recap — Claude Projects and Market Research

1

Lab 01

You can now create a Claude Project with a goal, instructions, context and memory.

2

Lab 02

You can now hand a multi-subject research job to the lead agent and verify the merged brief.

3

Lab 03

You can now turn research data into an interactive Live Artefact dashboard and save it.

© Tertiary Infotech Academy Pte Ltd

TOPIC 02

Connectors, Skills and Plugins

1. Tools: built in, and added by connectors
2. Drive and Gmail, tool calls and the context window
3. Data analysis, Slides, Docs and built-in skills
4. Agent Skills, plugins and mods

© Tertiary Infotech Academy Pte Ltd

Tools and Skills: The Difference

Two words you will meet all afternoon — and how Claude uses each.

A tool — what Claude can DO

- One action: search, read, run code, create a file, send.
- Built in (web search, code, files) or added by a connector.
- Claude picks one by matching your request to its description.
- Each call shows in the reply: the tool, its input, its result.
- Lumo: Google Drive search_files finds the budget sheet.

A skill — HOW Claude does a job

- A SKILL.md of steps, rules and checks for one kind of job.
- Built in (pptx, xlsx), written by you, or from a plugin.
- Loads when your request matches its description.
- Tells Claude which tools to use, in what order.
- Lumo: lumo-brand-voice applies the rules to every post.

© Tertiary Infotech Academy Pte Ltd

Claude's Built-in Tools

What Claude can already do before you connect anything.

1. **Web search and fetch**
   Finds and reads current web pages — competitor news, prices, trends — and cites them.

2. **Code execution**
   Writes and runs Python on your files: counts, tables, charts. Lab 3's dashboard, Lab 5's analysis and Lab 9's video.

3. **File creation**
   Makes real .xlsx, .pptx, .docx and .pdf files you download and open. Lab 5.

4. **Artefacts**
   Builds an interactive page — a dashboard, a tracker — that stays in your workspace. Lab 3.

5. **Project files**
   Reads the project's context and writes outputs to its files — the brief, the calendar. Every lab.

6. **Connectors**
   Add more tools from outside apps: Google Drive, Gmail, Calendar and others. Lab 4.

© Tertiary Infotech Academy Pte Ltd

How Claude Uses a Tool

1

You ask

"Compare the Drive budget with the brief."

2

Claude picks a tool

It matches the job to each tool's description — here, Google Drive.

3

It calls the tool

With inputs it chooses: search_files, query "Lumo Launch".

4

It reads the result

Two CSV files come back — so it calls read_file_content next.

5

It answers, or asks

Reading just runs. Sending an email waits for your approval.

Click any step in Claude's reply to see the tool, the input and what came back.

© Tertiary Infotech Academy Pte Ltd

Reading a Tool Call

WHAT CLAUDE DID — the tool calls behind Lab 4, Block 1

1. Google Drive · search_files("Lumo Launch")
   → 1 folder with 2 CSV files
2. Google Drive · read_file_content(lumo-launch-budget.csv)
   → 5 lines, total S$60,000
3. Google Drive · read_file_content(lumo-launch-timeline.csv)
   → 11 milestones; the next is 30 October
4. Project file · read(lumo-launch-brief.md)
   → budget table, total S$60,000
   Claude compares the two → 2 lines disagree
5. Google Drive · create_file(lumo-research-brief.docx)
6. Gmail · create_draft("Lumo launch - research and budget check")
7. Gmail · send_message → waits for your approval

NOTE Click any step in Claude's reply to see this for yourself. Tool names can differ slightly between connector versions; the pattern does not.

© Tertiary Infotech Academy Pte Ltd

What Connectors Do

Connectors let Claude reach data and services that live outside the chat.

1. **Google Drive**
   Search and read Sheets, Docs, Slides and PDFs; upload files; create folders; save Claude's output back to Drive.

2. **Gmail**
   Search and read mail, draft messages, send / reply / forward with approval, and manage labels.

3. **Google Calendar**
   View events, find availability, and create or update meetings.

4. **Social and ads tools**
   Where your workspace has them, connectors for scheduling and ad platforms reach the same way — always with approval.

5. **Approval by default**
   Claude asks for explicit approval before it sends, replies to or forwards an email.

6. **Where to manage them**
   Individually from the + menu; account-wide under Customize → Connectors.

© Tertiary Infotech Academy Pte Ltd

Turning On a Connector

1

Open the + menu

In the chat composer, click the plus sign.

2

Hover Connectors

The list of available connectors appears.

3

Toggle Drive and Gmail

Switch each on and sign in to your Google account.

4

Grant access

Approve the permissions Google asks for — including file read access.

5


Name the folder

Tell Claude which Drive folder to use for this task.

Manage them any time under Customize → Connectors.

© Tertiary Infotech Academy Pte Ltd

A Connector at Work: Gmail



1 **Ask in plain English**
Say what to send and to whom; no menus to find.


2 **Watch the tool call**
'Using Gmail: Send email message' names the connector and action. Click › for detail.

3 **Stay in control**
Ask for a draft first when the email goes to anyone but you.

One plain request — Claude chose the Gmail connector's Send email action.

© Tertiary Infotech Academy Pte Ltd

The Result in Gmail



1. **Read from the file**
   Claude summarised the workbook: 14 facilities in 9 countries, 2023–2025.

2. **Ready to read**
   Headings and bullets, formatted for email.

3. **Verify**
   Spot-check one total against the source file before you forward it.

The summary arrived seconds later, written from the project's sustainability workbook.

© Tertiary Infotech Academy Pte Ltd

Tool Permissions and Approval

Reading is safe to run; anything that changes the world waits for you.

1 **Read tools run**
Search, read and list change nothing, so they run without asking.

2 **Write tools ask**
Send, reply, create an event or delete ask for your approval by default.

3 **See every tool**
Customize → Connectors → open a connector to see each tool it adds and what it may do.

4 **On per session**
Toggle a connector on from the + menu only for the jobs that need it.

5 **Scope the data**
Name the folder, label or dates — “the Lumo Launch folder”, not “my Drive”.

6 **You approve**
Read the draft before you click. Claude drafts; the decision stays yours.

© Tertiary Infotech Academy Pte Ltd

Connectors at Work: Six Everyday Jobs

Everyday job	Tools	The prompt you would send
Meeting prep	Gmail · Calendar	Before my 3pm with Kopi Corner, summarise this month's emails with them and list the open questions.
Inbox triage	Gmail	Find customer emails from the last three days that have no reply, and draft replies for my approval.
Budget check	Drive	Compare the Q4 budget sheet with the brief, line by line, and flag every difference. Do not pick one.
Find a file	Drive	Find the latest signed stockist agreement and tell me its renewal date and notice period.
Book a meeting	Calendar · Gmail	Find 45 minutes next week when the four leads are free, and draft the invite.
Weekly update	Drive · Gmail	Summarise what changed in the Lumo Launch folder this week and draft the email to my manager.

Lab 4 runs three of these on the Lumo files: a budget check, a Drive search and a Gmail draft.

© Tertiary Infotech Academy Pte Ltd

When a Tool Goes Wrong

What you see	Likely cause	What to do
“Insufficient scope”	Connected without file access	Settings → Connectors → Reconnect, and accept read access.
An answer with no Drive step	Connector off for this session	+ → Connectors → switch it on; start with “Using Google Drive…”.
It read the wrong file	The search matched several files	Name the folder and file: Lumo Launch/lumo-launch-budget.csv.
Numbers that look estimated	No code was run	Ask it to use code and show the totals; check one figure yourself.
Slow replies, usage drains fast	Too many connectors switched on	Turn off the ones this job does not need.

© Tertiary Infotech Academy Pte Ltd

Context Window


> The context window is all the information the model can "see" when producing a response.

Files, instructions, tools and skills all have to fit inside it.

© Tertiary Infotech Academy Pte Ltd

What Fills the Context Window

At the start of a thread.



At the start of a thread only the fixed overhead is loaded — most of the window is still free.

© Tertiary Infotech Academy Pte Ltd

The Same Window, Later in the Thread

After reading files, calling tools and running skills.



As the task runs, files, tool results and executed skills all accumulate. This is why a project splits big jobs into threads: each thread gets a fresh window.

© Tertiary Infotech Academy Pte Ltd

When the Context Window Fills Up

1. Context rot

Performance degrades. Recall of specific facts gets worse, the model starts confusing similar entities, and reasoning quality drops.

2. Tool confusion

Claude sees every tool definition. The more options competing for its attention, the more likely it picks the wrong one or fills in the wrong parameters.

3. Slower responses

The model processes every token on every turn. A bigger context means more work per message, which means longer waits before you see a reply.

4. Eats up your usage faster

Your entire context gets resent with each new message — so more tokens are burned per turn, and your limits are reached sooner.

The fix is housekeeping: one job per thread, only the connectors you need, and only the files the job actually reads.

© Tertiary Infotech Academy Pte Ltd

Five Levers of Context

What you actually control.

1. **Conversation**
   Your prompt. The messages you send, including both text and attachments.

2. **Project context**
   The files, folders and Drive folder the project reads from.

3. **Connectors**
   The connected tools Claude can pull data from, and take actions in.

4. **Skills**
   A set of instructions Claude follows for a repeatable workflow.

5. **Instructions & memory**
   Project rules you wrote, and facts the project has learned.

Every lab today pulls one of these levers — context in Lab 1, connectors in Lab 4, skills in Labs 5–7, and memory in Lab 10.

© Tertiary Infotech Academy Pte Ltd

Check It Yourself: /context

Estimated usage by category, for a 1M-token window.

Category	Tokens	Percentage
System prompt	35.3k	3.5%
System tools	768	0.1%
MCP tools	2.6k	0.3%
MCP tools (deferred)	301.7k	30.2%
Memory files	81	0.0%
Skills	9k	0.9%
Messages	13	0.0%
Free space	**650.5k**	**65.0%**

In Claude Code, run /context to see this for your own session. Note how much a large set of connectors costs before you have typed anything — turn off the ones you do not need.

© Tertiary Infotech Academy Pte Ltd

Key Concepts — Connectors, Skills and Plugins

1 **Tools**
What Claude can DO: search the web, run code, create files — and reach Drive or Gmail through a connector.

2 **Tool calls**
Each action shows as a step in Claude's reply. Click it to see the tool, its input and what came back.

3 **Connectors and approval**
Drive and Gmail add their own tools. Reading runs freely; sending an email waits for your approval.

4 **Data analysis**
Claude writes and runs code on your CSV or Excel file, so the numbers are calculated — and you can check the code.

5 **Skills**
HOW Claude does a job: a SKILL.md of steps, rules and checks, loaded when your request matches its description.

6 **Built-in skills**
pptx, xlsx and docx load by themselves when you ask for a deck, a workbook or a document.

7 **/skill-creator**
Do the task once, verify it, save it as a skill — then use it, find the gaps and update it.

8 **Plugins and mods**
A plugin bundles skills and tools someone packaged. A mod changes Claude's own interface.

© Tertiary Infotech Academy Pte Ltd

Connect Google Drive and Gmail

LAB 04

Objective: **Connect Google Drive and Gmail and use their tools to reconcile, search, save and draft, sending only what you approve**

The launch budget and timeline live in Google Drive. You connect Drive and Gmail, and the project reconciles the Drive budget against the launch brief — they disagree on two lines — saves the research brief to Drive and emails you an approved summary. Then two everyday jobs: find the next milestones in Drive and draft a reminder in Gmail, reading the tool calls behind each.

YOU'LL BUILD

Drive and Gmail connected, the budget reconciled, an approved summary emailed to yourself, a milestone list from Drive and a reminder saved as a Gmail draft.

Tools: Claude Projects, Google Drive connector, Gmail connector, tool calls

© Tertiary Infotech Academy Pte Ltd

Lab 04 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Uses: never send without approval — Claude drafts the email, you approve it.

2

Context → WHAT

Uses: the launch brief's budget, compared line by line with the Drive sheet.

3

Folder → WHERE

Reaches out: the Lumo Launch folder in Google Drive and your Gmail, by connector.

4

Scheduled → WHEN

Not used — runs when you send the prompt.

© Tertiary Infotech Academy Pte Ltd

Block 1 — RECONCILE

PROMPT — copy into Claude

Using Google Drive, open the "Lumo Launch" folder.

1. Read lumo-launch-budget.csv and lumo-launch-timeline.csv.
2. Compare the budget sheet, line by line, with the budget in lumo-launch-brief.md from our project context. Show both in one table and flag every line where they disagree. Do not decide which is right.
3. Upload lumo-research-brief.docx from Lab 2 into the same Drive folder.
4. Draft an email to <YOUR EMAIL> with the subject "Lumo launch - research and budget check": three bullet points from the research brief, the budget table with the disagreements flagged, the next milestone from the timeline, and a link to the brief in Drive.

Show me the draft. Do not send it until I approve.

NOTE Replace <YOUR EMAIL> with your own address. Send lab emails only to yourself.

© Tertiary Infotech Academy Pte Ltd

Block 2 — FIND

PROMPT — copy into Claude

Search my Google Drive for the Lumo launch timeline.

1. List every milestone due from 6 to 20 November 2026 in a table: date, milestone, owner and status.
2. Then list the tools you called to answer this, in order: the tool's name, what you passed to it, and what it returned.

NOTE No file named — Claude has to search Drive first, then read what it found.

© Tertiary Infotech Academy Pte Ltd

Block 3 — REMIND

PROMPT — copy into Claude

Using Gmail and Google Drive:

1. Search my Gmail for the email with the subject "Lumo launch - research and budget check" and tell me when it arrived.
2. From lumo-launch-timeline.csv in Drive, find the milestone for the Shopee and Lazada store pages: its owner and due date.
3. Draft an email to <YOUR EMAIL> with the subject "Reminder: store pages due <due date>", reminding its owner of what is due and when.

Save the reminder as a Gmail draft. Do not send it.

NOTE Two Gmail tools: one searches, one drafts. Neither sends anything.

© Tertiary Infotech Academy Pte Ltd

Connect Google Drive and Gmail

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. Upload the Lab 04 data/Lumo Launch folder to your Google Drive.
2. In the project, click + → Connectors and switch on Google Drive and Gmail, signing in to Google.
3. Send Block 1 with your own email address in place of <YOUR EMAIL>.
4. Read the budget table Claude produces.
5. Confirm Claude flagged both lines instead of choosing one.
6. Check that lumo-research-brief.docx now sits in the Lumo Launch folder in Drive.
7. Read the draft email in full, then approve it.
8. Open your inbox and confirm the email arrived with the Drive link working.
9. Send Block 2 to find the milestones due from 6 to 20 November.
10. Click the Drive steps in Claude's reply and compare them with the tool list it gave you.
11. Check the milestone table.
12. Send Block 3 with your own email address in place of <YOUR EMAIL>.
13. Open Gmail → Drafts and check the reminder.

© Tertiary Infotech Academy Pte Ltd


Connect Google Drive and Gmail

✓ Check your work

Google Drive and Gmail are connected. Claude read both CSV files from the Lumo Launch folder, showed a budget table totalling S$60,000 on both sides, and flagged Instagram (S$18,000 vs S$20,000) and Influencers (S$12,000 vs S$10,000) without choosing between them. lumo-research-brief.docx is in the Drive folder, and the approved summary email arrived in your own inbox with a working link. Block 2 listed the three milestones due from 6 to 20 November with their owners and named the Drive tools it called. Block 3 found the Block 1 email in Gmail and saved a reminder about the E-commerce lead's store pages, due 27 November 2026, as a draft — nothing else was sent.

© Tertiary Infotech Academy Pte Ltd

Lab 4 in Class: Reading from Google Drive



1 Plan first
Open the Lumo Launch folder, read both CSVs, compare the budget with the brief, then email.


2 The tool call
'Using Google Drive: Read file content' — the connector at work.

3 Watch it
Each tool call shows its time; click › to see what was read.

Claude states its plan, then calls the Google Drive connector.

© Tertiary Infotech Academy Pte Ltd

Following the Progress Panel



1. **Steps**
   Find the folder → compare budget and brief → prepare the email.


2. **Current step**
   The orange dot marks the step in progress.

3. **Used in this session**
   The connectors it called: Gmail and Google Drive.

The progress panel ticks off each step and lists what the session used.

© Tertiary Infotech Academy Pte Ltd

The Lab 4 Email



Alfred Ang (gmail.com)

Lumo launch - research and budget check

Lumo launch - research and budget check

From the research brief (Singapore market research, 27 October 2026):

- **Price position:** Lumo at S$3.90 a can (S$3.50 a can in the S$42.00 12-pack) sits above supermarket canned coffee (about S$1.04 to S$1.84 a can) and below the local cold-brew specialist checked (S$7.00 a bottle). The brief recommends competing on taste, kopi heritage and 5 g sugar, not price.
- **Audience:** TikTok reaches about 3.80 million Singapore adults. **FLAG:** Instagram users in Singapore are 3.35 million (DataReportal) vs 4,272,500 and 4,400,000 (both NapoleonCat). Not resolved.
- **Sales goal:** 8,000 cans is S$28,000.00 to S$31,200.00 at full retail, below the S$60,000.00 spend, so the launch is judged on

1 **From the brief**

Price position, audience and sales goal, quoted from the research brief.

2 **FLAG**

Conflicting Instagram figures are flagged, not hidden — resolve each FLAG.

3 **The numbers**

8,000 cans is S$28,000–31,200 at retail, below the S$60,000 spend.

The research and budget check, written into Gmail from the Drive files.

© Tertiary Infotech Academy Pte Ltd

Analysing Data with Claude

Claude's code tool turns a question about a file into calculated answers.

1

Attach the data

A CSV or Excel file — the 400-row Lumo survey.

2

Define the terms

“Likely to buy” means intent 4 or 5 — say so.

3

Claude runs code

Python reads the file, counts, and draws the chart.

4

Check the method

Click the code step: right column, right filter?

5

Take the output

Tables, a chart, and an .xlsx workbook to download.

The numbers come from code that ran on your file — not from the model's memory.

© Tertiary Infotech Academy Pte Ltd

Six Questions to Ask of Your Data

Each one works on the Lumo survey — and on your own exports at work.

Question type	The prompt you would send
Segment	Likely to buy by city and by age band — count, base and %.
Compare	Which discovery channel has the highest average purchase intent?
Threshold	What share would pay S$3.50 or more, by city?
Clean	Find duplicate respondent IDs, blanks and impossible values. List them; do not delete.
Trend	Chart responses per week from response_date and tell me if any week is unusual.
Report	Save the tables and one chart as an Excel workbook with a Summary sheet.

© Tertiary Infotech Academy Pte Ltd

Trust the Numbers: Four Checks

1. Define every term

“Likely to buy” must mean intent 4 or 5 — write it in the prompt, or Claude chooses for you.

2. Ask for the base

A percentage without its count and base cannot be checked: 63% of what? Ask for 152 of 240.

3. Reconcile the totals

The segments must add back to the whole: 240 + 160 = 400 respondents, 152 + 96 = 248 likely to buy.

4. Check one figure yourself

Filter the CSV in Excel for one row of the table. If it matches, you can trust the method.

Lab 5 runs this on the survey everyone has, so the class can compare answers.

© Tertiary Infotech Academy Pte Ltd

Slides, Docs and Built-in Skills

Claude's own formats for the things a launch meeting needs.

1

Slides

A deck Claude builds and you edit in place — download as PowerPoint or PDF for the meeting.

2

Docs

A living document — a campaign brief, a plan — that you and Claude edit and comment on together.

3

Dashboards

A page of live numbers — the Live Artefact you build in Lab 3 is one.

4

Built-in skills

Claude's pptx, docx and xlsx skills load on their own when your request needs a file.

You never name the skill. Ask for a deck or a document; Claude picks the format and the skill that builds it.

© Tertiary Infotech Academy Pte Ltd

Analyse the Survey, Then Build the Deck and Brief

LAB 05

Objective: **Analyse survey data with Claude's code tool and save it to Excel, then produce a launch deck in Slides and a campaign brief in Docs**

Before the deck, the numbers. Claude analyses the 400-row survey by writing and running code, and saves the tables and a chart as an Excel workbook. Then it builds the Friday deck in Slides and the campaign brief in Docs, choosing its built-in skills itself. You check every figure and download the deck as PowerPoint.

YOU'LL BUILD

A survey analysis workbook (lumo-survey-analysis.xlsx), an eight-slide launch deck in Slides (downloaded as .pptx) and a campaign brief in Docs.

Tools: Claude Projects, code execution, built-in skills (xlsx, pptx, docx), Slides, Docs

© Tertiary Infotech Academy Pte Ltd

Lab 05 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Uses: follow the brand guidelines for anything customer-facing.

2

Context → WHAT

Uses: the brand kit, for the name, tagline, price and claims.

3

Folder → WHERE

Uses: attach the survey CSV; lumo-survey-analysis.xlsx is saved and the deck downloads as .pptx.

4

Scheduled → WHEN

Not used — runs when you send the prompt.

© Tertiary Infotech Academy Pte Ltd

Block 1 — ANALYSE

PROMPT — copy into Claude

Analyse the attached survey with code. Count "likely to buy" as purchase_intent 4 or 5.

1. Likely to buy by city, and by age band: count, base and %.
2. Willing to pay S$3.50 or more (max_price_sgd), by city.
3. Likely to buy among 25-34s in Singapore only.
4. One chart: likely-to-buy % by age band.
5. Save it all as lumo-survey-analysis.xlsx: a Summary sheet, one sheet per table, and the chart.

Show the totals so I can check them, then give me three findings in one sentence each.

NOTE Claude writes and runs the code. You check the method and the totals.

© Tertiary Infotech Academy Pte Ltd

Block 2 — BUILD

PROMPT — copy into Claude

Using our research brief, the Market Insights dashboard and the brand kit, create two things for Friday's launch meeting.

1. A launch deck in Slides, eight slides:
   1 Title - Lumo Cold Kopi: Kopi, Chilled Right
   2 The opportunity - the three survey numbers that matter most
   3 Who we are for - 25-34s in Singapore, with the evidence
   4 Competitors - a price ladder chart with Lumo highlighted
   5 Where they find us - a discovery channel chart
   6 The campaign - message, channels and dates
   7 Budget - the S$60,000 split, noting the two open questions
   8 Next steps and owners
   Use the Lumo brand colours. Real charts, not pictures of charts.

2. A campaign brief in Docs: objective, audience, key message, proof points, channels, budget, timeline, KPIs, and a "claims we must not make" section.

Every number must come from the research brief or the dashboard. List the source of each number at the end of the brief.

NOTE No skill named: ask for a deck and a document, and Claude picks the built-in skill.

© Tertiary Infotech Academy Pte Ltd

Analyse the Survey, Then Build the Deck and Brief

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. In the project, attach lumo-consumer-survey-2026.csv and send Block 1.
2. Click the code step in Claude's reply and read what it ran.
3. Check the tables against these figures.
4. Download lumo-survey-analysis.xlsx and open it in Excel.
5. Ask one follow-up question about the data: Which coffee frequency group is most likely to buy?
6. Send Block 2.
7. Open the deck when it appears and page through all eight slides.
8. Check slide 2 and slide 4 against your research.
9. Check slide 7.
10. Open the campaign brief in Docs and read the "claims we must not make" section.
11. Ask for one change to each, for example: Shorten slide 6 to three bullets.
12. Download the deck as PowerPoint and open it.

© Tertiary Infotech Academy Pte Ltd

Analyse the Survey, Then Build the Deck and Brief

✓ Check your work

The analysis shows Singapore 152 of 240 (63%) and Kuala Lumpur 96 of 160 (60%) likely to buy, 25-34s at 112 of 152 (74%) and 72 of 96 (75%) among 25-34s in Singapore, and lumo-survey-analysis.xlsx opens in Excel with a Summary sheet, the tables and a chart. The deck has eight slides in the Lumo colours, with real charts for the price ladder and the discovery channels, the survey figures 62%, 74% and 34%, and a budget slide that shows S$60,000 with the Instagram and Influencers lines marked as open questions. The campaign brief in Docs has all nine sections, including "claims we must not make", and lists a source for every number. The deck opens in PowerPoint with its charts intact.

© Tertiary Infotech Academy Pte Ltd

Skills Are Documented on Three Layers

Each layer reaches Claude at a different moment — which is why the description matters most.

Layers	When Claude sees them
Metadata Skill name and description.	✓ Always in context — this is all Claude sees until the skill is triggered.
Instructions The step-by-step workflow, written in a SKILL.md.	✓ Loaded when the skill is triggered.
Resources Supporting documents, templates and examples.	✓ Loaded only when the skill needs them.

© Tertiary Infotech Academy Pte Ltd

Anatomy of an Agent Skill

A skill is a folder Claude loads on demand when the task matches its description.

1

Metadata — name

A short identifier such as lumo-brand-voice. This is what you type to run it.

2

Metadata — description

What the skill does and WHEN to use it. Always in context, so this is what Claude matches against your request.

3

Instructions (SKILL.md)

The routine itself: tone rules, words to avoid, hashtag rules, the checks to run.

4

Resources

Optional examples of on-brand and off-brand posts the instructions call on.

© Tertiary Infotech Academy Pte Ltd

Inside a Real SKILL.md

SKILL.md — lumo-brand-voice, as /skill-creator writes it in Lab 6

```
---
name: lumo-brand-voice
description: Use when writing or reviewing any customer-facing
  Lumo Kopi content - social posts, captions, emails, video
  scripts or ads.
---
# Lumo brand voice

## Rules
- Prices as S$3.90 and S$42.00 - never $3.9 or SGD42.
- No "healthy", medical or weight-loss claims.
- At most one Singlish word.
- #LumoKopi on every post; no more than five hashtags.
- End with one clear call to action.

## Steps
1. Draft or rewrite in the Lumo voice.
2. Remove any claim not in lumo-product-sheet.md.
3. Run the checklist and show the result.

## Resources
- examples.md: two before-and-after rewrites
```

NOTE Top: metadata, always in context. Rules and steps: loaded when the skill is used. examples.md: read only when needed.

© Tertiary Infotech Academy Pte Ltd

Four Kinds of Skill

Every one is a SKILL.md; they differ in who writes it and how it arrives.

Kind	Who writes it	How it loads	In this course
Built-in	Anthropic	By itself when you ask for a file	pptx, xlsx, docx — Lab 5
Your own	You, with /skill-creator	When a request matches its description	lumo-brand-voice — Lab 6
From a plugin	The plugin's author	The same, or by its /plugin:command	marketing:brand-review — Lab 7
Shared by your team	An admin or a colleague	Provided to everyone in the organisation	Your company's house style

© Tertiary Infotech Academy Pte Ltd

The Description Decides When It Loads

Description	Verdict	Why
Brand voice.	Too vague	Says nothing about when — Claude rarely loads it.
Rewrites Instagram captions.	Too narrow	Will not load for an email, a video script or an ad.
Use for all writing.	Too broad	Loads for internal notes and meeting minutes too.
Use when writing or reviewing any customer-facing Lumo Kopi content - social posts, captions, emails, video scripts or ads.	**Good**	**Names the job, the brand and every format it covers.**

Lab 6 tests this: Block 3 never names the skill, so only the description can load it.

© Tertiary Infotech Academy Pte Ltd

Creating Your Own Skill

Do not write a skill from a blank page — do the work first, then capture it.

1 — Do

Do the task together with Claude once, step by step.

2 — Verify

Review and refine until the output is right.

3 — Save

Turn it into a skill using the /skill-creator skill.

4 — Use and update

Use it on new work, find the gap, and save the fix over it — Claude confirms first.

/skill-creator writes the SKILL.md for you, from the run you just verified.

© Tertiary Infotech Academy Pte Ltd

A Skill vs Retyping the Request

Write the routine once, and run it by name from then on.

Pasting the brand guide each time

- You describe the voice again in every chat.
- Easy to forget a rule when you are in a hurry.
- Each colleague words it slightly differently.
- Four channels drift into four voices.
- Nothing to hand to a new joiner or agency.

A brand-voice Agent Skill

- Written once in SKILL.md and loaded by name.
- Claude applies every rule, every time.
- Every thread in the project shares it.
- Instagram and LinkedIn still sound like one brand.
- Onboarding is: copy the skill folder.

© Tertiary Infotech Academy Pte Ltd

A Skill That Drives Your Tools

The most useful skills combine the connectors into one repeatable command.

1. **One command**
   Run the whole routine by name instead of describing it again each time.

2. **Across your tools**
   The skill decides which connectors to use — Drive, Gmail — and in what order.

3. **A fixed structure**
   It returns the same sections every run, so you can scan it in seconds.

4. **With checks built in**
   It checks claims, prices and hashtags before it hands the post back.

5. **Still under approval**
   The skill drafts and reports; publishing anything still needs you.

6. **Shared with the team**
   Everyone runs the same routine and gets the same format.

© Tertiary Infotech Academy Pte Ltd

Skills Worth Writing at Work

Any routine you repeat, with rules someone could forget, is a skill waiting to be written.

1. **weekly-status-report**
   Every Monday: reads the project folder and inbox, writes five bullets in a fixed format. Uses Drive and Gmail.

2. **meeting-minutes**
   Turns a transcript into decisions, actions, owners and due dates — the same table every time.

3. **customer-reply**
   Drafts replies in the house tone; never promises a refund or a price the policy does not allow.

4. **proposal-deck**
   Builds a client proposal in the company template, using the built-in pptx skill.

5. **expense-check**
   Checks a claims spreadsheet against the policy limits and flags each breach with its rule.

6. **job-ad-writer**
   Writes a job ad in the house format, then checks it for biased or exclusionary wording.


© Tertiary Infotech Academy Pte Ltd

When a Skill Goes Wrong

What you see	Likely cause	What to do
The skill does not load	The description does not mention this job	Add the job and its words to the description.
It loads when it should not	The description is too broad	Narrow it: name the brand, the formats, the audience.
It skips a rule	The rule is vague	Rewrite it as a check: “price written as S$3.90”.
A new kind of job goes wrong	The skill has no rule for it	Update it with /skill-creator — Lab 6, Block 4.
Colleagues get different results	Each keeps a different copy	Share one skill, or package it in a plugin.

© Tertiary Infotech Academy Pte Ltd

Install a Published Skill



1 The request
'Install this skill in the project level', then the npx skills add command.

2 Project level
The skill is available in this project, beside the brand-voice skill you write in Lab 6.

3 Check the source
Read a third-party skill's SKILL.md first — it runs with your access.

Ask Claude to install a skill from GitHub into the project.

© Tertiary Infotech Academy Pte Ltd

Capture the Brand Voice as an Agent Skill

LAB 06

Objective: **Capture the brand voice as an Agent Skill with /skill-creator, read its SKILL.md, use it on workplace messages and update it**

Every post and customer email has to sound like Lumo. You rewrite five off-brand captions until they are right, save the routine as a lumo-brand-voice skill with /skill-creator and read its SKILL.md. Then you use it on three waiting messages, spot the gap it leaves, and update the skill so every future reply closes it.

YOU'LL BUILD

A lumo-brand-voice Agent Skill, read in its SKILL.md, used on three workplace messages, then updated with a customer-reply section and retested.

Tools: Claude Projects, Agent Skills, /skill-creator

© Tertiary Infotech Academy Pte Ltd

Lab 06 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Uses: the never-say-healthy rule becomes a check inside the skill.

2

Context → WHAT

Uses: the brand guidelines the skill is written from, and the product sheet its replies may quote.

3

Folder → WHERE

Uses: attach the captions, then the customer messages; the skill saves to Customize → Skills.

4

Scheduled → WHEN

Not used — runs when you send the prompt.

© Tertiary Infotech Academy Pte Ltd

Block 1 — DO

PROMPT — copy into Claude

Rewrite the five captions in the attached file in the Lumo brand voice, following lumo-brand-guidelines.md.

For each caption, show:
- the original
- your rewrite
- every rule you applied, by name
- any claim you removed, and why

Then run these checks on each rewrite and show the result: price written as S$3.90; no "healthy" or medical claims; at most one Singlish word; #LumoKopi present; no more than five hashtags; ends with one clear call to action.

NOTE Stop here. Refine the rewrites until they are right before you save anything.

© Tertiary Infotech Academy Pte Ltd

Block 2 — SAVE

PROMPT — copy into Claude

Create a skill called lumo-brand-voice from what we just did.

Description: Use when writing or reviewing any customer-facing Lumo Kopi content - social posts, captions, emails, video scripts or ads.

It should rewrite or draft content in the Lumo voice, apply the brand rules, remove claims we cannot prove, and finish with the same checklist of checks we used. Include two of today's before-and-after examples as a resource.

NOTE Type /skill-creator first, then paste the block.

© Tertiary Infotech Academy Pte Ltd

Block 3 — USE

PROMPT — copy into Claude

Draft replies to messages 1 and 2 in the attached file, and rewrite the flyer line in message 3 so it is ready to print.

NOTE No skill named: its description alone must make it load.

© Tertiary Infotech Academy Pte Ltd

Block 4 — UPDATE

PROMPT — copy into Claude

Update the lumo-brand-voice skill. Add a section for replies to customers and stockists:
- thank them, and apologise once if something went wrong;
- never promise a refund, replacement, discount or any price that is not in lumo-product-sheet.md;
- say the team will reply within two working days;
- sign off "- The Lumo Kopi team".

Show me the change before you save over the skill.

NOTE Do · Verify · Save · Update — this is the Update.

© Tertiary Infotech Academy Pte Ltd

Block 5 — RETEST

PROMPT — copy into Claude

Reply to message 1 in the attached file.

NOTE A fresh thread proves the skill changed, not the conversation.

© Tertiary Infotech Academy Pte Ltd

Capture the Brand Voice as an Agent Skill

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. Open lumo-sample-captions.txt and read the five captions.
2. In the project, attach the file and send Block 1.
3. Check each rewrite against the brand guidelines and refine until all five are right.
4. Type /skill-creator in the composer, then paste Block 2 and send.
5. Read the skill Claude proposes, especially its description, and approve it.
6. Open Customize → Skills, open lumo-brand-voice and read its SKILL.md.
7. Start a new thread, attach lumo-customer-messages.txt and send Block 3.
8. Check that lumo-brand-voice loaded, then read the flyer line and the café reply.
9. Read the reply to message 1 closely.
10. Type /skill-creator in the composer, then paste Block 4 and approve the change.
11. Start a new thread, attach the file again and send Block 5.
12. Check the new reply to message 1.

© Tertiary Infotech Academy Pte Ltd


Capture the Brand Voice as an Agent Skill

✓ Check your work

lumo-brand-voice appears under Customize → Skills, and its SKILL.md shows a name, a description that says when to use it, the brand rules and the checklist. In a fresh thread, Block 3 loaded the skill without naming it: the flyer line drops "super healthy" and "best kopi in Singapore" and shows S$3.90, and the café reply does not invent a wholesale price. After Block 4 the skill has a customer-reply section, and the Block 5 reply to message 1 promises no refund, says the team will reply within two working days and signs off "- The Lumo Kopi team".

© Tertiary Infotech Academy Pte Ltd

Skills vs. Plugins



A skill is one routine. A plugin is the whole setup — install the Marketing plugin and you get every skill, command and tool it contains.

© Tertiary Infotech Academy Pte Ltd

Mods: Changing Claude Itself

1

What a mod is

A change to Claude's own interface or behaviour, rather than to the work it does.

2

A panel or pane

Something that stays beside the chat and updates — a running checklist, a campaign tracker.

3

A status line or toast

A small always-visible signal, such as the active project or remaining usage.

4

A slash command

Your own /command that starts a routine you use often.

5

A hook

An action that runs automatically on an event — for example, before Claude sends anything.

6

Where to find them

Under Customize, alongside Skills, Connectors and Plugins. Ask Claude to make one for you.

© Tertiary Infotech Academy Pte Ltd

Skill, Plugin or Mod?

Three ways to extend Claude — and which one you reach for.

	Skill	Plugin	Mod
Changes	How a task is done	A whole toolkit	Claude's own interface
Contains	One SKILL.md + resources	Skills, tools, agents, hooks	A panel, command, hook or status line
You get it by	Writing it with /skill-creator	Installing from Discover	Asking Claude to make one
Lumo example	lumo-brand-voice	Marketing plugin	A Next Lumo post panel

© Tertiary Infotech Academy Pte Ltd

Add the Marketing Plugin and a Mod

LAB 07

Objective: **Install a plugin, use its namespaced commands alongside your own skill, and build a mod that suggests the next social post**

You wrote one skill yourself; now you install a toolkit somebody else packaged. Anthropic's Marketing plugin bundles several marketing skills behind namespaced commands. You install it, use /marketing:campaign-plan to stress-test the launch plan, and run /marketing:brand-review on the deck copy — then compare a plugin with the skill you wrote. Last, you build a mod of your own: a Next Lumo post panel beside the chat that suggests what to post next.

YOU'LL BUILD

The Marketing plugin installed, a campaign plan review, a brand review of the launch copy, and a Next Lumo post mod.

Tools: Claude Projects, plugins, mods, Customize

© Tertiary Infotech Academy Pte Ltd

Lab 07 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Uses: plugin commands follow the same project rules.

2

Context → WHAT

Uses: the brand guidelines, for /marketing:brand-review.

3

Folder → WHERE

Uses: the research brief, campaign brief and deck; the Next Lumo post mod reads the project.

4

Scheduled → WHEN

Not used — the mod suggests a post; nothing runs on a timer.

© Tertiary Infotech Academy Pte Ltd

Block 1 — PLAN

PROMPT — copy into Claude

/marketing:campaign-plan Review the Lumo Cold Kopi launch using our campaign brief and research brief. Keep our objective, audience, budget and dates. Tell me:
- what is missing from the plan,
- the three biggest risks to the 1 December launch,
- the KPIs you would track in the first two weeks, with targets.
Do not change the S$60,000 budget.

NOTE Install the plugin first: Customize → Plugins → Browse → Marketing → Install.

© Tertiary Infotech Academy Pte Ltd

Block 2 — REVIEW

PROMPT — copy into Claude

/marketing:brand-review Review the copy on slides 1, 2 and 6 of our launch deck against lumo-brand-guidelines.md. List each change you would make and the rule behind it.

NOTE The plugin reviews; your own skill holds the house rules.

© Tertiary Infotech Academy Pte Ltd

Block 3 — MOD

PROMPT — copy into Claude

Make me a mod: a panel called "Next Lumo post" that stays beside the chat in this project.

- If social-calendar.csv is in the project, show the next post due from today: date, platform, format, hook and call to action.
- If there is no calendar yet, suggest one next post instead: use the top content theme in lumo-research-brief.docx and the lumo-brand-voice skill, and say which platform and day suit it.
- Add a Refresh button and show when it last updated.
- It only suggests: never post, publish or send anything.

Tell me what the mod will do and where it will appear before you install it.

NOTE You make a mod by asking Claude. It only suggests — nothing is posted.

© Tertiary Infotech Academy Pte Ltd

Add the Marketing Plugin and a Mod

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. Open Customize → Plugins and browse the available plugins.
2. Find the Marketing plugin, read what it contains, and click Install.
3. In the project composer, type /marketing and look at the commands it offers.
4. Open the Marketing plugin in Customize → Plugins, list the skills it contains, and open brand-review.
5. Send Block 1 to stress-test the plan with /marketing:campaign-plan.
6. Read the risks and KPIs it proposes, and check the budget is unchanged at S$60,000.
7. Send Block 2 to review the deck copy with /marketing:brand-review.
8. Open Customize and look at the Mods section.
9. Send Block 3 and read what the mod will do before you let Claude install it.
10. Open the Next Lumo post panel beside the chat and read its suggestion.

© Tertiary Infotech Academy Pte Ltd

Add the Marketing Plugin and a Mod

✓ Check your work

The Marketing plugin is installed and its /marketing: commands appear in the composer. /marketing:campaign-plan returned the gaps, three launch risks and two-week KPIs with targets while keeping the S$60,000 budget and the 1 December date. /marketing:brand-review reviewed the deck copy. You can explain the difference between lumo-brand-voice (a skill you wrote), the Marketing plugin (a packaged bundle) and a mod (a change to Claude's interface). The Next Lumo post panel sits beside the chat and suggests one on-brand post — S$ prices, no health claim — without posting anything.

© Tertiary Infotech Academy Pte Ltd

Recap — Connectors, Skills and Plugins

1. **Lab 04**
   You can now connect Google Drive and Gmail and use their tools to reconcile, search, save and draft, sending only what you approve.

2. **Lab 05**
   You can now analyse survey data with Claude's code tool and save it to Excel, then produce a launch deck in Slides and a campaign brief in Docs.

3. **Lab 06**
   You can now capture the brand voice as an Agent Skill with /skill-creator, read its SKILL.md, use it on workplace messages and update it.

4. **Lab 07**
   You can now install a plugin, use its namespaced commands alongside your own skill, and build a mod that suggests the next social post.

© Tertiary Infotech Academy Pte Ltd

TOPIC 03

Content Production and Scheduled Work

1. One thread per channel
2. Social post specs and brand checks
3. Script, storyboard, render: the video pipeline
4. Scheduled tasks, memory and usage

© Tertiary Infotech Academy Pte Ltd

One Thread per Channel

1

Brief the lead

One message: the goal, the dates, the channels and the skill to use.

2

Split by channel

The lead agent starts one thread per platform with its own spec.

3

Draft in parallel

Each thread drafts its posts using the brand-voice skill.

4

Merge the calendar

The lead agent merges the drafts into one dated calendar.

5

Check and approve

You check claims, prices and dates before anything is scheduled.

The same pattern as the Lab 2 research — one message, independent subjects — applied to production.

© Tertiary Infotech Academy Pte Ltd

What Each Platform Needs

Each thread gets its platform's spec as its brief.

1. **Instagram**
   Carousel or Reel. Hook in the first line; caption up to 2,200 characters; 3–5 hashtags.

2. **TikTok**
   9:16 video, 15–30 s. A hook in the first 2 seconds; on-screen text; one call to action.

3. **LinkedIn**
   Founder or team voice; the story behind the product; no more than 3 hashtags.

4. **Facebook**
   Community and offers; a clear link to buy; questions that invite comments.

Every thread loads lumo-brand-voice, so four formats still sound like one brand.

© Tertiary Infotech Academy Pte Ltd

Marketing Responsibly with AI

Fast production is only useful if every post is safe to publish.

1. **Claims you can prove**
   "5 g sugar" is on the label. "Healthy" is a claim Lumo cannot substantiate — never use it.

2. **Consent for email**
   Email only people who opted in. Lab emails go to yourself, never to real customers.

3. **No real likenesses**
   Do not generate a real person, influencer or competitor logo into an ad.

4. **Disclose partnerships**
   Influencer posts are labelled as paid partnerships.

5. **A human publishes**
   Claude drafts and schedules drafts; a person approves every public post.

6. **Keep the source**
   Keep the research files, so every number in a post can be traced back.

© Tertiary Infotech Academy Pte Ltd

Key Concepts — Content Production and Scheduled Work

1

One thread per channel

The lead agent gives Instagram, TikTok, LinkedIn and Facebook a thread each, then merges one calendar.

2

Skill inside a thread

Every thread loads the same brand-voice skill, so four channels still sound like one brand.

3

Video as code

Claude writes and runs the code that turns a storyboard and your images into an MP4.

4

Scheduled tasks

A prompt that runs on a timetable inside the project — daily, weekly or monthly — while you are away.

5

Approval stays human

A scheduled task drafts and emails the post to you. Publishing is still your click.

6

Usage per thread

Project settings show the tokens the lead agent and each thread used — the cost of parallel work.

© Tertiary Infotech Academy Pte Ltd

Create and Schedule Social Posts in Parallel Threads

LAB 08

Objective: **Produce a two-week, four-platform social calendar with one thread per channel, and schedule the daily post**

Launch fortnight needs ten posts across Instagram, TikTok, LinkedIn and Facebook. Each platform has its own format, so you hand the job to the lead agent and let it start one thread per platform. Every thread loads lumo-brand-voice, drafts its posts to its platform's spec, and the lead agent merges them into one dated calendar. Once you have checked it, you schedule a task that emails you each day's post at 9:00am as a draft.

YOU'LL BUILD

social-calendar.csv with ten dated posts across four platforms, lumo-social-posts.docx with the full copy, and a weekday 9:00am scheduled task that emails each day's post as a draft.

Tools: Claude Projects, lead agent and threads, Agent Skills, scheduled tasks, Gmail connector

© Tertiary Infotech Academy Pte Ltd

Lab 08 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Uses: brand voice, S$ prices, and never publish without your approval.

2

Context → WHAT

Uses: the brand kit — every post is checked against its prices and claims.

3

Folder → WHERE

Adds: social-calendar.csv and lumo-social-posts.docx, saved in the project.

4

Scheduled → WHEN

NEW: Today's Lumo post, weekdays at 9:00am — emails you each day's post as a draft.

© Tertiary Infotech Academy Pte Ltd

Block 1 — CREATE

PROMPT — copy into Claude

Create the launch social calendar for Lumo Cold Kopi: ten posts, one each weekday from Tuesday 1 December to Monday 14 December 2026, using social-calendar-template.csv for the columns.

Split the drafting into four threads, one per platform, and run them in parallel:
- Instagram: 3 posts (carousel or Reel), caption with a hook in the first line, 3-5 hashtags.
- TikTok: 3 posts, each a 15-second video script with a hook in the first 2 seconds and on-screen text.
- LinkedIn: 2 posts in the founder's voice, the story behind the product, no more than 3 hashtags.
- Facebook: 2 posts for community and the 12-pack offer.

Every thread must use the lumo-brand-voice skill and our top content theme from the research. The 1 December launch-day post is an Instagram Reel; TikTok follows on 2 December.

Then merge the threads into social-calendar.csv (date, platform, format, hook, copy, hashtags, visual idea, call to action) and lumo-social-posts.docx with the full copy. Report the brand-voice checklist result for every post, and list any post that failed.

NOTE Attach social-calendar-template.csv from the Lab 08 data folder.

© Tertiary Infotech Academy Pte Ltd

Block 2 — SCHEDULE

PROMPT — copy into Claude

Schedule a recurring task in this project: "Today's Lumo post", every weekday at 9:00am. Take today's row from social-calendar.csv, polish it with lumo-brand-voice, check every price and claim against the brand kit, and email it to <YOUR EMAIL> as a draft with the subject "Today's Lumo post - <date>". Never publish anything. If there is no row for today, email "No Lumo post scheduled today".

Show me the task before you save it, then run it once now as a test, using 1 December 2026 as today.

NOTE Replace <YOUR EMAIL>. The task drafts and emails — it never publishes.

© Tertiary Infotech Academy Pte Ltd

Create and Schedule Social Posts in Parallel Threads

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. In the project, attach social-calendar-template.csv and send the lab prompt.
2. Watch the lead agent start the four platform threads.
3. Open the Instagram thread and check it loaded lumo-brand-voice.
4. When the merged calendar arrives, count the rows and check the dates.
5. Read the brand-voice checklist results.
6. Spot-check three posts against the campaign brief's "claims we must not make".
7. Open lumo-social-posts.docx and confirm the copy matches the calendar.
8. Send Block 2 with your own email address in place of <YOUR EMAIL>.
9. Read the task before it is saved: name, prompt, and weekdays at 9:00am.
10. Open your inbox and read the test email for 1 December.
11. Open Scheduled in the project and confirm the task is listed. Then open the Next Lumo post panel from Lab 7 and click Refresh.

© Tertiary Infotech Academy Pte Ltd


Create and Schedule Social Posts in Parallel Threads

✓ Check your work

social-calendar.csv has ten rows dated on the ten weekdays from 1 to 14 December 2026 — Instagram 3, TikTok 3, LinkedIn 2, Facebook 2 — with the 1 December launch post an Instagram Reel and TikTok on 2 December. Every post passed the lumo-brand-voice checklist, none uses "healthy", every price is written S$3.90 or S$42.00, and lumo-social-posts.docx carries the same copy. Today's Lumo post is listed under Scheduled for weekdays at 9:00am; it drafts and emails only, and nothing was published.

© Tertiary Infotech Academy Pte Ltd

From the Class: Two Weeks of Posts



The Lab 8 posts laid out by date — every one a draft, not published.

1. **One calendar**
   Dated posts from 1 to 14 December across the four platforms.

2. **One voice**
   The brand-voice skill keeps every hook and caption consistent.

3. **Review**
   Expand or download any post; each is marked DRAFT, NOT PUBLISHED.

© Tertiary Infotech Academy Pte Ltd

The Video Pipeline

1

Script

Five lines, three seconds each — hook, problem, product, proof, call to action.

2

Storyboard

One frame per line: which image, which on-screen text, which motion.

3

Render

Claude writes and runs code that animates your images and text into an MP4.

4

Check

Length, size 1080 × 1920, brand colours, every claim true, end card with the price.

5

Refine

Ask for timing or text changes in plain English and render again.

The video is code: a change is a re-render, not a re-edit.

© Tertiary Infotech Academy Pte Ltd

Launch Video Specs

What the finished 15-second video must meet.

1. **Format**
   Vertical 9:16, 1080 × 1920 pixels, MP4 — fits Reels, TikTok and Shorts.

2. **Length**
   15 seconds: five scenes of three seconds each.

3. **Text**
   Large, high-contrast captions — most people watch with the sound off.

4. **Brand**
   Lumo colours and logo; the end card shows the price and the campaign hashtag.

5. **Assets**
   Only the supplied product images — never a real person's likeness or a stock logo.

6. **Fallback**
   No video tools in the session? Claude builds an animated HTML version to screen-record.

© Tertiary Infotech Academy Pte Ltd

Produce a 15-Second Launch Video

LAB 09

Objective: **Script, storyboard and render a vertical launch video from supplied brand assets**

The TikTok and Instagram posts need a launch video. You give the project the supplied product images and logo; one thread writes a five-scene script and storyboard with lumo-brand-voice, another writes and runs the code that animates the images and captions into a 15-second, 1080 × 1920 MP4. You check it frame by frame and ask for changes in plain English.

YOU'LL BUILD

lumo-launch-15s.mp4 (1080 × 1920, 15 seconds), with its script and storyboard.

Tools: Claude Projects, threads, code execution

© Tertiary Infotech Academy Pte Ltd

Lab 09 in the Project

What this lab sets up, uses, adds or schedules in the project.

1

Instructions → HOW

Uses: brand voice for the script; nothing is published.

2

Context → WHAT

Uses: the brand kit, for the tagline, price and call to action.

3

Folder → WHERE

Adds: attach the video assets; the script, storyboard and lumo-launch-15s.mp4 are saved.

4

Scheduled → WHEN

Not used — runs when you send the prompt.

© Tertiary Infotech Academy Pte Ltd

Script, storyboard and render the video

PROMPT — copy into Claude

Make a 15-second vertical launch video for Lumo Cold Kopi, using only the five images in the attached video-assets folder.

Use two threads:
Thread 1 - SCRIPT: with lumo-brand-voice, write five scenes of three seconds each: hook, problem, product, proof, call to action. For each scene give the image, the on-screen text (max 6 words) and the motion. Save it as lumo-video-storyboard.md.

Thread 2 - RENDER: when the storyboard is ready, write and run code that renders it to lumo-launch-15s.mp4: 1080 x 1920, 30 fps, exactly 15 seconds, large high-contrast captions in the Lumo colours, a gentle zoom on each image, and an end card with the logo, "From S$3.90" and #KopiChilledRight.

If you cannot render video in this session, build the same thing as an animated HTML page at 1080 x 1920 and tell me, so I can screen-record it. Report the file's duration and size when done.

NOTE Attach the whole video-assets folder. Use only the supplied images — never a real person's likeness or another brand's logo.

© Tertiary Infotech Academy Pte Ltd

Produce a 15-Second Launch Video

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. Open the Lab 09 data/video-assets folder and look at the five images.
2. In the project, attach the folder and send the lab prompt.
3. Read the storyboard when Thread 1 finishes.
4. When the video arrives, check the reported duration and size.
5. Play it through, then scrub it frame by frame.
6. Ask for one change, for example: Hold the end card for one second longer and shorten scene 2.
7. If Claude built the HTML fallback instead, open it full screen and screen-record 15 seconds.

© Tertiary Infotech Academy Pte Ltd

Produce a 15-Second Launch Video

✓ Check your work

lumo-launch-15s.mp4 is 1080 × 1920, 30 fps and 15 seconds long, uses only the supplied images, shows five scenes with captions of six words or fewer in the Lumo colours, and ends on a card with the logo, "From S$3.90" and #KopiChilledRight. lumo-video-storyboard.md sits beside it and matches what plays. No scene makes a health claim.

© Tertiary Infotech Academy Pte Ltd

Anatomy of a Scheduled Task

A prompt the project runs on a timetable, while you are away.

1. **Prompt**
   Exactly what to do each run — written like a lab prompt, with the checks included.

2. **Frequency**
   Daily, weekdays, weekly or monthly.

3. **Time**
   When it runs, in your time zone — for example, weekdays at 9:00am.

4. **Where it runs**
   Inside the project, so it reads the same goal, context, memory and skills.

5. **Output**
   Where the result goes — an email draft, a file in Drive, a note in the project.

6. **Approval**
   The step a human still takes — the task drafts, you publish.

© Tertiary Infotech Academy Pte Ltd

Scheduled Tasks for a Launch

Each drafts for your approval — none publishes on its own.

1

`Daily post, weekdays 9:00am`

Take today's row from the social calendar, polish it with lumo-brand-voice and email it to me for approval.

2

`Weekly report, Mondays 8:00am`

Summarise last week's posts from the social calendar and anything new in the Lumo Launch Drive folder in five bullet points.

3

`Monthly scan, 1st at 10:00am`

Check the six competitors for new products or price changes and update the research brief.

A local task needs the app open. To keep tasks running with the laptop closed, give the project a cloud environment in Project settings → Environment.

© Tertiary Infotech Academy Pte Ltd

Cloud Environments

Project settings → Environment: let threads and tasks run with your laptop closed.

1. **Network access**
   Which websites the threads may reach — add only the ones the work needs.

2. **Secrets**
   API keys the threads can use. Once saved, nobody can read them back — not even you.

3. **Setup script**
   What each thread installs before it starts work, such as one package-install line.

© Tertiary Infotech Academy Pte Ltd

Schedule the Weekly Report and Review the Project

LAB 10

Objective: **Schedule a weekly report beside the daily post, edit project memory and review thread usage**

Lab 8 scheduled the daily post. The launch also needs a report every Monday, and nobody should have to remember it. You schedule it inside the project beside the daily post, then do the housekeeping a real project needs: correct its memory when a plan changes, and read the usage of the lead agent and each thread to see what parallel work costs.

YOU'LL BUILD

A weekly-report scheduled task beside Lab 8's daily post, an updated project memory and a usage review.

Tools: Claude Projects, scheduled tasks, memory, Gmail connector

© Tertiary Infotech Academy Pte Ltd

Lab 10 in the Project

What this lab sets up, uses, adds or schedules in the project.

1 **Instructions → HOW**
Reviews: which instructions are now out of date.

2 **Context → WHAT**
Reviews: which context files the launch-date change affects.

3 **Folder → WHERE**
Updates: project memory records the 8 December Singapore launch.

4 **Scheduled → WHEN**
NEW: Weekly launch report, Mondays at 8:00am — beside Lab 8's daily post.

© Tertiary Infotech Academy Pte Ltd

Block 1 — SCHEDULE

PROMPT — copy into Claude

Schedule a recurring task in this project: "Weekly launch report", Mondays at 8:00am. Summarise last week's posts from social-calendar.csv and anything new in the Lumo Launch Drive folder in five bullet points, and email the summary to <YOUR EMAIL>. Draft only - do not send anything else.

Show me the task before you save it.

NOTE Replace <YOUR EMAIL>. Mondays at 8:00am, beside Lab 8's daily post.

© Tertiary Infotech Academy Pte Ltd

Block 2 — MEMORY

PROMPT — copy into Claude

Remember this for the project: the Singapore launch has moved from 1 December to 8 December 2026. Kuala Lumpur is unchanged. Tell me everything in the project that depends on the launch date - posts, tasks, the deck, the brief - and propose the changes. Do not make them yet.

NOTE Then open Project settings → Memory and check what it wrote.

© Tertiary Infotech Academy Pte Ltd

Block 3 — REVIEW

PROMPT — copy into Claude

Review this project for me: list the threads you started today, what each produced, and where each output is saved. Then tell me which context files, instructions or memory entries are now out of date.

NOTE Then open Project settings → Usage and compare.

© Tertiary Infotech Academy Pte Ltd

Schedule the Weekly Report and Review the Project

Full step-by-step, with the reasoning for each step, is in your Learner Guide.

1. Send Block 1 with your own email address in place of <YOUR EMAIL>, and read the task before it is saved.
2. Open Scheduled in the project and confirm both tasks are listed.
3. Send Block 2, then read the list of things that depend on the date.
4. Open Project settings → Memory and find the new launch-date entry. Edit it if the wording is wrong.
5. Send Block 3 at the end of the lab.
6. Open Project settings → Usage and read the lead agent's and each thread's tokens.

© Tertiary Infotech Academy Pte Ltd

Schedule the Weekly Report and Review the Project

✓ Check your work

Two tasks are listed under Scheduled — Today's Lumo post from Lab 8 on weekdays at 9:00am and Weekly launch report on Mondays at 8:00am — both drafting and emailing only, with nothing published. Project memory records the 8 December Singapore launch, and the lead agent listed what depends on it. Project settings → Usage shows tokens for the lead agent and for each thread you started today.

© Tertiary Infotech Academy Pte Ltd

Recap — Content Production and Scheduled Work

1

Lab 08

You can now produce a two-week, four-platform social calendar with one thread per channel, and schedule the daily post.

2

Lab 09

You can now script, storyboard and render a vertical launch video from supplied brand assets.

3

Lab 10

You can now schedule a weekly report beside the daily post, edit project memory and review thread usage.

© Tertiary Infotech Academy Pte Ltd

WRAP-UP

Summary & Next Steps

1. What you built
2. Staying in control
3. Next steps
4. Q&A

© Tertiary Infotech Academy Pte Ltd

LEARNING OUTCOMES

What You Achieved

1. **Set up the Project**
   Set up a Claude Project with a goal, instructions, context and memory, and explain how its lead agent splits work into parallel threads.

2. **Research in threads**
   Run multi-subject market research as parallel threads and consolidate it into one verified research brief.

3. **Build a Live Artefact**
   Build, refine, save and download a Live Artefact dashboard from supplied research data.

4. **Tools: Drive and Gmail**
   Connect Google Drive and Gmail and use their tools to reconcile, search, save and draft, sending only what you approve.

5. **Analysis, Slides and Docs**
   Analyse survey data with Claude's code tool and Excel, and produce a launch deck and campaign brief with Slides and Docs using built-in skills.

6. **Skills and plugins**
   Capture a brand voice as an Agent Skill with /skill-creator, use and update it on workplace messages, and install and use a marketing plugin.

7. **Social posts in threads**
   Create a two-week, multi-platform set of social media posts in parallel threads using the brand-voice skill.

8. **Make a launch video**
   Produce a short vertical launch video from a script, storyboard and supplied brand assets.

9. **Schedule and review**
   Schedule recurring project tasks, maintain project memory and review thread usage, keeping a human approval step.

© Tertiary Infotech Academy Pte Ltd

GOOD PRACTICE

Staying in Control

Claude drafts and builds; you check and approve.

Work from mock data

Use the supplied synthetic Lumo data — never real customer records in training.

Scope the connector

Give Claude one Drive folder for the task, not your entire Drive.

Check every figure

Read the artefact's and the brief's numbers back against the source file.

Approve before sending

Read each drafted email and post in full; approve it only when the facts match.

Use a test recipient

Send class exercises to yourself, never to a real customer.

Watch thread usage

Parallel threads multiply usage — check Project settings → Usage.

© Tertiary Infotech Academy Pte Ltd

AFTER THE COURSE

Next Steps

1. **Start one real Project**
   Give your next campaign a project with a goal, instructions and context.

2. **Split one job into threads**
   Next time you research competitors, give each one its own thread.

3. **Capture your brand voice**
   Turn your real brand guide into a skill your whole team shares.

4. **Analyse one dataset**
   Attach a real export, define your terms, and check the code and the totals.

5. **Schedule one routine**
   Pick the post or report you produce every week and schedule the draft.

6. **Browse Discover**
   See which plugins already exist before you write a skill someone has packaged.

© Tertiary Infotech Academy Pte Ltd

THANK YOU FOR ATTENDING

Your launch project is ready

A Claude Project with a lead agent and threads, verified market research, a Live Artefact dashboard, a deck and brief, a brand-voice skill, two weeks of social posts, a launch video and the scheduled tasks that keep it all moving.

© Tertiary Infotech Academy Pte Ltd