



COURSE SLIDES

Claude Cowork Masterclass

Course Code: C1382

Conducted by Tertiary Infotech Academy Pte Ltd · UEN 201200696W

Version v1.0 · 3 August 2026

© 2026 Tertiary Infotech Academy Pte Ltd. All rights reserved. · www.tertiarycourses.com.sg



COURSE ADMINISTRATION

Welcome & Housekeeping

About the Trainer



Course Trainer

Principal Trainer
Tertiary Infotech Academy Pte. Ltd.

ROLE

Principal Trainer, Tertiary Infotech Academy Pte. Ltd.

CERTIFICATION

Adult educator and AI-enabled knowledge-work practitioner

DELIVERS

Claude Cowork, agentic work practices, business document creation, data analysis, workflow design, and responsible AI use

FOUNDER

Founder and lead instructor at Tertiary Infotech / Tertiary Courses.

Let's Know Each Other

- 1 Your name, your role, and one repetitive file-based task you would like to delegate.
- 2 One business output you would never use without a human quality check.
- 3 One type of work data that should remain outside an AI workspace unless specifically approved.

Ground Rules

1

Set your mobile phone to silent mode.

2

Participate actively — no question is too small.

3

Mutual respect: agree to disagree.

4

One conversation at a time.


5

Be punctual; return from breaks on time.

6

Learn by doing — try every hands-on lab.

Download Course Material



Course page: <https://www.tertiarycourses.com.sg/claude-cowork-masterclass.html>

Lesson Plan — 1 Day, 7.5 hours

1

Day 1 — Delegate, produce, and operationalise work with Claude Cowork

2

Topic 1: Getting Started with Claude Cowork (Lab 1)

3

Topic 2: Automating Everyday Work with Cowork (Lab 2)

4

Topic 3: Advanced Cowork Workflows (Lab 3)

5

Daily timing — 9:00 am - 5:30 pm (1-hour lunch; two 15-minute tea breaks included)

Learning Outcomes

1

Cowork Foundations

Explain Claude Cowork's agentic operating model, execution surfaces, connected-folder boundary, task lifecycle, permissions, and the human responsibilities that remain.

2

Effective Delegation

Set up a Cowork project, write an outcome-based task brief, run and monitor a bounded session, review its evidence, and recover from common setup or scope problems.

3

Management Outputs

Use Cowork to organise synthetic files, analyse spreadsheet data, synthesise research and notes, and produce consistent document, spreadsheet, and presentation outputs with traceable sources.

4

Controlled Workflows


Design and run a multi-step workflow that separates parallel workstreams from dependencies, uses integrations deliberately, and places human approval gates before consequential writes or sharing.

5

Repeatable Practice

Convert a successful session into a reusable playbook with parameters, project instructions, quality checks, exception paths, ownership, security controls, and a practical team rollout plan.

How You'll Learn





CORE CONCEPTS

Delegating Knowledge Work with Control

Cowork in One View

1

Outcome

Delegate a finished business result rather than a sequence of vague requests.

2

Context

Provide the smallest trustworthy set of files, instructions, and connections.

3

Agency

Let Claude plan, use tools, observe results, and coordinate bounded workstreams.

4

Control

Set scope, approval gates, stop conditions, and evidence before the run.

5

Artifacts

Create documents, spreadsheets, presentations, and organised files from one fact base.

6

Learning loop

Review the output and process, then convert a successful run into a versioned playbook.

The DELEGATE Framework

1

D - Define

State the outcome, audience, purpose, and finish line.

2

E - Expose context

Name approved sources and exclude unrelated data.

3

L - Limit authority

Bound reads, writes, connections, and consequential actions.

4

E - Establish evidence

Specify source references, control totals, previews, and logs.

5

G - Gate consequences

Pause before source changes, external writes, sharing, or commitments.

6

A - Allow execution

Let independent work proceed while monitoring important merge points.

The DELEGATE Framework (cont.)

7

T - Test the result

Reconcile facts, formulas, visuals, filenames, and promised deliverables.

8

E - Evolve the playbook

Record improvements, ownership, exceptions, and the next safe scope.

COURSE PRINCIPLE

Delegate the work; retain the judgement.

The best Cowork workflow combines useful agency with narrow scope, visible evidence, and human authority at consequence boundaries.

What You Will Build

First delegated task

- A bounded Cowork project
- A complete file inventory
- A visible verification record

Management-ready pack

- A reconciled spreadsheet
- A written operations report
- A concise leadership presentation

Repeatable workflow

- A parameterised playbook
- Human approval gates
- A Week 33 run and rollout plan

How Every Lab Progresses

1

Start from a verified synthetic checkpoint.

2

Brief the outcome, boundary, deliverables, and evidence.

3

Review the proposed plan before broad work begins.

4

Let Cowork execute and steer at important merge points.

5

Test the artifacts and retain the checkpoint for the next lab.

TOPIC 01

Getting Started with Claude Cowork

Agentic AI for everyday work | setup and connected folders | effective task briefs | monitoring and review | responsible use

Key Concepts — Getting Started with Claude Cowork

1

Agentic workspace

Cowork works toward an outcome through a sequence of planning, tool use, observation, correction, and evidence rather than returning one isolated answer.

2

Connected-folder boundary

Local file access is limited to the folders a learner deliberately connects; scope should be as small as the task allows.

3

Task contract

A strong brief names the outcome, sources, deliverables, constraints, quality checks, approval points, and finish line.

4

Permission

Reading, writing, using a connector, operating a browser, and acting in another system have different consequences and deserve different controls.

5

Steering

Progress indicators, plans, questions, and intermediate files let a person redirect the work before errors spread.

6

Evidence

A source register, file manifest, calculation check, preview, or change log is stronger than a confident completion statement.

Chat Assistance and Agentic Delegation


Chat assistance

- Responds to the context supplied in one conversation
- Usually produces text for the user to transfer elsewhere
- Waits for the next prompt between stages
- Leaves file operations and checking to the user

Cowork delegation

- Plans and executes a bounded multi-step task
- Reads and writes permitted files and can use connected tools
- Observes intermediate results and adapts the next step
- Returns finished artifacts plus visible work evidence

The Cowork Task Lifecycle



Anatomy of a High-Signal Task Brief

1

Outcome

Describe the business result and intended audience, not only the activity.

2

Sources

Name the allowed folders, files, links, and systems; exclude everything else.

3

Deliverables

Specify filenames, formats, structure, location, and presentation standard.

4

Constraints

State data rules, non-goals, protected files, time range, and assumptions.

5

Approval gates

Identify which writes, revisions, or external actions require confirmation.

6

Evidence

Define control totals, citations, previews, logs, or other observable checks.

Authority Should Match Consequence


Lower-consequence work

- Read a synthetic training folder
- Create a draft in a new output directory
- Summarise supplied notes with citations
- Calculate metrics that a person will verify

Higher-consequence work

- Overwrite or remove source files
- Send messages or share files externally
- Use financial, personal, legal, or confidential data
- Make commitments, purchases, access changes, or final decisions

Monitor, Review, and Recover



Hands-On Labs — Getting Started with Claude Cowork

Lab 1

- Delegate Your First Task to Claude Cowork

Delegate Your First Task to Claude Cowork

LAB 1


You create a personal working copy of the fictional Northstar Retail Operations folder, establish an immutable source baseline, and connect only that narrow copy to a new Cowork project. You then use the DELEGATE framework to ask Claude for a complete file inventory, review its plan before execution, watch the session for scope drift, and compare the finished manifest with the actual source files.

You'll build

A protected synthetic workspace, reviewed project instructions, a complete file inventory, and a verification record.

Resources: Use the matching lab's prerequisites and supplied files.

Lab 1 — Key Route



Recap — Getting Started with Claude Cowork

1

You can now: LO1 and LO2: explain the Cowork task lifecycle and permission boundary, create a narrow project, brief a bounded file-inventory task, monitor its execution, and verify the result against the source folder

TOPIC 02

Automating Everyday Work with Cowork

File organisation | documents, reports and presentations | spreadsheet analysis | research and summarisation
| end-to-end multi-step tasks

Key Concepts — Automating Everyday Work with Cowork

1

Inventory before organisation

A manifest reveals what exists, duplicates, uncertain items, and protected sources before any move or rename is proposed.

2

Working-copy pattern

Transform copies into a new destination so originals remain a stable reference and recovery path.

3

Structured extraction

Convert documents and notes into fields, evidence, assumptions, and open questions before writing a narrative.

4

Calculation contract

Define each metric's numerator, denominator, period, unit, rounding, and control total before interpreting it.

5

Artifact system


A workbook, report, and presentation should share one fact base while serving different reading behaviours.

6

Provenance

Important claims remain traceable to a filename, row, note, or authoritative external source.

From Messy Inputs to a Decision-Ready Pack



Safe File-Organisation Patterns

1

Manifest

Record filename, type, date, purpose, likely owner, sensitivity, and proposed destination.

2

Classification

Use stable business categories and an explicit Unknown bucket instead of guessing.

3

Working copy

Create an organised copy first; leave the source folder unchanged until reviewed.

4

Naming rule

Apply predictable dates, subjects, and versions without erasing original identifiers.

5

Duplicate handling

Flag likely duplicates using name, size, hash, or content evidence; do not remove automatically.

6

Change log

List each proposed or completed action so a person can reconcile the new structure.

One Fact Base, Three Reading Experiences

1

Spreadsheet

Calculation detail, formulas, data dictionary, filters, and control totals for analytical review.

2

Report

Context, findings, evidence, risks, recommendations, owners, and open questions for considered reading.

3

Presentation


A short decision arc with headline metrics, exceptions, actions, and minimal supporting detail.

4

Source register

The shared evidence map that prevents values and claims drifting across formats.

Spreadsheet Analysis as a Reconciliation Loop



Synthesis with Traceable Evidence

Weak synthesis

- Blends supplied facts and general knowledge
- Presents every statement with equal confidence
- Drops source filenames from the final narrative
- Fills missing context with plausible detail

Decision-ready synthesis

- Separates source evidence, inference, and open questions
- Names the file, row, note, or external source behind key claims
- Uses authoritative sources for changing product facts
- Marks unresolved items for the named owner to verify

Orchestrating a Multi-Step Task



Hands-On Labs — Automating Everyday Work with Cowork

Lab 2

- Turn a Messy Folder into a Management-Ready Report

Turn a Messy Folder into a Management-Ready Report

LAB 2


You use the verified Northstar workspace from Lab 1 to run a staged, end-to-end management-reporting workflow. Claude inventories and organises a working copy, creates a source register and calculation workbook, pauses for a human reconciliation gate, then produces a written operations report and a short leadership presentation whose facts, period, terminology, and actions agree.

You'll build

A reconciled Week 32 workbook, source and evidence registers, management report, leadership brief, quality review, and run log.

Resources: Use the matching lab's prerequisites and supplied files.

Lab 2 — Key Route



Recap — Automating Everyday Work with Cowork

1

You can now: LO3: organise a working copy, analyse spreadsheet data with defined metrics, synthesise notes and feedback with provenance, and produce a reconciled spreadsheet, report, and presentation from one fact base

TOPIC 03

Advanced Cowork Workflows

Integrations | repeatable playbooks | parallel work and longer projects | approvals and guardrails | team rollout

Key Concepts — Advanced Cowork Workflows

1

Integration choice

Prefer the most precise trusted path: a connector for a cloud service, a desktop capability for local context, or a browser only when no better interface exists.

2

Playbook

A reusable workflow describes triggers, parameters, sources, stages, deliverables, checks, gates, exceptions, and ownership.

3

Project instructions

Durable local context stores stable conventions and boundaries; task-specific details remain in the individual brief.

4

Parallel workstream

Independent stages can run together, while dependent stages wait for reconciled inputs.

5

Human-in-the-loop

A named person reviews evidence and explicitly authorises consequential action at a defined gate.

6

Operational rollout

A team needs approved use cases, data boundaries, ownership, monitoring, incident handling, and a feedback cycle.

Choose the Most Precise Trusted Tool

Structured connection

- Connector returns defined records from a cloud service
- Authentication and scope are explicit
- Faster and less sensitive to interface changes
- Prefer for repeatable cloud workflows when available

Screen interaction

- Browser or computer use navigates the visible interface
- Can reach tools without a direct connection
- Slower and more vulnerable to layout or state changes
- Use cautiously and review before consequential actions

A Playbook Is an Operational Contract

1

Trigger and parameters

Define when the workflow starts and which period, team, folder, or audience changes each run.

2

Source contract

Name required inputs, freshness, owner, fallback, and the condition that stops the run.

3

Stages and dependencies

Separate parallel extraction from reconciliation and dependent composition.

4

Deliverables

Fix output names, formats, destinations, and minimum required sections.

5

Quality gates

Attach calculations, source checks, visual review, and approval to named stages.

6

Exceptions and ownership

State who resolves missing inputs, conflicting data, access failure, and release decisions.

Parallelism Needs Dependency Control


Can run in parallel

- Profile a frozen spreadsheet source
- Extract themes from supplied notes
- Inventory files and build a source register
- Draft format shells without final claims


Must wait

- Reconcile metrics across workstreams
- Choose the final management narrative
- Approve recommendations and owners
- Share, send, publish, or replace source material

Human Gates in a Cowork Workflow



From Personal Workflow to Team Practice



Guardrails Across the Workflow

1

Data

Use the minimum necessary approved sources and keep sensitive records outside training workspaces.

2

Access

Grant the narrowest folder and connection scope; review and remove access when the workflow ends.

3

Action

Default to drafts and working copies; gate external writes, deletion, sharing, and commitments.

4

Evidence

Retain source registers, control totals, assumptions, reviewer decisions, and run logs.

5

Quality

Use defined metrics, exception checks, visual inspection, and a named accountable reviewer.

6

Change

Version playbooks and project instructions; retest after source, tool, or policy changes.

Hands-On Labs — Advanced Cowork Workflows

Lab 3

- Build a Repeatable Cowork Workflow for Your Own Work

Build a Repeatable Cowork Workflow for Your Own Work

LAB 3


You turn the verified Lab 2 run into a reusable weekly-operations playbook instead of saving one long prompt. The playbook defines parameters, source contracts, parallel workstreams, dependency gates, deliverables, control checks, exception paths, and ownership. You then change the reporting-week parameter to Week 33, run the workflow, reconcile the new outputs, and document whether local files, connectors, browser actions, or scheduled execution are appropriate.

You'll build

A parameterised playbook, integration decision, verified Week 33 pack, quality record, and bounded rollout plan.

Resources: Use the matching lab's prerequisites and supplied files.

Lab 3 — Key Route



Recap — Advanced Cowork Workflows

1

You can now: LO4 and LO5: convert a successful multi-step session into a parameterised playbook, choose tools and integrations deliberately, control parallel work with human gates, rerun the workflow on a new period, and define a safe team rollout



WRAP-UP

Course Summary & Next Steps

What You Achieved

1

Cowork Foundations

Explain Claude Cowork's agentic operating model, execution surfaces, connected-folder boundary, task lifecycle, permissions, and the human responsibilities that remain.

2

Effective Delegation

Set up a Cowork project, write an outcome-based task brief, run and monitor a bounded session, review its evidence, and recover from common setup or scope problems.

3

Management Outputs

Use Cowork to organise synthetic files, analyse spreadsheet data, synthesise research and notes, and produce consistent document, spreadsheet, and presentation outputs with traceable sources.

4

Controlled Workflows

Design and run a multi-step workflow that separates parallel workstreams from dependencies, uses integrations deliberately, and places human approval gates before consequential writes or sharing.

5

Repeatable Practice

Convert a successful session into a reusable playbook with parameters, project instructions, quality checks, exception paths, ownership, security controls, and a practical team rollout plan.

From Classroom to a Safe Pilot

1

Select one bounded, reversible knowledge-work process with a clear owner.

2

Document the source contract, current baseline, output standard, and human gates.

3

Pilot with synthetic or explicitly approved data and retain the complete run evidence.

4

Review value, errors, reviewer effort, and exceptions before widening scope.

Keep Practising After the Course

1

Re-run the labs on your own machine — repetition is what makes the skills stick.

2

Apply the techniques to a real process or project in your own organisation.

3

Open the current C1382 materials from the course page or repository.

4

Explore the follow-on courses at www.tertiarycourses.com.sg.

C1382 - KEEP DELEGATING WITH EVIDENCE

Thank You!

You can now delegate bounded knowledge work to Claude Cowork, verify the resulting artifacts, and turn a successful session into a controlled repeatable playbook.