



PIXEL · PATH

COURSE SLIDES · NON-WSQ

Generative AI for Adobe Photoshop

Course code C16

Non-WSQ commercial short course

Provider Tertiary Infotech Academy Pte Ltd ·
201200789K

Version v1.0 · 19 September 2026



General Trainer Profile



TRAINER NAME

Insert approved profile photo and professional designation before delivery.

Industry practice

Relevant Photoshop and digital-imaging experience.

Training practice

Adult-learning and facilitation credentials.

Course fit

Examples aligned to learner roles and channels.

Contact

Approved professional contact route.

Dr Alfred Ang

Role

Principal Trainer · Tertiary Infotech Academy

Expertise

Digital transformation, courseware and adult learning.

Facilitation

Concept explanation, coached practice and evidence review.

Quality

Reversible workflows and clear acceptance criteria.

Learning culture

Explain the reason behind every editing choice.

Contact

enquiry@tertiaryinfotech.com · +65 6100 0613

Your GenAI Visual Context

Role

What visuals do you create or manage?

Channel

Social, web, presentation, print or campaign?

Friction

Which ideation or Photoshop task costs the most time?

Quality

Which visual defect is most visible today?

Experience

Which Firefly or Photoshop feature is familiar?

Evidence

What finished artifact will prove improvement?

Working Agreements

Participate

Try the tools and explain choices.

Respect

Critique work, not people.

Protect assets

Use permitted sources and retain rights evidence.

Save versions

Preserve originals and name layers/files.


Share safely

Protect learner work and course content.

Verify

Reopen exports before delivery.

Download Course Materials



The screenshot shows a web browser window with the address bar displaying `lms-tms.tertiaryinfotech.com`. The main content area features the course title **GenAI Visuals · Photoshop + Firefly** and a subtitle **Courseware · v7**. Below this, there are five download buttons arranged horizontally, each with a colored square icon and a label:

- PPTX** (blue square) labeled **Trainer deck**
- PDF** (cyan square) labeled **Learner slides**
- LG** (magenta square) labeled **Detailed guide**
- LP** (purple square) labeled **Delivery plan**
- 10** (green square) labeled **Lab folders**

At the bottom of the content area, a note states: **Outcome · the complete package is available in one authenticated course record.**


Access the Ten Lab Folders

Open the course repository, select labs/, then open the numbered folder assigned by your trainer.

[Open the learner lab folders](#)

Every folder contains a detailed guide plus supplied PSD/JPEG assets. Keep your outputs inside that folder or the trainer-approved workspace.

One-Day Learning Journey



OUTCOME

The workflow moves from audience-led exploration to Firefly control, editable Photoshop integration, critique and verified delivery.

Course Outline

Topic 1

GenAI for Visual Communication

Topic 2

Firefly Storyboards and Reference Control

Topic 3

Photoshop Generative Editing and Critique

Topic 4

Colour Strategy, Enhancement and Delivery

Tools, Materials and Workspace

Hardware

Laptop, suitable display, mouse/tablet and reliable storage.

Software

Current supported Photoshop desktop release and Adobe Firefly access.

Workspace

Panels arranged for task focus and sufficient scratch disk.

Sources

Supplied rights-aware PSD/JPEG assets and approved references.

Output brief

Audience, channel, pixel size, colour space and copy-safe areas.

Safety

Backups, reversible editing and verified exports.

Adobe Tool Scope

Firefly

Prompt-led image exploration, reference controls and storyboard ideation.

Photoshop

Selections, generative edits, compositing, colour and output.

Not Adobe certification

This course does not certify an Adobe credential.

Interface drift

Models and labels change; decisions and evidence remain durable.

Responsible AI

Review outputs, respect rights and retain provenance.

Trademark


Adobe, Firefly and Photoshop are Adobe trademarks.

01

GenAI for Visual Communication

Turn an audience need into an intentional, rights-aware visual direction.

Prompt Quality Is a System



READ THE CHART

Illustrative review scores show that a vivid subject alone is insufficient; channel fit, composition, constraints and provenance complete the visual brief.

Editable native PowerPoint chart

Human-led GenAI Creative Loop



1

How it works

A human defines the brief, directs generation, selects evidence and remains accountable for publication.

2

Best used for

Fast exploration where intent and judgement matter more than raw variation count.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A decision log connects the selected visual to audience, purpose and acceptance criteria.

Human-led GenAI Creative Loop · control and judgement

CONTROL MAP

**Brief · prompt · variation ·
critique · edit · verify**

WATCH FOR

**Automating the decision as
well as the production.**

QUALITY PROOF

**A decision log connects the
selected visual to audience,
purpose and acceptance
criteria.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

GenAI Image Use Cases and Boundaries

1

How it works

Generation, insertion, removal, expansion and translation solve different visual problems and carry different risks.

2

Best used for

Choosing an appropriate AI feature before opening a tool.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The chosen feature and boundary are justified against the brief.



GenAI Image Use Cases and Boundaries · control and judgement

CONTROL MAP

Task type · rights · sensitivity
· required control · delivery
channel

WATCH FOR

Using generation where
faithful documentation is
required.

QUALITY PROOF

The chosen feature and
boundary are justified
against the brief.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Prompt Anatomy



1

How it works

A useful prompt combines subject, action, setting, visual treatment, composition and constraints.

2

Best used for

Creating a clear starting direction without over-prescribing every pixel.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Prompt components can be traced to visible properties of the result.

Prompt Anatomy · control and judgement

CONTROL MAP

**Subject · action · setting ·
medium · lighting · camera ·
exclusions**

WATCH FOR

**Contradictory adjectives,
vague subjects and
accidental text instructions.**

QUALITY PROOF

**Prompt components can be
traced to visible properties
of the result.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Prompt Iteration and Variation

1

How it works

Changing one prompt factor at a time makes cause and effect observable.

2

Best used for

Converging from a broad direction to a defensible final candidate.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A contact sheet shows at least three labelled iterations and the selection reason.



Prompt Iteration and Variation · control and judgement

CONTROL MAP

Baseline · single-variable change · seed/variation · comparison notes

WATCH FOR

Changing model, prompt, style and composition simultaneously.

QUALITY PROOF

A contact sheet shows at least three labelled iterations and the selection reason.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Visual Hierarchy and Emphasis



1

How it works

Scale, contrast, position, isolation and detail establish what viewers notice first.

2

Best used for

Campaign visuals that need a clear focal point and reading order.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A squint test and thumbnail view preserve the intended reading order.

Visual Hierarchy and Emphasis · control and judgement

CONTROL MAP

Primary focal point ·
secondary cue · supporting
detail · CTA space

WATCH FOR

Competing focal points or an
empty area that cannot hold
useful copy.

QUALITY PROOF

A squint test and thumbnail
view preserve the intended
reading order.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Scale, Balance and Alignment

1

How it works

Relative size signals importance; visual mass and common edges stabilise the composition.

2

Best used for

Combining generated imagery with typography or brand elements.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Guides and a reduced-size review confirm balance across the frame.



Scale, Balance and Alignment · control and judgement

CONTROL MAP

Scale ratio · visual weight ·
grid · edge alignment · safe
area

WATCH FOR

Centred-by-default layouts or
tangencies that feel
accidental.

QUALITY PROOF

Guides and a reduced-size
review confirm balance
across the frame.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Contrast, Repetition and Negative Space



1

How it works

Contrast separates roles, repetition creates coherence and negative space gives the message room to breathe.

2

Best used for

Social tiles, posters and storyboard frames that must scan quickly.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Grayscale and thumbnail checks confirm separation and rhythm.

Contrast, Repetition and Negative Space · control and judgement

CONTROL MAP

Value contrast · colour contrast · repeated motif · breathing room

WATCH FOR

Decorative repetition that overwhelms the subject.

QUALITY PROOF

Grayscale and thumbnail checks confirm separation and rhythm.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Audience, Story and Responsible Provenance

1

How it works

A visual is credible when its message fits the audience and its source, prompts and edits remain explainable.

2

Best used for

Commercial, organisational and public-facing visual communication.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A provenance note accompanies the editable master and export.



Audience, Story and Responsible Provenance · control and judgement

CONTROL MAP

**Audience need · claim risk ·
asset rights · prompt log ·
Content Credentials**

WATCH FOR

**Misleading realism,
unlicensed references or
unsupported claims.**

QUALITY PROOF

**A provenance note
accompanies the editable
master and export.**


Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Lab 01 · Prompt-to-Image Visual Brief



A reading campaign needs an imaginative hero image with clear copy space for a social tile.

Translate an audience brief into a controlled Firefly prompt set and selected visual direction.




EVIDENCE


Three prompt/result records, selected JPEG and decision log identifying A1 exploration and A2 integration decisions.

Full procedure · Learner Guide / Lab 01

Lab 02 · Design Principles and Prompt Refinement



Use Photoshop layout evidence to refine a generated visual against hierarchy, balance and contrast criteria.



EVIDENCE

Layered PSD, exported JPEG and a short comparison note covering the design principles.

Full procedure · Learner Guide / Lab 02

Topic 1 Checkpoint

Purpose

What does the audience need to notice?

Method

Why does this technique fit the content and edge?

Control

Which setting most changes the outcome?

Failure

What defect would make the result unacceptable?

Proof

Which view and evidence demonstrate quality?

Next


What controlled variation would improve the result?

02

Firefly Storyboards and Reference Control

Control composition and style, then organise variations into a communicable flow.

Reference-control Decision



READ THE CHART

Composition and style references solve different control problems. Combine them only after isolating each influence.

Editable native PowerPoint chart

Choosing a Firefly Image Model



1

How it works

Firefly models offer different balances of speed, realism, prompt interpretation and control.

2

Best used for

Matching generation quality and latency to the storyboard purpose.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The selected model is recorded with a visible comparison or reason.

Choosing a Firefly Image Model · control and judgement

CONTROL MAP

**Current model · output intent
· speed · detail · available
controls**

WATCH FOR

**Assuming the newest model
behaves identically to an
older one.**

QUALITY PROOF

**The selected model is
recorded with a visible
comparison or reason.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Content Type and Visual Intensity

1

How it works

Content type steers photo/illustration behaviour while visual intensity adjusts how strongly styling affects the result.

2

Best used for

Moving between documentary-looking and illustrative storyboard frames.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Two controlled variants demonstrate the effect of the setting.



Content Type and Visual Intensity · control and judgement

CONTROL MAP

**Photo/art · auto mode ·
visual intensity · effects**

WATCH FOR

**Treating intensity as a
substitute for a clear prompt.**

QUALITY PROOF

**Two controlled variants
demonstrate the effect of the
setting.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Colour, Lighting and Camera Controls



1

How it works

Secondary controls guide palette, lighting direction, field of view and depth cues.

2

Best used for

Keeping a sequence visually coherent without copying every frame.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Frames share a documented palette and plausible light direction.

Colour, Lighting and Camera Controls · control and judgement

CONTROL MAP

**Colour/tone · lighting ·
camera angle · lens/depth
cues**

WATCH FOR

**A lighting instruction that
conflicts with the reference
composition.**

QUALITY PROOF

**Frames share a documented
palette and plausible light
direction.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Composition Reference

1

How it works

A composition reference transfers spatial arrangement and structural relationships without duplicating the source pixels.

2

Best used for

Maintaining camera position, pose or layout across storyboard alternatives.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Overlay or side-by-side evidence confirms structural similarity.



Composition Reference · control and judgement

CONTROL MAP

Reference strength · crop · silhouette · dominant lines · prompt

WATCH FOR

Using a reference without rights or expecting identity fidelity.

QUALITY PROOF

Overlay or side-by-side evidence confirms structural similarity.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Style Reference



1

How it works

A style reference guides colour, texture, lighting and rendering character while the prompt controls subject matter.

2

Best used for

Unifying multiple scenes under one art direction.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A contact sheet shows consistent treatment across different subjects.

Style Reference · control and judgement

CONTROL MAP

Reference strength · visual intensity · effects · prompt specificity

WATCH FOR

Combining style and composition changes without a baseline.

QUALITY PROOF

A contact sheet shows consistent treatment across different subjects.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Storyboard Architecture

1

How it works

A storyboard converts a narrative into beats with a purpose, frame, transition and evidence for each beat.

2

Best used for

Explaining an experience, campaign sequence or task journey.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Every frame has a caption, purpose and transition note.



Storyboard Architecture · control and judgement

CONTROL MAP

Opening · context · action ·
transformation · outcome ·
CTA

WATCH FOR

A gallery of attractive images
with no causal sequence.

QUALITY PROOF

Every frame has a caption,
purpose and transition note.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Task Flow for Team Collaboration



1

How it works

A task flow assigns inputs, decisions, hand-offs and review gates so visual work can be repeated by a team.

2

Best used for

Moving from ideation to approved, editable and channel-ready output.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A flow diagram identifies ownership and acceptance at each gate.

Task Flow for Team Collaboration · control and judgement

CONTROL MAP

Owner · input · action ·
decision · output · reviewer

WATCH FOR

Unowned approval steps or
ambiguous version names.

QUALITY PROOF

A flow diagram identifies
ownership and acceptance at
each gate.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Text Effects and Template Ideation

1

How it works

Text effects and template-oriented generation can establish art direction, but final copy remains editable in the design tool.

2

Best used for

Exploring campaign style, title treatment and modular layouts.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Final deliverable uses editable type and passes a legibility check.



Text Effects and Template Ideation · control and judgement

CONTROL MAP

**Short display phrase ·
material/style · legibility ·
editability**

WATCH FOR

**Embedding essential long-
form copy inside generated
pixels.**

QUALITY PROOF

**Final deliverable uses
editable type and passes a
legibility check.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Lab 03 · Composition and Style References



A wellness campaign needs varied subjects that retain one composition and art direction.

Create a controlled Firefly comparison using composition and style references independently and together.

1

Analyse

2

Choose

3

Apply

4

Inspect

5

Evidence

EVIDENCE

Four labelled JPEG conditions, comparison PSD and a reference-control decision note.


Full procedure · Learner Guide / Lab 03

Lab 04 · Storyboard and Task Flow



A fictional Wellness Week Singapore 2026 campaign needs a short visual journey from stress to restorative action.

Build a five-frame Firefly storyboard and a team task flow that communicates intent and ownership.



EVIDENCE

Five-frame layered storyboard PSD, exported JPEG, task-flow panel and peer-review note.

Full procedure · Learner Guide / Lab 04

Topic 2 Checkpoint

Purpose

What does the audience need to notice?

Method

Why does this technique fit the content and edge?

Control

Which setting most changes the outcome?

Failure

What defect would make the result unacceptable?

Proof

Which view and evidence demonstrate quality?

Next


What controlled variation would improve the result?

03

Photoshop Generative Editing and Critique

Use selections and generative features to build, evaluate and improve editable composites.

Reversibility by Technique



READ THE CHART

Scale: 1 = low, 5 = high.
Prefer an editable
generated layer, mask or
Smart Object so critique
can lead to a traceable
revision.

Editable native PowerPoint chart

Photoshop Generative AI Feature Map



1

How it works

Photoshop connects Generative Fill, Expand, Background, Harmonize and reference-based generation to selections and layers.

2

Best used for

Selecting the smallest feature that solves the editing problem.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The Layers panel shows the generated content and editable source structure.

Photoshop Generative AI Feature Map · control and judgement

CONTROL MAP

**Selection · prompt/reference
· model · variations ·
generated layer**

WATCH FOR

**Flattening before review or
confusing destructive and
generated edits.**

QUALITY PROOF

**The Layers panel shows the
generated content and
editable source structure.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Selection as a Generative Instruction

1

How it works

Selection geometry defines where change may occur and gives the model contextual pixels at its boundary.

2

Best used for

Precise insertion, replacement and local repair.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Selection/mask evidence and a 100% edge inspection are retained.



Selection as a Generative Instruction · control and judgement

CONTROL MAP

Selection edge · feather · context margin · mask · target layer

WATCH FOR

Selections that clip shadows or include protected details.

QUALITY PROOF

Selection/mask evidence and a 100% edge inspection are retained.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Generative Fill



1

How it works

Generative Fill creates non-destructive variations on a new generated layer inside the selected region.

2

Best used for

Adding, replacing or removing local content with contextual blending.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Before/after, selected variation and layered PSD prove the decision.

Generative Fill · control and judgement

CONTROL MAP

**Prompt or blank prompt ·
model · variation · generated
layer**

WATCH FOR

**Anatomy errors, repeated
textures and lighting
mismatch.**

QUALITY PROOF

**Before/after, selected
variation and layered PSD
prove the decision.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Generative Expand

1

How it works

Generative Expand extends the canvas and synthesises contextual pixels beyond the original frame.

2

Best used for

Reframing a master visual for landscape, portrait and square channels.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Three channel crops preserve subject integrity and useful copy space.



Generative Expand · control and judgement

CONTROL MAP

Crop ratio · anchor ·
prompt/blank · safe area ·
variation

WATCH FOR

Extending low-quality edges
or moving the focal point
unintentionally.

QUALITY PROOF

Three channel crops
preserve subject integrity
and useful copy space.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Generate Background and Harmonize



1

How it works

Background generation replaces the environment; Harmonize adjusts a placed subject to the surrounding tone, colour and light.

2

Best used for

Fast composites that still require realistic integration.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Layered before/after and zoomed edge/shadow evidence pass review.

Generate Background and Harmonize · control and judgement

CONTROL MAP

**Subject isolation ·
background prompt · scale ·
contact shadow · Harmonize**

WATCH FOR

**Floating subjects, incorrect
perspective or inconsistent
light direction.**

QUALITY PROOF

**Layered before/after and
zoomed edge/shadow
evidence pass review.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Reference Image in Generative Fill

1

How it works

A reference image provides additional visual guidance while the prompt and selection define the requested change.

2

Best used for

Improving consistency of an object, material or visual direction.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

The reference, selected output and rights record are stored together.



Reference Image in Generative Fill · control and judgement

CONTROL MAP

Reference asset · rights ·
prompt · selection · variation

WATCH FOR

Expecting an exact copy or
using a reference without
permission.

QUALITY PROOF

The reference, selected
output and rights record are
stored together.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Inpainting and Outpainting



1

How it works

Inpainting changes content inside a boundary; outpainting synthesises beyond an existing boundary.

2

Best used for

Choosing between local repair and frame extension.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A difference review confirms only the intended region changed.

Inpainting and Outpainting · control and judgement

CONTROL MAP

Protected area · context overlap · seam location · content continuity

WATCH FOR

Visible seams, repeated objects or altered protected content.

QUALITY PROOF

A difference review confirms only the intended region changed.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Aesthetic Critique and Golden-ratio Heuristics

1

How it works

Critique separates description, interpretation, evaluation and recommendation; compositional heuristics are prompts for judgement, not guarantees.

2

Best used for

Explaining why a visual works and proposing an actionable revision.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A criterion-based critique identifies evidence, impact and one testable change.



Aesthetic Critique and Golden-ratio Heuristics · control and judgement

CONTROL MAP

**Hierarchy · balance · rhythm
· focal placement · audience
fit · technical finish**

WATCH FOR

**Treating a grid or ratio as
proof of quality.**

QUALITY PROOF

**A criterion-based critique
identifies evidence, impact
and one testable change.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Lab 05 · Generative Fill: Directed Inpainting



An editorial wildlife visual needs a plausible environmental detail without damaging the original subject.

Use a controlled selection and Generative Fill to add, replace and remove content non-destructively.

1

Analyse

2

Choose

3

Apply

4

Inspect

5

Evidence

EVIDENCE

Layered PSD, selected variations, final JPEG and zoomed edge/Layers-panel evidence.

Full procedure · Learner Guide / Lab 05

Lab 06 · Background Replacement and Harmonize



A portrait must be adapted into an outdoor campaign visual while remaining editable.

Generate a new background, integrate a placed element and evaluate lighting, perspective and contact.

1

Analyse

2

Choose

3

Apply

4

Inspect

5

Evidence

EVIDENCE

Layered PSD, final JPEG, before/after comparison and criterion-based integration note.


Full procedure · Learner Guide / Lab 06

Lab 07 · Generative Expand for Channel Ratios



A campaign hero must work across social, presentation and mobile-story channels.

Extend one master visual into square, landscape and portrait variants without losing hierarchy.



EVIDENCE

Master PSD plus three channel JPEGs and a ratio-by-ratio verification checklist.

Full procedure · Learner Guide / Lab 07

Lab 08 · Reference Image and Multi-Prompt Composition



A fashion visual requires an altered garment treatment that follows a supplied material reference.

Use a permitted reference image and staged selections to construct a coherent multi-element composition.

1

Analyse

2

Choose

3

Apply

4

Inspect

5

Evidence

EVIDENCE

Layered reference-guided PSD, final JPEG, rights note and four-part critique with revision.

Full procedure · Learner Guide / Lab 08

Topic 3 Checkpoint

Purpose

What does the audience need to notice?

Method

Why does this technique fit the content and edge?

Control

Which setting most changes the outcome?

Failure

What defect would make the result unacceptable?

Proof

Which view and evidence demonstrate quality?

Next


What controlled variation would improve the result?

04

Colour Strategy, Enhancement and Delivery

Build a coherent palette, preserve editability and verify the delivered visual.

Campaign Colour Roles




■ Primary ■ Secondary ■ Accent ■ Neutral

READ THE CHART

Illustrative shares keep the primary colour dominant while secondary, accent and neutral roles support hierarchy rather than compete with it.

Editable native PowerPoint chart

Output Verification Priority



READ THE CHART

A professional hand-off verifies the exported file and its provenance—not only the layered working canvas.

Editable native PowerPoint chart

Hue, Saturation, Brightness and Value



1

How it works

Hue identifies colour family, saturation its intensity, and value/brightness its light-dark position.

2

Best used for

Diagnosing palette and separation before choosing an adjustment.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A palette swatch and grayscale review support the colour decision.

Hue, Saturation, Brightness and Value · control and judgement

CONTROL MAP

Hue relationship · saturation range · value contrast · skin/brand constraints

WATCH FOR

Increasing saturation when the problem is value separation.

QUALITY PROOF

A palette swatch and grayscale review support the colour decision.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Adjustment Layers and Masks

1

How it works

Adjustment layers store tonal or colour changes separately; masks control where each adjustment applies.

2

Best used for

Reversible campaign colour work and local corrections.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Named adjustment layers and masks remain editable in the PSD.



Adjustment Layers and Masks · control and judgement

CONTROL MAP

Adjustment type · layer order
· mask density · blend mode
· opacity

WATCH FOR

**Painting directly on the only
copy or leaving masks
unnamed.**

QUALITY PROOF

**Named adjustment layers
and masks remain editable in
the PSD.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Histogram and Levels



1

How it works

The histogram displays tonal distribution; Levels remaps black point, white point and midtones.

2

Best used for

Correcting global tonal range and identifying clipping.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Before/after histograms and highlight/shadow checks show controlled range.

Histogram and Levels · control and judgement

CONTROL MAP

Channel · black point · gamma · white point · output levels

WATCH FOR

Forcing every image to fill the histogram or clipping detail.

QUALITY PROOF

Before/after histograms and highlight/shadow checks show controlled range.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Curves

1

How it works

Curves remaps input to output values with points that target overall tone or individual colour channels.

2

Best used for

Fine contrast shaping and colour-balance correction.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A labelled Curves layer and before/after comparison show the intended change.



Curves · control and judgement

CONTROL MAP

**Anchor points · slope ·
channel · mask · clipping
preview**

WATCH FOR

**Too many points, banding or
unwanted colour casts.**

QUALITY PROOF

**A labelled Curves layer and
before/after comparison
show the intended change.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Colour Balance and Hue/Saturation



1

How it works

Colour Balance shifts tonal ranges toward complementary colours; Hue/Saturation targets hue families and intensity.

2

Best used for

Harmonising composite elements and establishing a campaign palette.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Sampled swatches and targeted masks demonstrate controlled application.

Colour Balance and Hue/Saturation · control and judgement

CONTROL MAP

**Shadows/midtones/
highlights · target colour
range · saturation · mask**

WATCH FOR

**Global shifts that damage
skin tones, neutrals or brand
colours.**

QUALITY PROOF

**Sampled swatches and
targeted masks demonstrate
controlled application.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Neural Filters and Restoration

1

How it works

Neural Filters provide AI-assisted transformations that can output to a new layer for further review.

2

Best used for

Restoration, colourisation and portrait enhancement where source evidence is incomplete.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

Original, AI output and manual corrections remain separately reviewable.



Neural Filters and Restoration · control and judgement

CONTROL MAP

Filter model · strength ·
output method · local
cleanup · review

WATCH FOR

Invented detail, identity
changes or treating an AI
result as historical fact.

QUALITY PROOF

Original, AI output and
manual corrections remain
separately reviewable.

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Campaign Colour Consistency



1

How it works

A campaign palette combines role-based colours, contrast targets and adjustment recipes across assets.

2

Best used for

Keeping storyboard, social and poster outputs recognisably related.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

A palette sheet and three channel exports show consistent roles.

Campaign Colour Consistency · control and judgement

CONTROL MAP

**Primary/secondary/accent
roles · value range ·
accessibility · export profile**

WATCH FOR

**Matching hex values while
ignoring surrounding colour
and output profile.**

QUALITY PROOF

**A palette sheet and three
channel exports show
consistent roles.**

Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Output Verification and Content Credentials

1

How it works

Professional delivery includes export settings, reopen checks, provenance and a retained editable master.

2

Best used for

Hand-off to stakeholders, publication and audit-ready delivery.

3

Professional decision

Choose this method when its content model and edge behaviour fit the brief.

4

Quality signal

PSD, verified JPEG and provenance/read-me record form one evidence package.



Output Verification and Content Credentials · control and judgement

CONTROL MAP

**Format · dimensions · profile
· compression · metadata ·
Content Credentials**

WATCH FOR

**Assuming an exported file is
correct without reopening it.**

QUALITY PROOF

**PSD, verified JPEG and
provenance/read-me record
form one evidence package.**


Decision rule · preserve a baseline, isolate the intended change, then inspect at the delivery size.

Lab 09 · Restoration, Critique and Colour Strategy



An archive image will support a heritage-wellness story but must not imply certainty where AI reconstructs missing detail.

Restore a damaged image, evaluate invented detail and develop a reversible colour treatment.



EVIDENCE

Layered restoration PSD, verified JPEG, palette swatches and critique of AI-inferred detail.


Full procedure · Learner Guide / Lab 09

Lab 10 · Wellness Campaign Capstone



Fictional Wellness Week Singapore 2026 needs a coherent hero visual and three channel exports for a positive, inclusive message.

Integrate the full workflow into an editable campaign visual, storyboard summary, critique and colour-delivery package.



EVIDENCE

Layered master PSD, prompt log, storyboard strip, peer critique, enhancement record, palette and three verified JPEGs.

Full procedure · Learner Guide / Lab 10

Topic 4 Checkpoint

Purpose

What does the audience need to notice?

Method

Why does this technique fit the content and edge?

Control

Which setting most changes the outcome?

Failure

What defect would make the result unacceptable?

Proof

Which view and evidence demonstrate quality?

Next

What controlled variation would improve the result?

Professional Editing Loop

Brief

Clarify purpose, audience, channel and constraints.

Source

Choose sufficient, rights-cleared assets.

Construct

Use layers, masks and Smart Objects.

Experiment

Vary one factor against a baseline.

Evaluate

Inspect visual, technical and rights criteria.

Deliver

Export, reopen and retain the master.

Copyright and Asset Permission

Ownership

Identify the creator/owner.

Permission

Public visibility does not grant reuse.

Scope

Check modification, commercial and redistribution rights.

People

Confirm consent and privacy context.

Attribution

Credit as the licence requires.

Record

Retain source, licence, consent, date and use.

Responsible Generative AI

Inputs

Use only material you may provide.

Log

Record prompt and selected variation.

Review

Check plausibility, bias and artefacts.

Terms

Confirm current feature terms.

Credentials

Retain provenance where appropriate.

Responsibility

The editor owns the publication decision.

Peer Review

Describe

State purpose and key decisions.

Show

Reveal layers, masks and before/after.

Ask

Use explicit criteria.

Record

Capture what the reviewer noticed.

Decide

Accept, adapt or reject with reason.

Revise

Make one traceable improvement.

Support

Email

enquiry@tertiaryinfotech.com

Telephone

+65 6100 0613

Portal

<https://lms-tms.tertiaryinfotech.com/>

Provider

Tertiary Infotech Academy Pte Ltd

Website

www.tertiarycourses.com.sg

Privacy

Do not send course content publicly.

Tell us how the day went

Share your views

Tell us what worked and what could be better.

Certificate

Emailed to you after the course.

Stay in touch

Reach the trainer any time at enquiry@tertiaryinfotech.com.

Thank You

Create with intent · preserve options · verify the output