NON-WSQ COURSE • C27

Microsoft 365 Copilot Masterclass

Version v2.0 · 13 October 2026

Tertiary Infotech Academy Pte Ltd
UEN: 201200696W

www.tertiarycourses.com.sg | enquiry@tertiaryinfotech.com | +65 6100 0613

© Tertiary Infotech Academy Pte Ltd

COURSE ADMINISTRATION

Welcome & Housekeeping

© Tertiary Infotech Academy Pte Ltd

ICE-BREAKER

Let's Know Each Other

1. Your name, role and one maintenance reporting task.
2. Which app holds the work-order source?
3. Which date and status definitions determine overdue work?
4. Check which Copilot buttons and skills menus are available in your assigned apps.

© Tertiary Infotech Academy Pte Ltd

HOUSEKEEPING

Ground Rules

1. Set your mobile phone to silent mode.
2. Participate actively — no question is too small.
3. Mutual respect: agree to disagree.
4. One conversation at a time.
5. Be punctual; return from breaks on time.
6. Learn by doing — try every hands-on lab.

© Tertiary Infotech Academy Pte Ltd

Access Course Materials

1. Open the C27 course page or the trainer-supplied Drive folder
2. Open the courseware links for this course
3. Download the Slides, Learner Guide and Lesson Plan
4. Open the labs folder for all 8 lab folders
5. Keep the files together as you work

Course page: https://www.tertiarycourses.com.sg/microsoft-365-copilot-masterclass.html

© Tertiary Infotech Academy Pte Ltd

SCHEDULE

Lesson Plan — 1 Day, 7.5 instructional hours

Course sequence

- Topic 1: Fundamentals of Microsoft 365 Copilot (Labs 1–2)
- Topic 2: Create Skills for Microsoft 365 Copilot (Labs 3–4)
- Topic 3: Create an Interactive Dashboard with Excel Copilot (Labs 5–6)
- Topic 4: Create a Professional Presentation with PowerPoint Copilot (Labs 7–8)

Day format

- Daily timing
  - 9:30 am - 6:30 pm (1-hour lunch; two 15-minute tea breaks; 7.5 instructional hours)
- Instructional time
  - 7.5 hours · 8 connected labs
- Learning arc
  - Concept → demonstrate → build → verify → discuss → recap

© Tertiary Infotech Academy Pte Ltd

WHAT YOU'LL ACHIEVE

Learning Outcomes

1

Connected Copilot workflow

Integrate Word, Excel, PowerPoint and Outlook Copilot in a coherent maintenance workflow with explicit source grounding and verified prompts.

2

Reusable maintenance skills

Create, install, apply and improve a custom maintenance-reporting skill in Excel and PowerPoint, preserving source records and testing reruns.

3

Interactive dashboard

Create an interactive maintenance dashboard with verified measures, common filter scope, meaningful charts and a demonstrated refresh test.

4

Professional presentation

Continue from the dashboard to a professional management presentation, with evidence-based headlines, source notes, rehearsal and a reviewed handoff draft.

© Tertiary Infotech Academy Pte Ltd

LEARNING APPROACH

How You'll Learn

1. Trainer demonstrates the concept
2. You build it yourself in the hands-on lab
3. Verify with the lab's 'Test it' step
4. Discuss and troubleshoot together
5. Recap against the learning outcomes

© Tertiary Infotech Academy Pte Ltd

TOPIC 1

Fundamentals of Microsoft 365 Copilot

One verified maintenance workflow across four apps

© Tertiary Infotech Academy Pte Ltd

Key Concepts — Fundamentals of Microsoft 365 Copilot

1

Grounding

Select actual sources in every app.

2

Work orders

IDs, status, category, site and current assignment.

3

Prompts

Goal, context, source and expectations.

4

Handoffs

Reconcile Word, Excel, slides and draft email.

© Tertiary Infotech Academy Pte Ltd

WHAT YOU'LL DO

Hands-On Labs — Fundamentals of Microsoft 365 Copilot

Lab 1

- **Excel to Word**
  - Prepare Work Orders and Draft the Operations Brief


Lab 2

- **Word to PowerPoint and Outlook**
  - Create the Cross-App Maintenance Update

© Tertiary Infotech Academy Pte Ltd

CONNECTED USE CASE

The Northstar Maintenance Evidence Chain



© Tertiary Infotech Academy Pte Ltd

EDITABLE DATA MODEL

A Work Order Has State, Scope and Ownership

ID
WO-2026-0003

Site
Woodlands Hub

Category
HVAC

Status
In Progress

Owner
Chloe Goh

Current owner is evidence. Proposed owner is a separate planning output.

Source: synthetic tblWorkOrders | 30 Sep 2026 | All filters All unless stated

© Tertiary Infotech Academy Pte Ltd

Grounding Across Microsoft 365

WHAT IT IS

- Grounding gives an AI request the specific evidence it should use.

WHY IT MATTERS

- A maintenance figure can be correct in Excel yet become wrong in an email when the source, reporting date or filter scope changes.

CHECK IT

- Excel analyses tblWorkOrders; Word receives the checked summary.

© Tertiary Infotech Academy Pte Ltd

Grounding Across Microsoft 365

1. Identify the authoritative work-order table.
2. Provide goal, context, source and expected output.
3. Review against the named evidence.
4. Pass a verified snapshot to the next app.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Grounding Across Microsoft 365

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- PowerPoint receives the reviewed Word brief; Outlook receives the same checked values.
- An Excel chat transcript is not an automatic PowerPoint data source.

© Tertiary Infotech Academy Pte Ltd

Work-Order Grain and Reporting Measures

WHAT IT IS

- A row represents one work order, identified by Work_Order_ID.

WHY IT MATTERS

- An exact duplicated export row changes counts and cost without representing new work.

CHECK IT

- 122 raw rows contain 120 distinct work-order IDs.

© Tertiary Infotech Academy Pte Ltd

Work-Order Grain and Reporting Measures

1. Define one ID per work order.
2. Find exact repeated export records.
3. Standardise labels without inventing facts.
4. Reconcile cleaned counts and cost.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Work-Order Grain and Reporting Measures

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Total = Closed + Cancelled + Backlog after exact duplicate removal.
- Due on 30 September is not overdue at the 30 September snapshot.

© Tertiary Infotech Academy Pte Ltd

LAB 1 THEME · EXCEL TO WORD

Prepare Work Orders and Draft the Operations Brief

LAB 1

You are Northstar Facilities' maintenance coordinator. A Q3 export contains repeated IDs and inconsistent category labels.

You'll build

Northstar_Clean_Work_Orders.xlsx and Northstar_Operations_Brief.docx, with reconciled counts, reporting scope and a source register.

1 Ground	2 Build	3 Verify	4 Handoff

Tools: Microsoft 365 Copilot · Excel · Word · PowerPoint · Outlook · OneDrive

© Tertiary Infotech Academy Pte Ltd

Sample Prompts — Lab 1

1. Excel: Count unique work-order IDs and reconcile backlog using the fixed reporting date.

2. Word: Draft an operations brief from the checked evidence; label proposals and unknowns.

© Tertiary Infotech Academy Pte Ltd

Check Your Results — Lab 1

1

Clean table

120 unique Work_Order_ID rows; five canonical job categories.

2

Portfolio identity

120 = 48 Closed + 12 Cancelled + 60 backlog.

3

Evidence handoff

Overdue 50; unassigned backlog 6; total cost S$35,827.50. Word agrees with Excel.

4

No guessed owner

Blank assignments remain blank; proposals labelled unapproved.

© Tertiary Infotech Academy Pte Ltd

Prompts and Verified App Handoffs

WHAT IT IS

- A useful prompt combines the intended goal, operational context, named source and output expectations.

WHY IT MATTERS

- The same number may have different meaning when a chart counts all work orders while an email calls it open backlog.

CHECK IT

- Goal: draft a maintenance update for the operations manager.

© Tertiary Infotech Academy Pte Ltd

Prompts and Verified App Handoffs

1. Write the goal and audience.
2. Attach or select the actual source.
3. Specify definitions and missing-value behaviour.
4. Reconcile the returned claims.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Prompts and Verified App Handoffs

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Source: reviewed Northstar operations brief, all filters All, 30 September.
- Expectation: label assignment suggestions as proposals and leave unknown approvals UNKNOWN.

© Tertiary Infotech Academy Pte Ltd

Outlook Drafting and Operational Decisions

WHAT IT IS

- Copilot can help structure a draft email from supplied context.

WHY IT MATTERS

- An apparently routine update can accidentally promise technician reassignment or imply that a manager approved a recovery plan.

CHECK IT

- Current owner blank; proposed owner Aisha remains unapproved.

© Tertiary Infotech Academy Pte Ltd

Outlook Drafting and Operational Decisions

1. Provide the synthetic thread and checked facts.
2. Draft a concise update.
3. Review recipients, facts and action wording.
4. Save the unsent draft and evidence.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Outlook Drafting and Operational Decisions

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- A draft addressed to example.invalid is a training artifact.
- The handoff says decision requested, not decision approved.

© Tertiary Infotech Academy Pte Ltd

Create the Cross-App Maintenance Update

LAB 2

Continue the verified operations brief from Lab 1. You will turn it into an initial PowerPoint update, then prepare an Outlook reply to a synthetic maintenance thread.

You'll build

Northstar_Initial_Update.pptx, an unsent Outlook draft and Northstar_Cross_App_Evidence.csv with Excel, Word, PowerPoint and Outlook figures reconciled.

1 Ground	2 Build	3 Verify	4 Handoff

Tools: Microsoft 365 Copilot · Excel · Word · PowerPoint · Outlook · OneDrive

© Tertiary Infotech Academy Pte Ltd

Sample Prompts — Lab 2

1. PowerPoint: Turn the reviewed brief into a four-slide update with source/date notes.

2. Outlook: Draft the maintenance reply from the same checked values; keep it unsent.

© Tertiary Infotech Academy Pte Ltd

Check Your Results — Lab 2

1

Four apps

Excel Checks, Word brief, four-slide update and unsent Outlook draft share the same date and values.

2

Cross-app grounding

Named file or pasted verified evidence is provided in each app; no assumed shared chat.

3

Draft boundary

example.invalid recipient; nothing sent and no assignment approved.

© Tertiary Infotech Academy Pte Ltd

TOPIC RECAP

Recap - Fundamentals of Microsoft 365 Copilot

1. LO1: Same work-order evidence across four apps.

2. Verify: 120 clean IDs and reconciled brief/update/draft.

© Tertiary Infotech Academy Pte Ltd

TOPIC 2

Create Skills for Microsoft 365 Copilot

A reusable method for Excel and PowerPoint

© Tertiary Infotech Academy Pte Ltd

Key Concepts — Create Skills for Microsoft 365 Copilot

1

SKILL.md

Matching folder/name and reusable instructions.

2

Discovery

Install and verify separately in each app.

3

Repeatability

Input guards and controlled reruns.

4

Proposals

Preserve source owners and evidence boundaries.

© Tertiary Infotech Academy Pte Ltd

WHAT YOU'LL DO

Hands-On Labs — Create Skills for Microsoft 365 Copilot

Lab 3

- **Author SKILL.md**
  - Create a Custom Maintenance Reporting Skill

Lab 4

- **Repeatable reporting**
  - Use and Improve the Skill in Excel and PowerPoint

© Tertiary Infotech Academy Pte Ltd

EDITABLE SKILL CONTRACT

Anatomy of the Maintenance Skill

Discovery	name + description	When should Copilot use it?
Input guard	table or snapshot + date + scope	What evidence is missing?
Method	definitions + source preservation	How should measures be calculated?
Outputs	summary / charts / proposals	Which named areas may change?
Verification	counts + denominators + reruns	What proves the result?

Source: synthetic tblWorkOrders | 30 Sep 2026 | All filters All unless stated

© Tertiary Infotech Academy Pte Ltd

Skills, Prompts and Workbook Rules

WHAT IT IS

- A prompt is one request.

WHY IT MATTERS

- The skill makes stable definitions and review boundaries reusable: backlog excludes two terminal statuses, overdue uses a fixed date, missing owners stay missing and output reruns do not duplicate sheets.

CHECK IT

- maintenance-reporting contains definitions and output boundaries.

© Tertiary Infotech Academy Pte Ltd

Skills, Prompts and Workbook Rules

1. Identify a recurring task.
2. Separate stable rules from current inputs.
3. Write name, description and instructions.
4. Install, invoke and inspect the result.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Skills, Prompts and Workbook Rules

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Each request still supplies this month’s source, date and scope.
- Native skill use and pasted manual instructions are recorded differently.

© Tertiary Infotech Academy Pte Ltd

Custom Skill Discovery in Each App

WHAT IT IS

- Excel uses its Manage plugins & skills interface and an app-created OneDrive skills folder.

WHY IT MATTERS

- Folder-name/frontmatter mismatches, an extra .txt extension, unavailable licence features and disabled skills can all prevent discovery.

CHECK IT

- Folder maintenance-reporting matches YAML name maintenance-reporting.

© Tertiary Infotech Academy Pte Ltd

Custom Skill Discovery in Each App

1. Save complete UTF-8 SKILL.md.
2. Use the app-created skills location.
3. Refresh and verify the matching name.
4. Run and record a smoke test.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Custom Skill Discovery in Each App

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Excel and PowerPoint both show the skill before native invocation.
- If a menu is absent, manual practice is labelled feature unavailable.

© Tertiary Infotech Academy Pte Ltd

Create a Custom Maintenance Reporting Skill

LAB 3

Capture the maintenance definitions and reporting style as one custom skill. You will ask Microsoft 365 Copilot on the web to write SKILL.md, compare it with a supplied complete template, install it in each app's own supported skills location, and perform a small smoke test.

You'll build

A reviewed maintenance-reporting/SKILL.md v1, a smoke-test record, and a native-skill or explicitly labelled manual-practice route for each app.

1 Ground	2 Build	3 Verify	4 Handoff

Tools: Microsoft 365 Copilot · Excel · Word · PowerPoint · Outlook · OneDrive

© Tertiary Infotech Academy Pte Ltd

Sample Prompts — Lab 3

1. Web Copilot: Write complete maintenance-reporting SKILL.md with input guards and reporting definitions.

2. Excel / PowerPoint: @maintenance-reporting Explain your inputs and output boundaries before making changes.

© Tertiary Infotech Academy Pte Ltd

Check Your Results — Lab 3

1

Skill format

maintenance-reporting folder; matching name in YAML; nonempty description; UTF-8 SKILL.md.

2

Metric controls

Backlog excludes two terminal statuses; due-today not overdue; zero closed -> N/A.

3

Installation evidence

Excel and PowerPoint names verified separately, or manual route honestly recorded.

© Tertiary Infotech Academy Pte Ltd

REPEATABLE IMPROVEMENT

A Skill Improves Through Evidence

1. v1 instructions
2. Run on verified inputs
3. Find one concrete defect
4. v2 + repeat the check

© Tertiary Infotech Academy Pte Ltd

Repeatability and Safe Skill Reruns

WHAT IT IS

- Repeatability means the same verified inputs and method yield equivalent business measures and a controlled output structure.

WHY IT MATTERS

- Reporting skills may be used every week or month, so uncontrolled output accumulation quickly creates conflicting summaries.

CHECK IT

- 120 source IDs remain 120 after rerunning Maintenance_Summary.

© Tertiary Infotech Academy Pte Ltd

Repeatability and Safe Skill Reruns

1. Capture the source fingerprint and outputs.
2. Request a reviewed rerun plan.
3. Replace only named output areas.
4. Compare source and measures again.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Repeatability and Safe Skill Reruns

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Missing report date causes a clarification request, not invented numbers.
- A second output sheet is a defect when replacement was requested.

© Tertiary Infotech Academy Pte Ltd

Assignment Proposals and Capacity Evidence

WHAT IT IS

- Assignment planning combines the work category, existing owner, estimated hours, technician primary category and available hours.

WHY IT MATTERS

- The same skill can improve Excel analysis and PowerPoint wording by preserving this boundary.

CHECK IT

- Unassigned work is counted only within nonterminal statuses.

© Tertiary Infotech Academy Pte Ltd

Assignment Proposals and Capacity Evidence

1. Identify unassigned backlog.
2. Compare category and available hours.
3. Record the proposal and assumptions.
4. Request the manager decision.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Assignment Proposals and Capacity Evidence

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Available hours minus proposed effort is a planning check.
- The source Assigned_To stays unchanged until a real authorised operational update.

© Tertiary Infotech Academy Pte Ltd

LAB 4 THEME · REPEATABLE REPORTING

Use and Improve the Skill in Excel and PowerPoint

LAB 4

Use the Lab 3 skill to create a verified summary and improve the initial PowerPoint update. Then deliberately test missing inputs and a rerun, tighten the skill to v2, and compare before/after evidence.

You'll build

Northstar_Skill_Report.xlsx with Maintenance_Summary and Assignment_Proposals, Northstar_Skill_Update.pptx, SKILL.md v2 and a before/after improvement log.

1 Ground	2 Build	3 Verify	4 Handoff

Tools: Microsoft 365 Copilot · Excel · Word · PowerPoint · Outlook · OneDrive

© Tertiary Infotech Academy Pte Ltd

Sample Prompts — Lab 4

1. Excel: @maintenance-reporting Build the verified summary and separate assignment proposals.

2. PowerPoint: @maintenance-reporting Improve the existing four-slide update; preserve facts and count.

© Tertiary Infotech Academy Pte Ltd

Check Your Results — Lab 4

1

Source preserved

120 unique orders; current owner/status unchanged.

2

Skill outputs

Backlog 60; overdue 50; on-time closed 30/48; cost S$35,827.50.

3

Improvement evidence

Input guard and rerun tested; v1/v2 retained; PowerPoint four-slide output accurate.

© Tertiary Infotech Academy Pte Ltd

TOPIC RECAP

Recap - Create Skills for Microsoft 365 Copilot

1. LO2: Skill authoring, discovery, use and revision proven.

2. Verify: Preserved source plus missing-input and rerun tests.

© Tertiary Infotech Academy Pte Ltd

TOPIC 3

Create an Interactive Dashboard with Excel Copilot

From definitions to filters and refresh evidence

© Tertiary Infotech Academy Pte Ltd

Key Concepts — Create an Interactive Dashboard with Excel Copilot

1

Measures

Counts, backlog, overdue, on-time rate and cost.

2

Visuals

Choose charts by maintenance question.

3

Interactions

One filter scope for every chart and KPI.

4

Refresh

Known deltas in an isolated test copy.

© Tertiary Infotech Academy Pte Ltd

WHAT YOU'LL DO

Hands-On Labs — Create an Interactive Dashboard with Excel Copilot

Lab 5

- **Design and build**
  - Build Maintenance Dashboard Measures and Charts

Lab 6

- **Filters and refresh**
  - Make the Dashboard Interactive and Prove Refresh

© Tertiary Infotech Academy Pte Ltd

WORKED DASHBOARD SNAPSHOT

Northstar Portfolio at a Glance

Total orders

120

Backlog

60

Overdue

50

Closed

48

On-time closed

30/48

Recorded cost


S$35,828

Source: synthetic tblWorkOrders | 30 Sep 2026 | All filters All unless stated

© Tertiary Infotech Academy Pte Ltd

NATIVE EDITABLE CHART

Backlog by Site: Count the Nonterminal Work



Source: synthetic tblWorkOrders | 30 Sep 2026 | All filters All unless stated

© Tertiary Infotech Academy Pte Ltd

Dashboard Measures and Denominators

WHAT IT IS

- A dashboard measure needs a business definition, numerator, denominator where relevant, date rule and filter scope.

WHY IT MATTERS

- Changing the denominator can make an attractive rate meaningless.

CHECK IT

- Closed-only rate is different from closed/total completion share.

© Tertiary Infotech Academy Pte Ltd

Dashboard Measures and Denominators

1. Define source fields and scope.
2. Compute count and denominator.
3. Handle empty selections explicitly.
4. Reconcile against controls.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Dashboard Measures and Denominators

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- A due-today backlog item is not overdue under a strict before-date rule.
- All selected status/chart counts reconcile to total selected work orders.

© Tertiary Infotech Academy Pte Ltd

Visual Dashboard Design for Maintenance

WHAT IT IS

- A dashboard should make an operational decision easier.

WHY IT MATTERS

- Consistent chart scales, short labels, whitespace and limited accents help a manager compare the work queue quickly.

CHECK IT

- Status count chart shows the portfolio mix.

© Tertiary Infotech Academy Pte Ltd

Visual Dashboard Design for Maintenance

1. Name the maintenance decision.
2. Choose the measure and comparison.
3. Use an appropriate labelled chart.
4. Check meaning and readability.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Visual Dashboard Design for Maintenance

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Site backlog chart excludes Closed and Cancelled.
- A category count does not establish the root cause of overdue jobs.

© Tertiary Infotech Academy Pte Ltd

Build Maintenance Dashboard Measures and Charts

LAB 5

Use Excel Copilot to plan a maintenance dashboard for operations managers. Define the measures before designing the charts, then build source-linked KPI cards and a status, category and site chart.

You'll build

Northstar_Dashboard.xlsx with a Dashboard layout, six verified measures, three labelled charts and a measure dictionary ready for Lab 6 filters.

1 Ground	2 Build	3 Verify	4 Handoff

Tools: Microsoft 365 Copilot · Excel · Word · PowerPoint · Outlook · OneDrive

© Tertiary Infotech Academy Pte Ltd

Sample Prompts — Lab 5

1. Excel: Plan six dashboard measures and three charts from tblWorkOrders; preserve source data.

2. Excel: Explain the closed-only SLA denominator and verify it against source rows.

© Tertiary Infotech Academy Pte Ltd

Check Your Results — Lab 5

1

Baseline

Total 120; backlog 60; overdue 50; closed 48.

2

SLA and cost

30/48 = 62.5%; S$35,827.50.

3

Chart reconciliation

Three count summaries each total 120; formulas reference tblWorkOrders.

4

Decision design

Measures dictionary and source/date visible; no unsupported cause claims.

© Tertiary Infotech Academy Pte Ltd

EDITABLE WORKED COMPARISON

Same Data, Different Filter Scope

All sites

Total: 120

Backlog: 60

Overdue: 50

Closed: 48

On-time closed: 30/48

Woodlands Hub

Total: 24

Backlog: 8

Overdue: 7

Closed: 16

On-time closed: 10/16

Source: synthetic tblWorkOrders | 30 Sep 2026 | All filters All unless stated

© Tertiary Infotech Academy Pte Ltd

One Filter Scope for Every Visual

WHAT IT IS

- Interactive means a learner-controlled selection changes the evidence shown.

WHY IT MATTERS

- A dashboard can appear interactive while only one chart changes.

CHECK IT

- Woodlands Hub plus All in other selectors isolates that site.

© Tertiary Infotech Academy Pte Ltd

One Filter Scope for Every Visual

1. Define the selector cells.
2. Apply the same AND mask everywhere.
3. Test each control and edge case.
4. Reconcile selected chart and KPI totals.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — One Filter Scope for Every Visual

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Status New gives zero Closed and N/A closure rate.
- A slicer must connect to every intended PivotTable.

© Tertiary Infotech Academy Pte Ltd

Refresh Tests and Static Snapshots

WHAT IT IS

- A refresh test deliberately introduces known new records and verifies the expected delta.

WHY IT MATTERS

- A correct dashboard today may fail after the next export if formulas reference a fixed cell range.

CHECK IT

- Two test rows increase total by2 and recorded cost byS$400.

© Tertiary Infotech Academy Pte Ltd

Refresh Tests and Static Snapshots

1. Save an isolated sandbox copy.
2. Append known unique test rows.
3. Recalculate and verify expected deltas.
4. Handoff the untouched baseline.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Refresh Tests and Static Snapshots

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Only one new row adds to backlog/overdue; the other adds to on-time Closed.
- The final deck uses the untouched 120-row baseline, not the test copy.

© Tertiary Infotech Academy Pte Ltd

Make the Dashboard Interactive and Prove Refresh

LAB 6

Continue Lab 5 by making four dropdown selectors control every KPI and chart. Test a single site, a zero-denominator selection and a combined category/owner filter.

You'll build

Northstar_Dashboard.xlsx with four working filters plus Northstar_Dashboard_Refresh_Test.xlsx, filter evidence and a verified baseline snapshot for PowerPoint.

1 Ground	2 Build	3 Verify	4 Handoff

Tools: Microsoft 365 Copilot · Excel · Word · PowerPoint · Outlook · OneDrive

© Tertiary Infotech Academy Pte Ltd

Sample Prompts — Lab 6

1. Excel: Apply Site, Category, Status and Owner selections to every KPI and chart.

2. Excel: Verify the sandbox append adds 2 orders and S$400 without changing original records.

© Tertiary Infotech Academy Pte Ltd

Check Your Results — Lab 6

1

Woodlands control

Total 24; backlog 8; overdue 7; closed 16; cost S$6,668.50; on-time 10/16.

2

Interactive scope

Changing any of four filters affects all six KPI measures and all chart counts.

3

Edge case

No Closed -> N/A; no rows -> zero count/cost and N/A rate.

4

Refresh sandbox

122 total;49 closed;61 backlog;51 overdue;S$36,227.50;31/49 on-time.

5

Handoff baseline

Return to 120-row untouched baseline; date and All scope recorded.

© Tertiary Infotech Academy Pte Ltd

Recap - Create an Interactive Dashboard with Excel Copilot

1. LO3: Six measures and three charts share four filters.

2. Verify: Baseline controls and known refresh deltas.

© Tertiary Infotech Academy Pte Ltd

TOPIC 4

Create a Professional Presentation with PowerPoint Copilot

Continue the dashboard into a decision pack

© Tertiary Infotech Academy Pte Ltd

Key Concepts — Create a Professional Presentation with PowerPoint Copilot

1

Evidence story

Observation, implication, action and decision.

2

Charts

Reviewed values, provenance and snapshot date.

3

Refinement

Hierarchy, notes and actual rehearsal feedback.

4

Handoff

Reconciled pack and unsent communication.

© Tertiary Infotech Academy Pte Ltd

WHAT YOU'LL DO

Hands-On Labs — Create a Professional Presentation with PowerPoint Copilot

Lab 7

- **Dashboard to presentation**
  - Turn Dashboard Evidence into a Management Story

Lab 8

- **Professional handoff**
  - Refine and Present the Maintenance Decision Deck

© Tertiary Infotech Academy Pte Ltd

EVIDENCE TO NARRATIVE

A Verified Chart Becomes a Decision

1. Observed backlog
2. Operational implication
3. Proposed recovery action
4. Manager decision requested

© Tertiary Infotech Academy Pte Ltd

From Dashboard Evidence to a Decision Story

WHAT IT IS

- A management presentation transforms evidence into a sequence of observations, implications, proposed actions and a decision request.

WHY IT MATTERS

- Copilot can accelerate outlines and drafting, but a persuasive invented conclusion is still wrong.

CHECK IT

- Backlog by site supports prioritisation, not a proven cause.

© Tertiary Infotech Academy Pte Ltd

From Dashboard Evidence to a Decision Story

1. Freeze the verified dashboard snapshot.
2. Register each proposed claim.
3. Write a reviewed Word brief.
4. Generate and reconcile the deck.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — From Dashboard Evidence to a Decision Story

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Available-hours evidence supports a capacity discussion, not confirmed allocation.
- The final slide asks management to decide on a proposed plan.

© Tertiary Infotech Academy Pte Ltd

Charts, Templates and Source Provenance

WHAT IT IS

- A template supplies slide layouts, typography and colours; it does not supply correct facts.

WHY IT MATTERS

- Approximate AI-generated charts can contradict source values while looking plausible.

CHECK IT

- An editable embedded chart remains a copy rather than a tested live link.

© Tertiary Infotech Academy Pte Ltd

Charts, Templates and Source Provenance

1. Select the reviewed brief.
2. Apply the existing template.
3. Insert verified charts or tables.
4. Record source and snapshot scope.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Charts, Templates and Source Provenance

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- An image is labelled as a snapshot at 30 September.
- All eight slides use one reviewed baseline.

© Tertiary Infotech Academy Pte Ltd

Turn Dashboard Evidence into a Management Story

LAB 7

Continue the baseline dashboard from Topic 3. Build a slide evidence register and a Word presentation brief before asking PowerPoint Copilot for an eight-slide management deck.

You'll build

Northstar_Presentation_Brief.docx, Northstar_Management_Draft.pptx and a slide-by-slide evidence register tied to the 120-row dashboard snapshot.

1 Ground	2 Build	3 Verify	4 Handoff

Tools: Microsoft 365 Copilot · Excel · Word · PowerPoint · Outlook · OneDrive

© Tertiary Infotech Academy Pte Ltd

Sample Prompts — Lab 7

1. Word: Create an eight-slide brief with one checked claim, source and limitation per slide.

2. PowerPoint: @maintenance-reporting Build the management deck from the reviewed Word evidence.

© Tertiary Infotech Academy Pte Ltd

Check Your Results — Lab 7

1

Evidence continuity

Every deck figure maps to the 120-row Lab 6 baseline and slide evidence register.

2

Eight-slide narrative

Observation -> implication -> proposed action -> decision; no invented cause/savings.

3

Chart semantics

Backlog charts exclude Closed/Cancelled; embedded/image copies labelled snapshot.

© Tertiary Infotech Academy Pte Ltd

ARTIFACT LIFECYCLE

The Maintenance Reporting Handoff

1

Interactive workbook

2

Dated Word evidence

3

Static PPTX + PDF

4

Reviewed unsent email

© Tertiary Infotech Academy Pte Ltd

Professional Refinement and Rehearsal

WHAT IT IS

- Refinement improves the clarity of the existing evidence without changing its meaning.

WHY IT MATTERS

- A well-designed deck can still fail when the speaker's notes contain different numbers or a proposal is spoken as an approved action.

CHECK IT

- One message per slide; chart labels remain readable.

© Tertiary Infotech Academy Pte Ltd

Professional Refinement and Rehearsal

1. Audit the draft against evidence.
2. Apply reviewed design changes.
3. Rehearse and record actual feedback.
4. Inspect PPTX and exported PDF.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Professional Refinement and Rehearsal

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- A 45-second note explains evidence and limitation.
- Partner feedback leads to one recorded revision.

© Tertiary Infotech Academy Pte Ltd

Reviewed Handoff and Artifact Lifecycle

WHAT IT IS

- The final pack contains an interactive Excel dashboard, a fixed reporting brief, a static PowerPoint/PDF snapshot, the custom skill and a reviewed communication draft.

WHY IT MATTERS

- Updating one artifact without the others creates inconsistent communication.

CHECK IT

- PowerPoint and PDF both show eight slides/pages from the same baseline.

© Tertiary Infotech Academy Pte Ltd

Reviewed Handoff and Artifact Lifecycle

1. Reconcile final artifacts.
2. Record actual filenames and links.
3. Review the handoff draft.
4. Preserve the dated snapshot and skill.

© Tertiary Infotech Academy Pte Ltd

Apply the Concept — Reviewed Handoff and Artifact Lifecycle

PROMPT PRINCIPLES

- Name the source, reporting date and selected scope.
- Explain the result using checked evidence.

EVIDENCE TO CHECK

- Outlook does not claim a missing attachment was sent.
- The next update reruns the method with new verified inputs.

© Tertiary Infotech Academy Pte Ltd

Refine and Present the Maintenance Decision Deck

LAB 8

Refine the management deck using the same custom skill and reviewed dashboard evidence. Improve hierarchy, consistency and speaker notes, test the story in a short rehearsal, and prepare a reviewed Outlook handoff draft.

You'll build

Northstar_Management_Final.pptx/PDF, a rehearsal record, final evidence register and unsent Outlook handoff draft with accurate artifact links.

1 Ground	2 Build	3 Verify	4 Handoff

Tools: Microsoft 365 Copilot · Excel · Word · PowerPoint · Outlook · OneDrive

© Tertiary Infotech Academy Pte Ltd

Sample Prompts — Lab 8

1. PowerPoint: @maintenance-reporting Audit and refine the eight-slide deck without changing values.

2. Outlook: Draft the handoff with real supplied links and the static-snapshot limitation.

© Tertiary Infotech Academy Pte Ltd

Check Your Results — Lab 8

1

Presentation integrity

Eight slides and eight PDF pages; visible figures agree with verified register.

2

Professional delivery

Readable chart labels, consistent design, evidence-specific notes and actual rehearsal improvement.

3

Final continuity

Baseline dashboard, brief, deck and unsent draft agree; static snapshot stated.

4

Decision boundary

No real email sent or work order reassigned; proposed actions remain proposed.

© Tertiary Infotech Academy Pte Ltd

TOPIC RECAP

Recap - Create a Professional Presentation with PowerPoint Copilot

1. LO4: Eight-slide evidence story and reviewed handoff.

2. Verify: PDF, notes, register and actual rehearsal agree.

© Tertiary Infotech Academy Pte Ltd

WRAP-UP

Course Summary & Next Steps

© Tertiary Infotech Academy Pte Ltd

LEARNING OUTCOMES

What You Achieved

1

Connected Copilot workflow

Integrate Word, Excel, PowerPoint and Outlook Copilot in a coherent maintenance workflow with explicit source grounding and verified prompts.

2

Reusable maintenance skills

Create, install, apply and improve a custom maintenance-reporting skill in Excel and PowerPoint, preserving source records and testing reruns.

3

Interactive dashboard

Create an interactive maintenance dashboard with verified measures, common filter scope, meaningful charts and a demonstrated refresh test.

4

Professional presentation

Continue from the dashboard to a professional management presentation, with evidence-based headlines, source notes, rehearsal and a reviewed handoff draft.

© Tertiary Infotech Academy Pte Ltd

NEXT STEPS

Your Next Maintenance Report

1. Use a copy and a new explicit reporting date.
2. Supply verified source/date/scope and test skill reruns.
3. Reconcile every claim and decision boundary.

© Tertiary Infotech Academy Pte Ltd

Keep Practising After the Course

1. Re-run the labs on your own machine — repetition is what makes the skills stick.
2. Apply the techniques to a real process or project in your own organisation.
3. Keep your downloaded C27 course files and use the lab checkpoints to restart safely.
4. Explore the follow-on courses at www.tertiarycourses.com.sg.

© Tertiary Infotech Academy Pte Ltd

THANK YOU FOR ATTENDING

Thank You!

You now have the practical skills from every lab in this course — keep applying them to your own work.

© Tertiary Infotech Academy Pte Ltd